

**APPENDIX L**  
**ABORIGINAL CONTACT LIST**

### Aboriginal Contact List

Community or Organization	Title	First Name	Last Name	Mailing Address	City	Province	Postal Code	Phone	Fax
Alderville First Nation	Chief	James	Marsden	11696 2nd Line, P.O. Box 46	Alderville	Ontario	K0K 2X0	905-352-2011	
Algonquins of Pikwàkanagàn	Chief	Kirby	Whiteduck	1657A Mishomis Inamo, Pikwàkanagàn	Golden Lake	Ontario	K0J 1X0	613-625-2800	613-625-2332
Ardoch Algonquin First Nation	Chief	Paula	Sherman	1045 Canoe Path	Ardoch	Ontario	K0H 1C0	613-329-3706	
Conseil de la Nation huronne-wendat	Grand Chief	Konrad	Sioui	255 Place Chef Michel Laveau	Wendake	Quebec	G0A 4V0	418-843-3767	418-842-1108
Curve Lake First Nation	Chief	Keith	Knott	General Delivery	Curve Lake	Ontario	K0L 1R0	705-657-8045	705-657-8708
Hiawatha First Nation	Land Resource Worker	Lori	Ritter	123 Paudash Street	Hiawatha	Ontario	K0L 2G0	705-295-4421	705-295-7144
Hiawatha First Nation	Land Resource Worker	Diane	Sheridan	123 Paudash Street	Hiawatha	Ontario	K0L 2G0	705-295-4421	705-295-7144
Hiawatha First Nation (Mississaugas of Rice Lake)	Chief	Sandra	Moore	123 Paudash Street	Hiawatha	Ontario	K0L 2G0	705-295-4421	705-295-7144
Kawartha Nishnawbe First Nation	Chief	Kris	Nahrgang	P.O. Box 1432	Lakefield	Ontario	K0L 2H0	705-654-4661	
Métis Nation of Ontario	Consultation Unit	Melanie	Paradis	500 Old St. Patrick Street, Unit 3	Ottawa	Ontario	K1N 9G4	613-798-1488	613-722-4225
Mississaugas of Scugog Island First Nation	Chief	Tracy	Gauthier	22521 Island Road	Port Perry	Ontario	L9L 1B6	905-985-3337	905-985-8828
Mohawk Council of Akwesasne	Grand Chief	Micheal	Mitchell	P.O. Box 579	Cornwall	Ontario	K6H 5T3	613-575-2250	613-575-2181
Shabot Obaadjiwan First Nation	Chief	Doreen	Davis	29649 Hwy 7	Arden	Ontario	K0H 1B0	613-279-1970	613-279-3070
Tyendinaga Mohawk Council	Chief	R. Donald	Maracle	13 Old York Road	Tyendinaga Mohawk Territory	Ontario	K0K 1X0	613-396-3424	

**APPENDIX M**  
**ABORIGINAL COMMUNITY CORRESPONDENCE**

July 26, 2011

Doris Dumais  
Director, Approvals  
Environmental Assessment and Approvals Branch  
Ministry of the Environment  
2 St. Clair Avenue West, 12A Floor  
Toronto, Ontario M4V1L5

Dear Ms. Dumais

**Re: Samsung Sol-Luce Kingston Solar PV Energy Project  
Renewable Energy Act Application – List of Aboriginal Communities**

Samsung Renewable Energy Inc. (Samsung) is proposing to design and construct a 100 MWac (megawatts of alternating current) solar power development in Eastern Ontario located in the City of Kingston and Loyalist Township (see attached map). The output of the solar PV project will be collected and connected to an electrical substation capable of transforming the power from distribution voltage to a transmission voltage of 230 kV. The proposed facility is to be known as the “Sol-luce Kingston Solar PV Energy Project” (Project). AMEC Americas Limited (AMEC) has been retained by Samsung to conduct the study as part of the Renewable Energy Approvals (REA) application.

This study will consider the environmental effects of the development and operation of the proposed facility. The study is being complete in accordance with the Renewable Energy Approvals under Part V.0.1 of the Ontario *Environmental Protection Act*.


AMEC is seeking from the Director a list of aboriginal communities who have or may have constitutionally protected Aboriginal or Treaty Rights that may be adversely impacted by the project, or otherwise may be interested in any negative effects of the Project (O. Reg. 359/09, s. 14 (1)).

Should you have any questions, please feel free to contact the undersigned at your convenience.

Yours sincerely,  
**AMEC Earth & Environmental**  
**a Division of AMEC Americas Limited**



Mary Kathryn Kelly, B.Sc  
Consultant, Human Environment  
Direct Tel.: 905-568-2929 x. 4127  
Direct Fax: 905-568-1686  
E-mail: mary.k.kelly@amec.com





July 28, 2011

Mr. Dan Kohoko  
Algonquins of Pikwàkanagàn  
1657A Mishomis Inamo  
Pikwàkanagàn  
Golden Lake, ON, K0J 1X0

Dear Mr. Kohoko,

**Re: Notice of Proposal to Engage in a Renewable Energy Project and Notice of Public Open House for the Sol-Luce Kingston Solar PV Energy Project**

Samsung Renewable Energy Inc. proposes to design and construct a 100 MW solar power development in Eastern Ontario located in the City of Kingston and Loyalist Township. If approved, this facility will convert solar energy into electricity to be fed into the Hydro One electricity grid. The output from each of the solar sites will be collected and routed to an electrical substation, in the vicinity of Unity Road, which will interconnect to the Hydro One transmission lines. The proposed facility is to be known as the "Sol-luce Kingston Solar PV Energy Project". The lands involved will be a series of leased sites covering a total of 325 hectares. Discussions are currently underway with landowners for lease of adequate parcels of land. Preliminary engineering and the studies required for the Renewable Energy Approval have only recently commenced.


As part of the application for a Renewable Energy Approval, Samsung will complete environmental studies for regulatory approval and consult with the public, First Nations and interested agencies. The invitation and details of the open house are in the attached Notice of Proposal.

If you have an interest in this project, please contact Mr. Simon Kim of Samsung Renewable Energy Inc. as indicated on the Notice of Proposal.

Sincerely,

**Samsung Renewable Energy Inc.**

By: \_\_\_\_\_

  
Name: JT Lee  
Title: President



July 28, 2011

Chief Paula Sherman  
Ardoch Algonquin First Nation  
1045 Canoe Path  
Ardoch, ON, K0H 1C0

Dear Chief Sherman,

**Re: Notice of Proposal to Engage in a Renewable Energy Project and Notice of Public Open House for the Sol-Luce Kingston Solar PV Energy Project**

Samsung Renewable Energy Inc. proposes to design and construct a 100 MW solar power development in Eastern Ontario located in the City of Kingston and Loyalist Township. If approved, this facility will convert solar energy into electricity to be fed into the Hydro One electricity grid. The output from each of the solar sites will be collected and routed to an electrical substation, in the vicinity of Unity Road, which will interconnect to the Hydro One transmission lines. The proposed facility is to be known as the "Sol-luce Kingston Solar PV Energy Project". The lands involved will be a series of leased sites covering a total of 325 hectares. Discussions are currently underway with landowners for lease of adequate parcels of land. Preliminary engineering and the studies required for the Renewable Energy Approval have only recently commenced.

As part of the application for a Renewable Energy Approval, Samsung will complete environmental studies for regulatory approval and consult with the public, First Nations and interested agencies. The invitation and details of the open house are in the attached Notice of Proposal.

If you have an interest in this project, please contact Mr. Simon Kim of Samsung Renewable Energy Inc. as indicated on the Notice of Proposal.

Sincerely,

**Samsung Renewable Energy Inc.**

By:   
Name: JT Lee  
Title: President



July 28, 2011

Grand Chief Konrad Sioui  
Conseil de la Nation huronne-wendat  
255 Place Chef Michel Laveau  
Wendake, Quebec, G0A 4V0

Dear Grand Chief Sioui,

**Re: Notice of Proposal to Engage in a Renewable Energy Project and Notice of Public Open House for the Sol-Luce Kingston Solar PV Energy Project**

Samsung Renewable Energy Inc. proposes to design and construct a 100 MW solar power development in Eastern Ontario located in the City of Kingston and Loyalist Township. If approved, this facility will convert solar energy into electricity to be fed into the Hydro One electricity grid. The output from each of the solar sites will be collected and routed to an electrical substation, in the vicinity of Unity Road, which will interconnect to the Hydro One transmission lines. The proposed facility is to be known as the "Sol-luce Kingston Solar PV Energy Project". The lands involved will be a series of leased sites covering a total of 325 hectares. Discussions are currently underway with landowners for lease of adequate parcels of land. Preliminary engineering and the studies required for the Renewable Energy Approval have only recently commenced.

As part of the application for a Renewable Energy Approval, Samsung will complete environmental studies for regulatory approval and consult with the public, First Nations and interested agencies. The invitation and details of the open house are in the attached Notice of Proposal.

If you have an interest in this project, please contact Mr. Simon Kim of Samsung Renewable Energy Inc. as indicated on the Notice of Proposal.

Sincerely,

**Samsung Renewable Energy Inc.**

By: \_\_\_\_\_

Name: JT Lee  
Title: President

A handwritten signature in black ink, appearing to read "JT Lee", written over a horizontal line.





July 28, 2011

Ms. Melanie Paradis  
Métis Nation of Ontario - Consultation Unit  
500 Old St. Patrick Street  
Unit D  
Ottawa, ON, K1N 9G4

Dear Ms. Paradis,

**Re: Notice of Proposal to Engage in a Renewable Energy Project and Notice of Public Open House for the Sol-Luce Kingston Solar PV Energy Project**

Samsung Renewable Energy Inc. proposes to design and construct a 100 MW solar power development in Eastern Ontario located in the City of Kingston and Loyalist Township. If approved, this facility will convert solar energy into electricity to be fed into the Hydro One electricity grid. The output from each of the solar sites will be collected and routed to an electrical substation, in the vicinity of Unity Road, which will interconnect to the Hydro One transmission lines. The proposed facility is to be known as the "Sol-luce Kingston Solar PV Energy Project". The lands involved will be a series of leased sites covering a total of 325 hectares. Discussions are currently underway with landowners for lease of adequate parcels of land. Preliminary engineering and the studies required for the Renewable Energy Approval have only recently commenced.

As part of the application for a Renewable Energy Approval, Samsung will complete environmental studies for regulatory approval and consult with the public, First Nations and interested agencies. The invitation and details of the open house are in the attached Notice of Proposal.

If you have an interest in this project, please contact Mr. Simon Kim of Samsung Renewable Energy Inc. as indicated on the Notice of Proposal.

Sincerely,

**Samsung Renewable Energy Inc.**

By: \_\_\_\_\_

Name: JT Lee  
Title: President

A handwritten signature in black ink, appearing to read "JT Lee", written over a horizontal line.



July 28, 2011

Grand Chief Micheal Mitchell  
Mohawk Council of Akwesasne  
PO Box 579  
Cornwall, ON, K6H 5T3

Dear Grand Chief Mitchell,

**Re: Notice of Proposal to Engage in a Renewable Energy Project and Notice of Public Open House for the Sol-Luce Kingston Solar PV Energy Project**

Samsung Renewable Energy Inc. proposes to design and construct a 100 MW solar power development in Eastern Ontario located in the City of Kingston and Loyalist Township. If approved, this facility will convert solar energy into electricity to be fed into the Hydro One electricity grid. The output from each of the solar sites will be collected and routed to an electrical substation, in the vicinity of Unity Road, which will interconnect to the Hydro One transmission lines. The proposed facility is to be known as the "Sol-Luce Kingston Solar PV Energy Project". The lands involved will be a series of leased sites covering a total of 325 hectares. Discussions are currently underway with landowners for lease of adequate parcels of land. Preliminary engineering and the studies required for the Renewable Energy Approval have only recently commenced.

As part of the application for a Renewable Energy Approval, Samsung will complete environmental studies for regulatory approval and consult with the public, First Nations and interested agencies. The invitation and details of the open house are in the attached Notice of Proposal.

If you have an interest in this project, please contact Mr. Simon Kim of Samsung Renewable Energy Inc. as indicated on the Notice of Proposal.

Sincerely,

**Samsung Renewable Energy Inc.**

By: \_\_\_\_\_

Name: JT Lee  
Title: President

A handwritten signature in black ink, appearing to read "JT Lee", written over a horizontal line.



July 28, 2011

Chief Doreen Davis  
Shabot Obaadjiwan First Nation  
29649 7 Hwy  
Arden, ON, K0H 1B0

Dear Chief Davis,

**Re: Notice of Proposal to Engage in a Renewable Energy Project and Notice of Public Open House for the Sol-Luce Kingston Solar PV Energy Project**

Samsung Renewable Energy Inc. proposes to design and construct a 100 MW solar power development in Eastern Ontario located in the City of Kingston and Loyalist Township. If approved, this facility will convert solar energy into electricity to be fed into the Hydro One electricity grid. The output from each of the solar sites will be collected and routed to an electrical substation, in the vicinity of Unity Road, which will interconnect to the Hydro One transmission lines. The proposed facility is to be known as the "Sol-luce Kingston Solar PV Energy Project". The lands involved will be a series of leased sites covering a total of 325 hectares. Discussions are currently underway with landowners for lease of adequate parcels of land. Preliminary engineering and the studies required for the Renewable Energy Approval have only recently commenced.

As part of the application for a Renewable Energy Approval, Samsung will complete environmental studies for regulatory approval and consult with the public, First Nations and interested agencies. The invitation and details of the open house are in the attached Notice of Proposal.

If you have an interest in this project, please contact Mr. Simon Kim of Samsung Renewable Energy Inc. as indicated on the Notice of Proposal.

Sincerely,

**Samsung Renewable Energy Inc.**

By: \_\_\_\_\_

Name: JT Lee  
Title: President

A handwritten signature in black ink, appearing to read "JT Lee", written over a horizontal line.



July 28, 2011

Chief R. Donald Maracle  
Tyendinaga Mohawk Council  
13 Old York Rd  
Tyendinaga Mohawk Territory, ON, K0K 1X0

Dear Chief Maracle,

**Re: Notice of Proposal to Engage in a Renewable Energy Project and Notice of Public Open House for the Sol-Luce Kingston Solar PV Energy Project**

Samsung Renewable Energy Inc. proposes to design and construct a 100 MW solar power development in Eastern Ontario located in the City of Kingston and Loyalist Township. If approved, this facility will convert solar energy into electricity to be fed into the Hydro One electricity grid. The output from each of the solar sites will be collected and routed to an electrical substation, in the vicinity of Unity Road, which will interconnect to the Hydro One transmission lines. The proposed facility is to be known as the "Sol-Luce Kingston Solar PV Energy Project". The lands involved will be a series of leased sites covering a total of 325 hectares. Discussions are currently underway with landowners for lease of adequate parcels of land. Preliminary engineering and the studies required for the Renewable Energy Approval have only recently commenced.

As part of the application for a Renewable Energy Approval, Samsung will complete environmental studies for regulatory approval and consult with the public, First Nations and interested agencies. The invitation and details of the open house are in the attached Notice of Proposal.

If you have an interest in this project, please contact Mr. Simon Kim of Samsung Renewable Energy Inc. as indicated on the Notice of Proposal.

Sincerely,

**Samsung Renewable Energy Inc.**

By: \_\_\_\_\_

Name: JT Lee  
Title: President

A handwritten signature in black ink, appearing to read "JT Lee", written over a horizontal line.

Ministry of the Environment

Environmental Assessment and  
Approvals Branch

2 St. Clair Avenue West  
Floor 12A  
Toronto ON M4V 1L5  
Tel.: 416 314-8001  
Fax: 416 314-8452

Ministère de l'Environnement

Direction des évaluations et des  
autorisations environnementales

2, avenue St. Clair Ouest  
Étage 12A  
Toronto ON M4V 1L5  
Tél.: 416 314-8001  
Télééc.: 416 314-8452



August 26, 2011

MOE File #: ER-11-SF-0033

Simon Kim  
Deputy General Manager  
Samsung Renewable Energy Corp.  
55 Standish Court  
9<sup>th</sup> Floor  
Mississauga, ON L5R 4B2

Dear Ms. Kim:

**RE: Director's Aboriginal Communities List - Sol-Luce Kingston Solar Energy Project**

The Ontario Ministry of the Environment (Ministry) has reviewed the information provided in the Draft of the Project Description Report (PDR) received for the *Sol-Luce Kingston Solar Energy Project*. The Ministry has reviewed the anticipated environmental effects of the project (as described in the PDR) relative to its current understanding of the interests of aboriginal communities in the area.

In accordance with section 14 of Ontario Regulation 359/09 "Renewable Energy Approvals under Part V.0.1 of the Act" (O. Reg. 359/09) made under the *Environmental Protection Act*, please find below the list of aboriginal communities who, in the opinion of the Director:

i) have or may have constitutionally protected aboriginal or treaty rights that may be adversely impacted by the project (s.14(b)(i)):

<b>Aboriginal Community</b>
<b>Common Name:</b> <b>Reserve Name:</b> <b>Contact Information:</b>
Alderville First Nation Mississaugas of Alderville Alderville First Nation PO Box 46 Roseneath, ON K0K 2X0 Phone (905) 352-2011 Fax (905) 352-3242
Hiawatha First Nation Mississaugas of Rice Lake Hiawatha First Nation 36 RR 2 Keene, ON K0L 2G0

Phone (705) 295-4421 Fax (705) 295-4424
Curve Lake First Nation Mississaugas of Mud Lake Curve Lake First Nation 35 and 35A GENERAL DELIVERY Curve Lake, ON K0L 1R0 Phone (705) 657-8045 Fax (705) 657-8708
Mississaugas of Scugog Island First Nation Mississaugas of Scugog Island 22521 Island Road Port Perry, ON L9L 1B6 Phone (905) 985-3337 Fax (905) 985-8828
Kawartha Nishnawbe Kawartha Nishnawbe First Nation P.O. Box 1432 Lakefield, ON K0L 2H0

OR

ii) otherwise may be interested in any negative environmental effects of the project (s.14(b)(ii)):

Mohawks of the Bay of Quinte Tyendinaga Mohawks Tyendinaga Mohawk Territory RR 1 Deseronto, ON K0K 1X0 Phone (613) 396-3424 Fax (613) 396-3627
--

**NOTE:** None of the foregoing should be taken to imply approval of this project or the contents of the PDR. This letter only addresses the requirement of the Director to provide a list of aboriginal communities to you as required pursuant to section 14 of O. Reg. 359/09. You should also be aware that information upon which the above list of aboriginal communities is based is subject to change. Aboriginal communities can make assertions at any time, and other developments, for example the discovery of Aboriginal archaeological resources, can occur that

may require additional aboriginal communities to be notified. Should this happen, the Ministry will contact you. Similarly, if you receive any feedback from any aboriginal communities not included in this list, as part of your consultation, the Ministry would appreciate being notified.

Please contact Narren Santos at (416) 314-8442 should you have any questions or require additional information.

Sincerely,

A handwritten signature in black ink, appearing to read "Doris Dumais". The signature is written in a cursive style with large, rounded loops for the first and last letters.

Doris Dumais  
Director – Approvals Program  
Environmental Assessment and Approvals Branch

cc: Mansoor Mahmood, Renewable Energy Team, Ministry of the Environment  
Joe de Laronde, Aboriginal Affairs Branch, Ministry of the Environment



September 7th, 2011

Ministry of the Environment  
Environmental Assessment and Approvals Branch  
2 St. Clair Avenue West  
Floor 12A  
Toronto, ON, M4V 1L5

**RE: MOE File #: ER-11-SF-0033**

Dear Ms. Dumais,

Thank you for providing us with the "Directors Aboriginal Communities List" (List), dated August 26, 2011, for the "Sol-Luce Kingston PV Solar Energy Project". We apologize for our delay in responding.

The List will assist us with our consultation requirements, in determining if the Aboriginal Communities noted:

- i. have or may have constitutionally protected aboriginal or treaty rights that may be adversely impacted by the project (s. 14(b)(i));
- ii. otherwise may be interested in any negative environmental effects of the project (s. 14(b)(ii)).

Should we receive any feedback from any aboriginal communities not included in the List, we will certainly contact the Ministry.

Thank you again for providing us with the "Directors Aboriginal Communities List". If you have any questions or concerns in regards to our project, feel free to contact us at any time. We look forward to working with you.

Sincerely,

A handwritten signature in blue ink, appearing to read "Simon Kim", written over a horizontal line.

Name: Simon Kim  
Title: Senior Manager – Solar Development Team





October 3, 2011

Chief James Marsden  
Alderville First Nation  
Mississaugas of Alderville First Nation  
P.O. Box.46, Roseneath, ON K0K 2X0

Dear Chief James Marsden,

**Re: Notice of Proposal to Engage in a Renewable Energy Project and Notice of Public Open House for the Sol-Luce Kingston Solar PV Energy Project**

Kingston Solar LP proposes to design and construct a 100 MW solar power development in Eastern Ontario located in the City of Kingston and Loyalist Township. If approved, this facility will convert solar energy into electricity to be fed into the Hydro One electricity grid. The output from each of the solar sites will be collected and routed to an electrical substation, in the vicinity of Unity Road, which will interconnect to the Hydro One transmission lines. The proposed facility is to be known as the "Sol-luce Kingston Solar PV Energy Project". The lands involved will be a series of leased sites covering a total of 325 hectares. Discussions are currently underway with landowners for lease of adequate parcels of land. Preliminary engineering and the studies required for the Renewable Energy Approval have only recently commenced.

As part of the application for a Renewable Energy Approval, Kingston Solar LP will complete environmental studies for regulatory approval and consult with the public, First Nations and interested agencies. Your community has been identified by the Ministry of Environment under the Renewable Energy Approval process as a community whom Kingston Solar LP should engage with. An Open House was held on August 30<sup>th</sup> in Odessa and on August 31<sup>st</sup> in Kingston.

Kingston Solar LP will follow up with you to discuss how your community would like to be engaged.

Sincerely,

**Kingston Solar LP**

By: 

Name:

**Lee Jeong Tack**

Title:

**President**



October 3, 2011

Chief Keith Knott  
Curve Lake First Nation  
Mississaugas of Mud Lake, Curve Lake First Nation 35 and 35A  
General Delivery  
Curve Lake, ON, K0L 1R0

Dear Chief Keith Knott,

**Re: Notice of Proposal to Engage in a Renewable Energy Project and Notice of Public Open House for the Sol-Luce Kingston Solar PV Energy Project**

Kingston Solar LP proposes to design and construct a 100 MW solar power development in Eastern Ontario located in the City of Kingston and Loyalist Township. If approved, this facility will convert solar energy into electricity to be fed into the Hydro One electricity grid. The output from each of the solar sites will be collected and routed to an electrical substation, in the vicinity of Unity Road, which will interconnect to the Hydro One transmission lines. The proposed facility is to be known as the "Sol-luce Kingston Solar PV Energy Project". The lands involved will be a series of leased sites covering a total of 325 hectares. Discussions are currently underway with landowners for lease of adequate parcels of land. Preliminary engineering and the studies required for the Renewable Energy Approval have only recently commenced.

As part of the application for a Renewable Energy Approval, Kingston Solar LP will complete environmental studies for regulatory approval and consult with the public, First Nations and interested agencies. Your community has been identified by the Ministry of Environment under the Renewable Energy Approval process as a community whom Kingston Solar LP should engage with. An Open House was held on August 30<sup>th</sup> in Odessa and on August 31<sup>st</sup> in Kingston.

Kingston Solar LP will follow up with you to discuss how your community would like to be engaged.

Sincerely,

**Kingston Solar LP**

By: \_\_\_\_\_

Name:

Title:

  
**Lee Jeong Tack**

President



October 3, 2011

Chief Sandra Moore  
Hiawatha First Nation  
Mississaugas of Rice Lake, Hiawatha First Nation 36  
RR.2, Keene, ON, K0L 2G0

Dear Chief Sandra Moore,

**Re: Notice of Proposal to Engage in a Renewable Energy Project and Notice of Public Open House for the Sol-Luce Kingston Solar PV Energy Project**

Kingston Solar LP proposes to design and construct a 100 MW solar power development in Eastern Ontario located in the City of Kingston and Loyalist Township. If approved, this facility will convert solar energy into electricity to be fed into the Hydro One electricity grid. The output from each of the solar sites will be collected and routed to an electrical substation, in the vicinity of Unity Road, which will interconnect to the Hydro One transmission lines. The proposed facility is to be known as the "Sol-duce Kingston Solar PV Energy Project". The lands involved will be a series of leased sites covering a total of 325 hectares. Discussions are currently underway with landowners for lease of adequate parcels of land. Preliminary engineering and the studies required for the Renewable Energy Approval have only recently commenced.

As part of the application for a Renewable Energy Approval, Kingston Solar LP will complete environmental studies for regulatory approval and consult with the public, First Nations and interested agencies. Your community has been identified by the Ministry of Environment under the Renewable Energy Approval process as a community whom Kingston Solar LP should engage with. An Open House was held on August 30<sup>th</sup> in Odessa and on August 31<sup>st</sup> in Kingston.

Kingston Solar LP will follow up with you to discuss how your community would like to be engaged.

Sincerely,

**Kingston Solar LP**

By: 

Name:

**Lee Jeong Tack**

Title:

President



October 3, 2011

Chief Kris Nahrgang  
Kawartha Nishnawbe First Nation  
P.O. Box 1432  
Lakefield, ON, K0L 2H0

Dear Chief Kris Nahrgang,

**Re: Notice of Proposal to Engage in a Renewable Energy Project and Notice of Public Open House for the Sol-Luce Kingston Solar PV Energy Project**

Kingston Solar LP proposes to design and construct a 100 MW solar power development in Eastern Ontario located in the City of Kingston and Loyalist Township. If approved, this facility will convert solar energy into electricity to be fed into the Hydro One electricity grid. The output from each of the solar sites will be collected and routed to an electrical substation, in the vicinity of Unity Road, which will interconnect to the Hydro One transmission lines. The proposed facility is to be known as the "Sol-luce Kingston Solar PV Energy Project". The lands involved will be a series of leased sites covering a total of 325 hectares. Discussions are currently underway with landowners for lease of adequate parcels of land. Preliminary engineering and the studies required for the Renewable Energy Approval have only recently commenced.

As part of the application for a Renewable Energy Approval, Kingston Solar LP will complete environmental studies for regulatory approval and consult with the public, First Nations and interested agencies. Your community has been identified by the Ministry of Environment under the Renewable Energy Approval process as a community whom Kingston Solar LP should engage with. An Open House was held on August 30<sup>th</sup> in Odessa and on August 31<sup>st</sup> in Kingston.

Kingston Solar LP will follow up with you to discuss how your community would like to be engaged.


Sincerely,

**Kingston Solar LP**

By: \_\_\_\_\_

Name:

Title:

  
**Lee Jeong Tack**

President



October 3, 2011

Chief Tracy Gauthier  
Mississaugas of Scugog Island First Nation  
22521 Island Road  
Port Perry, ON, L9L 1B6

Dear Chief Tracy Gauthier,

**Re: Notice of Proposal to Engage in a Renewable Energy Project and Notice of Public Open House for the Sol-Luce Kingston Solar PV Energy Project**

Kingston Solar LP proposes to design and construct a 100 MW solar power development in Eastern Ontario located in the City of Kingston and Loyalist Township. If approved, this facility will convert solar energy into electricity to be fed into the Hydro One electricity grid. The output from each of the solar sites will be collected and routed to an electrical substation, in the vicinity of Unity Road, which will interconnect to the Hydro One transmission lines. The proposed facility is to be known as the "Sol-luce Kingston Solar PV Energy Project". The lands involved will be a series of leased sites covering a total of 325 hectares. Discussions are currently underway with landowners for lease of adequate parcels of land. Preliminary engineering and the studies required for the Renewable Energy Approval have only recently commenced.

As part of the application for a Renewable Energy Approval, Kingston Solar LP will complete environmental studies for regulatory approval and consult with the public, First Nations and interested agencies. Your community has been identified by the Ministry of Environment under the Renewable Energy Approval process as a community whom Kingston Solar LP should engage with. An Open House was held on August 30<sup>th</sup> in Odessa and on August 31<sup>st</sup> in Kingston.

Kingston Solar LP will follow up with you to discuss how your community would like to be engaged.

Sincerely,

**Kingston Solar LP**

By: \_\_\_\_\_

Name:

Title:

**Lee Jeong Tack**

President



**HIAWATHA FIRST NATION**  
123 Paudash Street  
Hiawatha On. K0L2G0

Chief:	Sandra Moore
Councillor:	Jill Smith
Councillor:	Duane Cowie
Councillor:	Lorne Paudash
Councillor:	Donald Paudash

October 10, 2011

Kingston Solar LP

Lee Jeong Tack:

Thank you for the information you sent to Hiawatha First Nation regarding "Sol-Luce Kingston Solar Project" which is being proposed within Hiawatha First Nations' Traditional and Treaty Territories. Hiawatha First Nation appreciates the fact that Kingston solar LP recognizes the importance of First Nations Consultation and that your office is conforming to the requirements within the Duty to Consult Process however this correspondence is not considered meaningful consultation.

As per the Hiawatha First Nation Consultation Protocol, your proposed project is deemed, having minimal potential to impact Hiawatha First Nations' rights at this time, however, please keep us apprised of any updates, archaeological findings, and/ or of any environmental impacts, should any occur. We reserve the right to comment later, if something further along in the process is deemed to be a potential impact. Since we really don't have any knowledge or proof that these projects won't impact the wildlife, endangered species and or the lands and plants on our Traditional Territory, we ask that monitoring takes place and we be provided with results from monitoring these items on an ongoing basis.

We would like to be contacted if artifacts are found and to be sent any archaeological reports as they are completed. We also have trained archaeological liaisons that we require being present at the archaeological sites during the assessments if first nation artifacts are found.

We can be contacted at the mailing address above or electronically via email, at the email address below.

In good faith and respect,

Lori Ritter and Diane Sheridan  
Land Resource Workers  
Hiawatha First Nation

hfnconsultation@nexicom.net  
Tele: (705) 295 4421  
Fax: (705) 295-7144



October 28, 2011

Hiawatha First Nation  
123 Paudash Street  
Hiawatha, Ontario K0L 2G0

**RE: Sol-luce Kingston Solar PV Energy Project**

Dear Ms. Sheridan,

Thank-you for your letter dated October 10, 2011. Kingston Solar LP recognizes the importance of First Nations Consultation and understands from your letter that Hiawatha First Nation has deemed the proposed project as "having minimal potential to impact Hiawatha First Nations' rights at this time".

As requested, Kingston Solar LP will continue to keep Hiawatha First Nation updated on the proposed project, including any archaeological findings and/or any environmental impacts that may occur. We have informed the field archaeology team about your requirement to be present if First Nation artifacts are found and we contact you immediately if such a situation arises to have your archaeologists present during any archaeological mitigation activities that may be required. Copies of the archaeological reports will be shared these with Hiawatha First Nation.

Again, thank-you for your response and please do not hesitate to contact us should Hiawatha First Nation require additional information or wish to discuss the proposed project.

Sincerely,

**KINGSTON SOLAR LP**

By: \_\_\_\_\_

Name: Lee Jeong Tack  
Title: President

GOVERNMENT SERVICES BUILDING  
AND CULTURAL CENTRE

PHONE (705) 657-8045  
FAX (705) 657-8708



CURVE LAKE, ONTARIO K0L 1R0

November 7th, 2011

Lee Jeong Tack  
President  
9th Floor, 55 Standish Court  
Mississauga, Ontario L5R 4B2

Dear Lee Jeong Tack,

RE: Notice of a Proposal to Engage in a Renewable Energy Project and Notice of Public Open House for the Sol-Luce Kingston Solar PV Energy Project

We would like to acknowledge receipt of your correspondence, which we received on 10/3/2011 regarding the above noted project.

As you may be aware, the area in which your project is proposed is situated within the Traditional Territory of Curve Lake First Nation. Our First Nation's Territory is incorporated within the Williams Treaty Territory and is the subject of a claim under Canada's Specific Claims Policy. We strongly suggest that you provide Karry Sandy-Mackenzie, Williams Treaty First Nation Claims Coordinator, 8 Creswick Court, Barrie, ON L4M 2S7, with a copy of your proposal as your obligation to consult to also extend to the other First Nations of the Williams Treaty.

Although we have not conducted exhaustive research nor have we the resources to do so, Curve Lake First Nation Council is not currently aware of any issues that would cause concern with respect to our Traditional, Aboriginal and Treaty rights.

Please note that we have particular concern for the remains of our ancestors. Should excavation unearth bones, remains or other such evidence of a native burial site or any Archaeological findings, we must be notified without delay. In the case of a burial site, Council reminds you of your obligations under the *Cemeteries Act* to notify the nearest First Nation Government or other community of Aboriginal people which is willing to act as a representative and whose members have a close cultural affinity to the interred person. As I am sure you are aware, the regulations further state that the representative is needed before the remains and associated artifacts can be removed. Should such a find occur, we request that you contact our First Nation immediately.

If any new, undisclosed or unforeseen issues should arise, that has potential for anticipated negative environmental impacts or anticipated impacts on our Treaty and Aboriginal rights we require that we be notified regarding these as well.

Thank you for recognizing the importance of consultation and respecting your duty to consult obligations as determined by the Supreme Court of Canada.

Should you have further questions, please feel free to contact me.

Yours sincerely,

Chief Keith Knott  
Curve Lake First Nation





November 17, 2011

Chief Keith Knott  
Curve Lake First Nation  
GENERAL DELIVERY  
Curve Lake, Ontario K0L1R0

**RE: Notice of a Proposal to Engage in a Renewable Energy Project and Notice of Public Open House for the Sol-Luce Kingston Solar PV Energy Project**

Dear Chief Knott:

Thank you for your letter dated November 7, 2011. Kingston Solar LP recognizes the importance of First Nations consultation and understands from your letter that Curve Lake First Nation has made a determination that there are currently not any concerns with respect to your Traditional, Aboriginal, or Treaty rights with respect to proposed Project. As suggested, we will forward information on this proposed Project to Ms. Karry Sandy-Mackenzie for consideration with respect our obligation to consult with signatories of the Williams Treaty.

Stage 1 and 2 archaeological field studies have been completed by AMEC Environment & Infrastructure on behalf of Kingston Solar LP. AMEC is aware of, and was compliant with, the obligations under the *Cemeteries Act*, *Heritage Act* & *2011 Standards and Guidelines for Consultant Archaeologists*. No human remains were located in the course of the current studies and there was no requirement to notify local Aboriginal communities.

During the Stage 1 and 2 field studies, two pre-contact archaeological sites were identified. These consisted of:

1. An isolated find consisting of a crudely made Onondaga chert projectile point with an unfinished tip resembling an Early Woodland Meadowood Point (ca. 1000 BC-400 BC).
2. A single finely, retouched scraper made of exotic chert within a Euro-Canadian archaeological assemblage.

AMEC is currently analyzing the results of the field investigations and will make a determination as to whether further archaeological investigations are required. Kingston Solar LP would be pleased to share the reports with the Curve Lake First Nation when they are completed and discuss any concerns with the findings.

**KINGSTON SOLAR LP**

9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 1-855-359-2342 Fax: 905-285-1852



As requested, Kingston Solar LP will continue to keep Curve Lake First Nation updated on the proposed Project, any environmental impacts that may occur, and any anticipated impacts to your Treaty and Aboriginal rights.

Again, thank you for your response and please do not hesitate to contact us should you require additional information or wish to discuss the proposed Project.

Sincerely,

**KINGSTON SOLAR LP**

By: \_\_\_\_\_

Name: Lee Jeong Tack

Title: President

A handwritten signature in black ink, appearing to read "Lee Jeong Tack", written over a horizontal line.

## KINGSTON SOLAR LP

9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

April 16, 2012

Chief James Marsden  
Alderville First Nation  
Mississaugas of Alderville First Nation  
P.O. Box.46  
Roseneath, Ontario KOK 2X0

### **RE: Update on Archaeological Studies for the Sol-Luce Kingston Solar PV Energy Project**

Dear Chief Marsden:

As part of the ongoing work to complete the required studies for the Renewable Energy Act (REA) approval under the *Green Energy Act*, Stage 1 and a substantial portion of Stage 2 archaeological investigations have been completed by AMEC Environment & Infrastructure (AMEC) on behalf of Kingston Solar LP on participating properties in the study area. AMEC is aware of, and was compliant with, their obligations under the *Cemeteries Act*, *Heritage Act*, and the *Ministry of Tourism, Culture, and Sport's 2011 Standards and Guidelines for Consultant Archaeologists*.

No human remains were located in the course of the current studies. However, during the Stage 1 and 2 field studies, three isolated pre-contact Aboriginal artifacts were encountered in three separate locations:

1. Site BbGd-53 consists of an Onondaga chert projectile point resembling an Early Woodland Meadowood Point (ca. 1000 BC-400 BC);
2. A finely retouched scraper manufactured from an unidentified chert was found within the context of an historic Euro-Canadian archaeological site (BbGd-52);  
and,
3. Findspot A1 refers to a refined biface fragment of Onondaga chert.

Site BbGd-53 was located during pedestrian survey within a ploughed field. After the find was made, a 30-metre radius around it was carefully inspected at one-metre intervals and no additional cultural material was observed. Although this is an isolated find, it was registered as an archaeological site and given a Borden designation because it is temporally and culturally diagnostic. Nevertheless, because the artifact was recovered and stored by AMEC, it has been determined that there is no further archaeological assessment required for this particular location.

**KINGSTON SOLAR LP**

9th Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

The finely retouched scraper, mentioned above, was also discovered during pedestrian survey of a ploughed field. It was found among a concentrated scatter of historic Euro-Canadian artifacts, referred to as Site BbGd-52. A careful inspection of the site area at one-metre intervals did not reveal any additional pre-contact Aboriginal artifacts. Site BbGd-52 was determined to have potential cultural heritage value or interest and, as such, was recommended by AMEC for Stage 3 site-specific testing prior to any form of land disturbance.

Findspot A1 was identified through the test pit survey of a fallow field. AMEC advanced eight test pits in a 2.5-metre radius around the initial positive test pit, followed by the excavation of a one-metre unit over the positive test pit. No additional cultural material was observed in any of the additional test pits, nor in the one-metre unit. As the biface fragment was recovered and stored by AMEC, it was deemed that this particular area would not require additional archaeological assessment. The biface fragment is referred to as a findspot, as opposed to an archaeological site, because it is not temporally or culturally diagnostic.

AMEC has analyzed the results of the field investigations. All assessments were conducted to Ministry of Tourism, Culture and Sport's (MTCS) standards and the resulting reports have been accepted by MTCS for inclusion into the Provincial Registry of Reports.

Further Stage 2 investigations will be finalized in Spring 2012.

Please do not hesitate to contact us should you require additional information or wish to discuss the proposed Project.


Sincerely,

**KINGSTON SOLAR LP**

By: \_\_\_\_\_

Name: Lee Jeong Tack

Title: President



## KINGSTON SOLAR LP

9<sup>th</sup> Fl, 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

April 16, 2012

Mr. Dan Kohoko  
Algonquins of Pikwàkanagàn  
1657A Mishomis Inamo  
Pikwakanagan  
Golden Lake, Ontario KOJ 1X0

### **RE: Update on Archaeological Studies for the Sol-Luce Kingston Solar PV Energy Project**

Dear Mr. Kohoko:

As part of the ongoing work to complete the required studies for the Renewable Energy Act (REA) approval under the *Green Energy Act*, Stage 1 and a substantial portion of Stage 2 archaeological investigations have been completed by AMEC Environment & Infrastructure (AMEC) on behalf of Kingston Solar LP on participating properties in the study area. AMEC is aware of, and was compliant with, their obligations under the *Cemeteries Act*, *Heritage Act*, and the *Ministry of Tourism, Culture, and Sport's 2011 Standards and Guidelines for Consultant Archaeologists*.

No human remains were located in the course of the current studies. However, during the Stage 1 and 2 field studies, three isolated pre-contact Aboriginal artifacts were encountered in three separate locations:

1. Site BbGd-53 consists of an Onondaga chert projectile point resembling an Early Woodland Meadowood Point (ca. 1000 BC-400 BC);
2. A finely retouched scraper manufactured from an unidentified chert was found within the context of an historic Euro-Canadian archaeological site (BbGd-52);  
and,
3. Findspot A1 refers to a refined biface fragment of Onondaga chert.

Site BbGd-53 was located during pedestrian survey within a ploughed field. After the find was made, a 30-metre radius around it was carefully inspected at one-metre intervals and no additional cultural material was observed. Although this is an isolated find, it was registered as an archaeological site and given a Borden designation because it is temporally and culturally diagnostic. Nevertheless, because the artifact was recovered and stored by AMEC, it has been determined that there is no further archaeological assessment required for this particular location.

**KINGSTON SOLAR LP**

9<sup>th</sup> Fl, 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

The finely retouched scraper, mentioned above, was also discovered during pedestrian survey of a ploughed field. It was found among a concentrated scatter of historic Euro-Canadian artifacts, referred to as Site BbGd-52. A careful inspection of the site area at one-metre intervals did not reveal any additional pre-contact Aboriginal artifacts. Site BbGd-52 was determined to have potential cultural heritage value or interest and, as such, was recommended by AMEC for Stage 3 site-specific testing prior to any form of land disturbance.

Findspot A1 was identified through the test pit survey of a fallow field. AMEC advanced eight test pits in a 2.5-metre radius around the initial positive test pit, followed by the excavation of a one-metre unit over the positive test pit. No additional cultural material was observed in any of the additional test pits, nor in the one-metre unit. As the biface fragment was recovered and stored by AMEC, it was deemed that this particular area would not require additional archaeological assessment. The biface fragment is referred to as a findspot, as opposed to an archaeological site, because it is not temporally or culturally diagnostic.


AMEC has analyzed the results of the field investigations. All assessments were conducted to Ministry of Tourism, Culture and Sport's (MTCS) standards and the resulting reports have been accepted by MTCS for inclusion into the Provincial Registry of Reports.

Further Stage 2 investigations will be finalized in Spring 2012.

Please do not hesitate to contact us should you require additional information or wish to discuss the proposed Project.

Sincerely,

**KINGSTON SOLAR LP**

By:   
Name: Lee Jeong Tack  
Title: President

## KINGSTON SOLAR LP

9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

April 16, 2012

Chief Paula Sherman  
Ardoch Algonquin First Nation  
1045 Canoe Path  
Ardoch, Ontario KOH 1CO

### **RE: Update on Archaeological Studies for the Sol-Luce Kingston Solar PV Energy Project**

Dear Chief Sherman:

As part of the ongoing work to complete the required studies for the Renewable Energy Act (REA) approval under the *Green Energy Act*, Stage 1 and a substantial portion of Stage 2 archaeological investigations have been completed by AMEC Environment & Infrastructure (AMEC) on behalf of Kingston Solar LP on participating properties in the study area. AMEC is aware of, and was compliant with, their obligations under the *Cemeteries Act*, *Heritage Act*, and the *Ministry of Tourism, Culture, and Sport's 2011 Standards and Guidelines for Consultant Archaeologists*.

No human remains were located in the course of the current studies. However, during the Stage 1 and 2 field studies, three isolated pre-contact Aboriginal artifacts were encountered in three separate locations:

1. Site BbGd-53 consists of an Onondaga chert projectile point resembling an Early Woodland Meadowood Point (ca. 1000 BC-400 BC);
2. A finely retouched scraper manufactured from an unidentified chert was found within the context of an historic Euro-Canadian archaeological site (BbGd-52); and,
3. Findspot A1 refers to a refined biface fragment of Onondaga chert.

Site BbGd-53 was located during pedestrian survey within a ploughed field. After the find was made, a 30-metre radius around it was carefully inspected at one-metre intervals and no additional cultural material was observed. Although this is an isolated find, it was registered as an archaeological site and given a Borden designation because it is temporally and culturally diagnostic. Nevertheless, because the artifact was recovered and stored by AMEC, it has been determined that there is no further archaeological assessment required for this particular location.

The finely retouched scraper, mentioned above, was also discovered during pedestrian

**KINGSTON SOLAR LP**

9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

survey of a ploughed field. It was found among a concentrated scatter of historic Euro-Canadian artifacts, referred to as Site BbGd-52. A careful inspection of the site area at one-metre intervals did not reveal any additional pre-contact Aboriginal artifacts. Site BbGd-52 was determined to have potential cultural heritage value or interest and, as such, was recommended by AMEC for Stage 3 site-specific testing prior to any form of land disturbance.

Findspot A1 was identified through the test pit survey of a fallow field. AMEC advanced eight test pits in a 2.5-metre radius around the initial positive test pit, followed by the excavation of a one-metre unit over the positive test pit. No additional cultural material was observed in any of the additional test pits, nor in the one-metre unit. As the biface fragment was recovered and stored by AMEC, it was deemed that this particular area would not require additional archaeological assessment. The biface fragment is referred to as a findspot, as opposed to an archaeological site, because it is not temporally or culturally diagnostic.


AMEC has analyzed the results of the field investigations. All assessments were conducted to Ministry of Tourism, Culture and Sport's (MTCS) standards and the resulting reports have been accepted by MTCS for inclusion into the Provincial Registry of Reports.

Further Stage 2 investigations will be finalized in Spring 2012.

Please do not hesitate to contact us should you require additional information or wish to discuss the proposed Project.

Sincerely,

**KINGSTON SOLAR LP**

By:   
Name: Lee Jeong Tack  
Title: President



## KINGSTON SOLAR LP

9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

April 16, 2012

Chief Keith Knott  
Curve Lake First Nation  
GENERAL DELIVERY  
Curve Lake, Ontario K0L1R0

### **RE: Update on Archaeological Studies for the Sol-Luce Kingston Solar PV Energy Project**

Dear Chief Knott:

As part of the ongoing work to complete the required studies for the Renewable Energy Act (REA) approval under the *Green Energy Act*, Stage 1 and a substantial portion of Stage 2 archaeological investigations have been completed by AMEC Environment & Infrastructure (AMEC) on behalf of Kingston Solar LP on participating properties in the study area. AMEC is aware of, and was compliant with, their obligations under the *Cemeteries Act*, *Heritage Act*, and the *Ministry of Tourism, Culture, and Sport's 2011 Standards and Guidelines for Consultant Archaeologists*.

No human remains were located in the course of the current studies. However, during the Stage 1 and 2 field studies, three isolated pre-contact Aboriginal artifacts were encountered in three separate locations:

1. Site BbGd-53 consists of an Onondaga chert projectile point resembling an Early Woodland Meadowood Point (ca. 1000 BC-400 BC);
2. A finely retouched scraper manufactured from an unidentified chert was found within the context of an historic Euro-Canadian archaeological site (BbGd-52);  
and,
3. Findspot A1 refers to a refined biface fragment of Onondaga chert.

Site BbGd-53 was located during pedestrian survey within a ploughed field. After the find was made, a 30-metre radius around it was carefully inspected at one-metre intervals and no additional cultural material was observed. Although this is an isolated find, it was registered as an archaeological site and given a Borden designation because it is temporally and culturally diagnostic. Nevertheless, because the artifact was recovered and stored by AMEC, it has been determined that there is no further archaeological assessment required for this particular location.

The finely retouched scraper, mentioned above, was also discovered during pedestrian

**KINGSTON SOLAR LP**

9<sup>th</sup> Fl, 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

survey of a ploughed field. It was found among a concentrated scatter of historic Euro-Canadian artifacts, referred to as Site BbGd-52. A careful inspection of the site area at one-metre intervals did not reveal any additional pre-contact Aboriginal artifacts. Site BbGd-52 was determined to have potential cultural heritage value or interest and, as such, was recommended by AMEC for Stage 3 site-specific testing prior to any form of land disturbance.

Findspot A1 was identified through the test pit survey of a fallow field. AMEC advanced eight test pits in a 2.5-metre radius around the initial positive test pit, followed by the excavation of a one-metre unit over the positive test pit. No additional cultural material was observed in any of the additional test pits, nor in the one-metre unit. As the biface fragment was recovered and stored by AMEC, it was deemed that this particular area would not require additional archaeological assessment. The biface fragment is referred to as a findspot, as opposed to an archaeological site, because it is not temporally or culturally diagnostic.


AMEC has analyzed the results of the field investigations. All assessments were conducted to Ministry of Tourism, Culture and Sport's (MTCS) standards and the resulting reports have been accepted by MTCS for inclusion into the Provincial Registry of Reports.

Further Stage 2 investigations will be finalized in Spring 2012.

Please do not hesitate to contact us should you require additional information or wish to discuss the proposed Project.

Sincerely,

**KINGSTON SOLAR LP**

By:   
Name: Lee Jeong Tack  
Title: President

## KINGSTON SOLAR LP

9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

April 16, 2012

Hiawatha First Nation  
123 Paudash Street  
Hiawatha, Ontario K0L 2G0

### **RE: Update on Archaeological Studies for the Sol-Luce Kingston Solar PV Energy Project**

Dear Ms. Sheridan:

As part of the ongoing work to complete the required studies for the Renewable Energy Act (REA) approval under the *Green Energy Act*, Stage 1 and a substantial portion of Stage 2 archaeological investigations have been completed by AMEC Environment & Infrastructure (AMEC) on behalf of Kingston Solar LP on participating properties in the study area. AMEC is aware of, and was compliant with, their obligations under the *Cemeteries Act*, *Heritage Act*, and the *Ministry of Tourism, Culture, and Sport's 2011 Standards and Guidelines for Consultant Archaeologists*.

No human remains were located in the course of the current studies. However, during the Stage 1 and 2 field studies, three isolated pre-contact Aboriginal artifacts were encountered in three separate locations:

1. Site BbGd-53 consists of an Onondaga chert projectile point resembling an Early Woodland Meadowood Point (ca. 1000 BC-400 BC);
2. A finely retouched scraper manufactured from an unidentified chert was found within the context of an historic Euro-Canadian archaeological site (BbGd-52);  
and,
3. Findspot A1 refers to a refined biface fragment of Onondaga chert.

Site BbGd-53 was located during pedestrian survey within a ploughed field. After the find was made, a 30-metre radius around it was carefully inspected at one-metre intervals and no additional cultural material was observed. Although this is an isolated find, it was registered as an archaeological site and given a Borden designation because it is temporally and culturally diagnostic. Nevertheless, because the artifact was recovered and stored by AMEC, it has been determined that there is no further archaeological assessment required for this particular location.

The finely retouched scraper, mentioned above, was also discovered during pedestrian survey of a ploughed field. It was found among a concentrated scatter of historic Euro-

**KINGSTON SOLAR LP**

9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

Canadian artifacts, referred to as Site BbGd-52. A careful inspection of the site area at one-metre intervals did not reveal any additional pre-contact Aboriginal artifacts. Site BbGd-52 was determined to have potential cultural heritage value or interest and, as such, was recommended by AMEC for Stage 3 site-specific testing prior to any form of land disturbance.

Findspot A1 was identified through the test pit survey of a fallow field. AMEC advanced eight test pits in a 2.5-metre radius around the initial positive test pit, followed by the excavation of a one-metre unit over the positive test pit. No additional cultural material was observed in any of the additional test pits, nor in the one-metre unit. As the biface fragment was recovered and stored by AMEC, it was deemed that this particular area would not require additional archaeological assessment. The biface fragment is referred to as a findspot, as opposed to an archaeological site, because it is not temporally or culturally diagnostic.


AMEC has analyzed the results of the field investigations. All assessments were conducted to Ministry of Tourism, Culture and Sport's (MTCS) standards and the resulting reports have been accepted by MTCS for inclusion into the Provincial Registry of Reports.

Further Stage 2 investigations will be finalized in Spring 2012.

Please do not hesitate to contact us should you require additional information or wish to discuss the proposed Project.

Sincerely,

**KINGSTON SOLAR LP**

By:   
Name: Lee Jeong Tack  
Title: President

## KINGSTON SOLAR LP

9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

April 16, 2012

Grand Chief Konrad Sioui  
Conseil de la Nation huronne-wendat  
255 Place Chef Michel Laveau  
Wendake, Quebec GOA 4VO

### **RE: Update on Archaeological Studies for the Sol-Luce Kingston Solar PV Energy Project**

Dear Grand Chief Sioui:

As part of the ongoing work to complete the required studies for the Renewable Energy Act (REA) approval under the *Green Energy Act*, Stage 1 and a substantial portion of Stage 2 archaeological investigations have been completed by AMEC Environment & Infrastructure (AMEC) on behalf of Kingston Solar LP on participating properties in the study area. AMEC is aware of, and was compliant with, their obligations under the *Cemeteries Act*, *Heritage Act*, and the *Ministry of Tourism, Culture, and Sport's 2011 Standards and Guidelines for Consultant Archaeologists*.

No human remains were located in the course of the current studies. However, during the Stage 1 and 2 field studies, three isolated pre-contact Aboriginal artifacts were encountered in three separate locations:

1. Site BbGd-53 consists of an Onondaga chert projectile point resembling an Early Woodland Meadowood Point (ca. 1000 BC-400 BC);
2. A finely retouched scraper manufactured from an unidentified chert was found within the context of an historic Euro-Canadian archaeological site (BbGd-52); and,
3. Findspot A1 refers to a refined biface fragment of Onondaga chert.

Site BbGd-53 was located during pedestrian survey within a ploughed field. After the find was made, a 30-metre radius around it was carefully inspected at one-metre intervals and no additional cultural material was observed. Although this is an isolated find, it was registered as an archaeological site and given a Borden designation because it is temporally and culturally diagnostic. Nevertheless, because the artifact was recovered and stored by AMEC, it has been determined that there is no further archaeological assessment required for this particular location.

The finely retouched scraper, mentioned above, was also discovered during pedestrian

**KINGSTON SOLAR LP**

9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

survey of a ploughed field. It was found among a concentrated scatter of historic Euro-Canadian artifacts, referred to as Site BbGd-52. A careful inspection of the site area at one-metre intervals did not reveal any additional pre-contact Aboriginal artifacts. Site BbGd-52 was determined to have potential cultural heritage value or interest and, as such, was recommended by AMEC for Stage 3 site-specific testing prior to any form of land disturbance.

Findspot A1 was identified through the test pit survey of a fallow field. AMEC advanced eight test pits in a 2.5-metre radius around the initial positive test pit, followed by the excavation of a one-metre unit over the positive test pit. No additional cultural material was observed in any of the additional test pits, nor in the one-metre unit. As the biface fragment was recovered and stored by AMEC, it was deemed that this particular area would not require additional archaeological assessment. The biface fragment is referred to as a findspot, as opposed to an archaeological site, because it is not temporally or culturally diagnostic.

AMEC has analyzed the results of the field investigations. All assessments were conducted to Ministry of Tourism, Culture and Sport's (MTCS) standards and the resulting reports have been accepted by MTCS for inclusion into the Provincial Registry of Reports.

Further Stage 2 investigations will be finalized in Spring 2012.

Please do not hesitate to contact us should you require additional information or wish to discuss the proposed Project.

Sincerely,

**KINGSTON SOLAR LP**

By: \_\_\_\_\_

Name: Lee Jeong Tack

Title: President

April 16, 2012

Chief Kris Nahrgang  
Kawartha Nishnawbe First Nation  
P.O. Box 1432  
Lakefield, Ontario KOL 2H0

**RE: Update on Archaeological Studies for the Sol-Luce Kingston Solar PV Energy Project**

Dear Chief Nahrgang:

As part of the ongoing work to complete the required studies for the Renewable Energy Act (REA) approval under the *Green Energy Act*, Stage 1 and a substantial portion of Stage 2 archaeological investigations have been completed by AMEC Environment & Infrastructure (AMEC) on behalf of Kingston Solar LP on participating properties in the study area. AMEC is aware of, and was compliant with, their obligations under the *Cemeteries Act*, *Heritage Act*, and the *Ministry of Tourism, Culture, and Sport's 2011 Standards and Guidelines for Consultant Archaeologists*.

No human remains were located in the course of the current studies. However, during the Stage 1 and 2 field studies, three isolated pre-contact Aboriginal artifacts were encountered in three separate locations:

1. Site BbGd-53 consists of an Onondaga chert projectile point resembling an Early Woodland Meadowood Point (ca. 1000 BC-400 BC);
2. A finely retouched scraper manufactured from an unidentified chert was found within the context of an historic Euro-Canadian archaeological site (BbGd-52);  
and,
3. Findspot A1 refers to a refined biface fragment of Onondaga chert.

Site BbGd-53 was located during pedestrian survey within a ploughed field. After the find was made, a 30-metre radius around it was carefully inspected at one-metre intervals and no additional cultural material was observed. Although this is an isolated find, it was registered as an archaeological site and given a Borden designation because it is temporally and culturally diagnostic. Nevertheless, because the artifact was recovered and stored by AMEC, it has been determined that there is no further archaeological assessment required for this particular location.

The finely retouched scraper, mentioned above, was also discovered during pedestrian

**KINGSTON SOLAR LP**

9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

survey of a ploughed field. It was found among a concentrated scatter of historic Euro-Canadian artifacts, referred to as Site BbGd-52. A careful inspection of the site area at one-metre intervals did not reveal any additional pre-contact Aboriginal artifacts. Site BbGd-52 was determined to have potential cultural heritage value or interest and, as such, was recommended by AMEC for Stage 3 site-specific testing prior to any form of land disturbance.

Findspot A1 was identified through the test pit survey of a fallow field. AMEC advanced eight test pits in a 2.5-metre radius around the initial positive test pit, followed by the excavation of a one-metre unit over the positive test pit. No additional cultural material was observed in any of the additional test pits, nor in the one-metre unit. As the biface fragment was recovered and stored by AMEC, it was deemed that this particular area would not require additional archaeological assessment. The biface fragment is referred to as a findspot, as opposed to an archaeological site, because it is not temporally or culturally diagnostic.


AMEC has analyzed the results of the field investigations. All assessments were conducted to Ministry of Tourism, Culture and Sport's (MTCS) standards and the resulting reports have been accepted by MTCS for inclusion into the Provincial Registry of Reports.

Further Stage 2 investigations will be finalized in Spring 2012.

Please do not hesitate to contact us should you require additional information or wish to discuss the proposed Project.

Sincerely,

**KINGSTON SOLAR LP**

By:   
Name: Lee Jeong Tack  
Title: President



## KINGSTON SOLAR LP

9<sup>th</sup> Fl, 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905- 501-5658 Fax: 905-285-1652

April 16, 2012

Chief Tracy Gauthier  
Mississaugas of Scugog Island First Nation  
22521 Island Road  
Port Perry, Ontario L9L 1B6

### **RE: Update on Archaeological Studies for the Sol-Luce Kingston Solar PV Energy Project**

Dear Chief Gauthier:

As part of the ongoing work to complete the required studies for the Renewable Energy Act (REA) approval under the *Green Energy Act*, Stage 1 and a substantial portion of Stage 2 archaeological investigations have been completed by AMEC Environment & Infrastructure (AMEC) on behalf of Kingston Solar LP on participating properties in the study area. AMEC is aware of, and was compliant with, their obligations under the *Cemeteries Act*, *Heritage Act*, and the *Ministry of Tourism, Culture, and Sport's 2011 Standards and Guidelines for Consultant Archaeologists*.

No human remains were located in the course of the current studies. However, during the Stage 1 and 2 field studies, three isolated pre-contact Aboriginal artifacts were encountered in three separate locations:

1. Site BbGd-53 consists of an Onondaga chert projectile point resembling an Early Woodland Meadowood Point (ca. 1000 BC-400 BC);
2. A finely retouched scraper manufactured from an unidentified chert was found within the context of an historic Euro-Canadian archaeological site (BbGd-52);  
and,
3. Findspot A1 refers to a refined biface fragment of Onondaga chert.

Site BbGd-53 was located during pedestrian survey within a ploughed field. After the find was made, a 30-metre radius around it was carefully inspected at one-metre intervals and no additional cultural material was observed. Although this is an isolated find, it was registered as an archaeological site and given a Borden designation because it is temporally and culturally diagnostic. Nevertheless, because the artifact was recovered and stored by AMEC, it has been determined that there is no further archaeological assessment required for this particular location.

The finely retouched scraper, mentioned above, was also discovered during pedestrian

**KINGSTON SOLAR LP**

9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

survey of a ploughed field. It was found among a concentrated scatter of historic Euro-Canadian artifacts, referred to as Site BbGd-52. A careful inspection of the site area at one-metre intervals did not reveal any additional pre-contact Aboriginal artifacts. Site BbGd-52 was determined to have potential cultural heritage value or interest and, as such, was recommended by AMEC for Stage 3 site-specific testing prior to any form of land disturbance.

Findspot A1 was identified through the test pit survey of a fallow field. AMEC advanced eight test pits in a 2.5-metre radius around the initial positive test pit, followed by the excavation of a one-metre unit over the positive test pit. No additional cultural material was observed in any of the additional test pits, nor in the one-metre unit. As the biface fragment was recovered and stored by AMEC, it was deemed that this particular area would not require additional archaeological assessment. The biface fragment is referred to as a findspot, as opposed to an archaeological site, because it is not temporally or culturally diagnostic.


AMEC has analyzed the results of the field investigations. All assessments were conducted to Ministry of Tourism, Culture and Sport's (MTCS) standards and the resulting reports have been accepted by MTCS for inclusion into the Provincial Registry of Reports.

Further Stage 2 investigations will be finalized in Spring 2012.

Please do not hesitate to contact us should you require additional information or wish to discuss the proposed Project.

Sincerely,

**KINGSTON SOLAR LP**

By:   
Name: Lee Jeong Tack  
Title: President

April 16, 2012

Ms. Melanie Paradis  
Metis Nation of Ontario - Consultation Unit  
500 Old St. Patrick Street, Unit D  
Ottawa, Ontario K1N 9G4

**RE: Update on Archaeological Studies for the Sol-Luce Kingston Solar PV Energy Project**

Dear Ms. Paradis:

As part of the ongoing work to complete the required studies for the Renewable Energy Act (REA) approval under the *Green Energy Act*, Stage 1 and a substantial portion of Stage 2 archaeological investigations have been completed by AMEC Environment & Infrastructure (AMEC) on behalf of Kingston Solar LP on participating properties in the study area. AMEC is aware of, and was compliant with, their obligations under the *Cemeteries Act*, *Heritage Act*, and the *Ministry of Tourism, Culture, and Sport's 2011 Standards and Guidelines for Consultant Archaeologists*.

No human remains were located in the course of the current studies. However, during the Stage 1 and 2 field studies, three isolated pre-contact Aboriginal artifacts were encountered in three separate locations:

1. Site BbGd-53 consists of an Onondaga chert projectile point resembling an Early Woodland Meadowood Point (ca. 1000 BC-400 BC);
2. A finely retouched scraper manufactured from an unidentified chert was found within the context of an historic Euro-Canadian archaeological site (BbGd-52);  
and,
3. Findspot A1 refers to a refined biface fragment of Onondaga chert.

Site BbGd-53 was located during pedestrian survey within a ploughed field. After the find was made, a 30-metre radius around it was carefully inspected at one-metre intervals and no additional cultural material was observed. Although this is an isolated find, it was registered as an archaeological site and given a Borden designation because it is temporally and culturally diagnostic. Nevertheless, because the artifact was recovered and stored by AMEC, it has been determined that there is no further archaeological assessment required for this particular location.

The finely retouched scraper, mentioned above, was also discovered during pedestrian

**KINGSTON SOLAR LP**

9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

survey of a ploughed field. It was found among a concentrated scatter of historic Euro-Canadian artifacts, referred to as Site BbGd-52. A careful inspection of the site area at one-metre intervals did not reveal any additional pre-contact Aboriginal artifacts. Site BbGd-52 was determined to have potential cultural heritage value or interest and, as such, was recommended by AMEC for Stage 3 site-specific testing prior to any form of land disturbance.

Findspot A1 was identified through the test pit survey of a fallow field. AMEC advanced eight test pits in a 2.5-metre radius around the initial positive test pit, followed by the excavation of a one-metre unit over the positive test pit. No additional cultural material was observed in any of the additional test pits, nor in the one-metre unit. As the biface fragment was recovered and stored by AMEC, it was deemed that this particular area would not require additional archaeological assessment. The biface fragment is referred to as a findspot, as opposed to an archaeological site, because it is not temporally or culturally diagnostic.


AMEC has analyzed the results of the field investigations. All assessments were conducted to Ministry of Tourism, Culture and Sport's (MTCS) standards and the resulting reports have been accepted by MTCS for inclusion into the Provincial Registry of Reports.

Further Stage 2 investigations will be finalized in Spring 2012.

Please do not hesitate to contact us should you require additional information or wish to discuss the proposed Project.

Sincerely,

**KINGSTON SOLAR LP**

By:   
Name: Lee Jeong Tack  
Title: President

April 16, 2012

Grand Chief Michael Mitchell  
Mohawk Council of Akwesasne  
PO Box 579  
Cornwall, Ontario K6H 5T3

**RE: Update on Archaeological Studies for the Sol-Luce Kingston Solar PV Energy Project**

Dear Grand Chief Mitchell:

As part of the ongoing work to complete the required studies for the Renewable Energy Act (REA) approval under the *Green Energy Act*, Stage 1 and a substantial portion of Stage 2 archaeological investigations have been completed by AMEC Environment & Infrastructure (AMEC) on behalf of Kingston Solar LP on participating properties in the study area. AMEC is aware of, and was compliant with, their obligations under the *Cemeteries Act*, *Heritage Act*, and the *Ministry of Tourism, Culture, and Sport's 2011 Standards and Guidelines for Consultant Archaeologists*.

No human remains were located in the course of the current studies. However, during the Stage 1 and 2 field studies, three isolated pre-contact Aboriginal artifacts were encountered in three separate locations:

1. Site BbGd-53 consists of an Onondaga chert projectile point resembling an Early Woodland Meadowood Point (ca. 1000 BC-400 BC);
2. A finely retouched scraper manufactured from an unidentified chert was found within the context of an historic Euro-Canadian archaeological site (BbGd-52);  
and,
3. Findspot A1 refers to a refined biface fragment of Onondaga chert.

Site BbGd-53 was located during pedestrian survey within a ploughed field. After the find was made, a 30-metre radius around it was carefully inspected at one-metre intervals and no additional cultural material was observed. Although this is an isolated find, it was registered as an archaeological site and given a Borden designation because it is temporally and culturally diagnostic. Nevertheless, because the artifact was recovered and stored by AMEC, it has been determined that there is no further archaeological assessment required for this particular location.

The finely retouched scraper, mentioned above, was also discovered during pedestrian

**KINGSTON SOLAR LP**

9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

survey of a ploughed field. It was found among a concentrated scatter of historic Euro-Canadian artifacts, referred to as Site BbGd-52. A careful inspection of the site area at one-metre intervals did not reveal any additional pre-contact Aboriginal artifacts. Site BbGd-52 was determined to have potential cultural heritage value or interest and, as such, was recommended by AMEC for Stage 3 site-specific testing prior to any form of land disturbance.

Findspot A1 was identified through the test pit survey of a fallow field. AMEC advanced eight test pits in a 2.5-metre radius around the initial positive test pit, followed by the excavation of a one-metre unit over the positive test pit. No additional cultural material was observed in any of the additional test pits, nor in the one-metre unit. As the biface fragment was recovered and stored by AMEC, it was deemed that this particular area would not require additional archaeological assessment. The biface fragment is referred to as a findspot, as opposed to an archaeological site, because it is not temporally or culturally diagnostic.


AMEC has analyzed the results of the field investigations. All assessments were conducted to Ministry of Tourism, Culture and Sport's (MTCS) standards and the resulting reports have been accepted by MTCS for inclusion into the Provincial Registry of Reports.

Further Stage 2 investigations will be finalized in Spring 2012.

Please do not hesitate to contact us should you require additional information or wish to discuss the proposed Project.

Sincerely,

**KINGSTON SOLAR LP**

By:   
Name: Lee Jeong Tack  
Title: President

April 16, 2012

Chief Doreen Davis  
Shabot Obaadjiwan First Nation  
296497 Hwy  
Arden, Ontario KOH 1B0

**RE: Update on Archaeological Studies for the Sol-Luce Kingston Solar PV Energy Project**

Dear Chief Davis:

As part of the ongoing work to complete the required studies for the Renewable Energy Act (REA) approval under the *Green Energy Act*, Stage 1 and a substantial portion of Stage 2 archaeological investigations have been completed by AMEC Environment & Infrastructure (AMEC) on behalf of Kingston Solar LP on participating properties in the study area. AMEC is aware of, and was compliant with, their obligations under the *Cemeteries Act*, *Heritage Act*, and the *Ministry of Tourism, Culture, and Sport's 2011 Standards and Guidelines for Consultant Archaeologists*.

No human remains were located in the course of the current studies. However, during the Stage 1 and 2 field studies, three isolated pre-contact Aboriginal artifacts were encountered in three separate locations:

1. Site BbGd-53 consists of an Onondaga chert projectile point resembling an Early Woodland Meadowood Point (ca. 1000 BC-400 BC);
2. A finely retouched scraper manufactured from an unidentified chert was found within the context of an historic Euro-Canadian archaeological site (BbGd-52);  
and,
3. Findspot A1 refers to a refined biface fragment of Onondaga chert.

Site BbGd-53 was located during pedestrian survey within a ploughed field. After the find was made, a 30-metre radius around it was carefully inspected at one-metre intervals and no additional cultural material was observed. Although this is an isolated find, it was registered as an archaeological site and given a Borden designation because it is temporally and culturally diagnostic. Nevertheless, because the artifact was recovered and stored by AMEC, it has been determined that there is no further archaeological assessment required for this particular location.

The finely retouched scraper, mentioned above, was also discovered during pedestrian

**KINGSTON SOLAR LP**

9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

survey of a ploughed field. It was found among a concentrated scatter of historic Euro-Canadian artifacts, referred to as Site BbGd-52. A careful inspection of the site area at one-metre intervals did not reveal any additional pre-contact Aboriginal artifacts. Site BbGd-52 was determined to have potential cultural heritage value or interest and, as such, was recommended by AMEC for Stage 3 site-specific testing prior to any form of land disturbance.

Findspot A1 was identified through the test pit survey of a fallow field. AMEC advanced eight test pits in a 2.5-metre radius around the initial positive test pit, followed by the excavation of a one-metre unit over the positive test pit. No additional cultural material was observed in any of the additional test pits, nor in the one-metre unit. As the biface fragment was recovered and stored by AMEC, it was deemed that this particular area would not require additional archaeological assessment. The biface fragment is referred to as a findspot, as opposed to an archaeological site, because it is not temporally or culturally diagnostic.


AMEC has analyzed the results of the field investigations. All assessments were conducted to Ministry of Tourism, Culture and Sport's (MTCS) standards and the resulting reports have been accepted by MTCS for inclusion into the Provincial Registry of Reports.

Further Stage 2 investigations will be finalized in Spring 2012.

Please do not hesitate to contact us should you require additional information or wish to discuss the proposed Project.

Sincerely,

**KINGSTON SOLAR LP**

By:   
Name: Lee Jeong Tack  
Title: President



## KINGSTON SOLAR LP

9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5668 Fax: 905-285-1852

April 16, 2012

Chief R. Donald Maracle  
Tyendinaga Mohawk Council  
13 Old York Rd  
Tyendinaga Mohawk Territory, Ontario KOJ 1X0

### **RE: Update on Archaeological Studies for the Sol-Luce Kingston Solar PV Energy Project**

Dear Chief Maracle:

As part of the ongoing work to complete the required studies for the Renewable Energy Act (REA) approval under the *Green Energy Act*, Stage 1 and a substantial portion of Stage 2 archaeological investigations have been completed by AMEC Environment & Infrastructure (AMEC) on behalf of Kingston Solar LP on participating properties in the study area. AMEC is aware of, and was compliant with, their obligations under the *Cemeteries Act*, *Heritage Act*, and the *Ministry of Tourism, Culture, and Sport's 2011 Standards and Guidelines for Consultant Archaeologists*.

No human remains were located in the course of the current studies. However, during the Stage 1 and 2 field studies, three isolated pre-contact Aboriginal artifacts were encountered in three separate locations:

1. Site BbGd-53 consists of an Onondaga chert projectile point resembling an Early Woodland Meadowood Point (ca. 1000 BC-400 BC);
2. A finely retouched scraper manufactured from an unidentified chert was found within the context of an historic Euro-Canadian archaeological site (BbGd-52); and,
3. Findspot A1 refers to a refined biface fragment of Onondaga chert.

Site BbGd-53 was located during pedestrian survey within a ploughed field. After the find was made, a 30-metre radius around it was carefully inspected at one-metre intervals and no additional cultural material was observed. Although this is an isolated find, it was registered as an archaeological site and given a Borden designation because it is temporally and culturally diagnostic. Nevertheless, because the artifact was recovered and stored by AMEC, it has been determined that there is no further archaeological assessment required for this particular location.

The finely retouched scraper, mentioned above, was also discovered during pedestrian

**KINGSTON SOLAR LP**

9000 Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5668 Fax: 905-286-1852

survey of a ploughed field. It was found among a concentrated scatter of historic Euro-Canadian artifacts, referred to as Site BbGd-52. A careful inspection of the site area at one-metre intervals did not reveal any additional pre-contact Aboriginal artifacts. Site BbGd-52 was determined to have potential cultural heritage value or interest and, as such, was recommended by AMEC for Stage 3 site-specific testing prior to any form of land disturbance.

Findspot A1 was identified through the test pit survey of a fallow field. AMEC advanced eight test pits in a 2.5-metre radius around the initial positive test pit, followed by the excavation of a one-metre unit over the positive test pit. No additional cultural material was observed in any of the additional test pits, nor in the one-metre unit. As the biface fragment was recovered and stored by AMEC, it was deemed that this particular area would not require additional archaeological assessment. The biface fragment is referred to as a findspot, as opposed to an archaeological site, because it is not temporally or culturally diagnostic.

AMEC has analyzed the results of the field investigations. All assessments were conducted to Ministry of Tourism, Culture and Sport's (MTCS) standards and the resulting reports have been accepted by MTCS for inclusion into the Provincial Registry of Reports.

Further Stage 2 investigations will be finalized in Spring 2012.

Please do not hesitate to contact us should you require additional information or wish to discuss the proposed Project.

Sincerely,

**KINGSTON SOLAR LP**

By: 

Name: Lee Jeong Tack

Title: President

## KINGSTON SOLAR LP

100-1100 Kingston Road, Toronto, Ontario M3J 1K1 | Tel: 416-291-3333 | Fax: 416-291-3333

June 13, 2012

Chief Kirby Whiteduck  
Algonquins of Pikwàkanagàn  
1657A Mishomis Inamo, Pikwàkanagàn  
Golden Lake, Ontario K0J 1X0

### **RE: Notice of Stage 3 Archaeological Assessment for the Sol-Luce Kingston Solar PV Energy Project**

Dear Chief, Council and Members of Community:

As part of the ongoing work to complete the required studies for the Renewable Energy Act (REA) approval under the *Green Energy Act*, Stage 1 and 2 archaeological assessments have been completed on participating properties in the study area by AMEC Environment & Infrastructure (AMEC) and Golder Associates Ltd. (Golder) on behalf of Kingston Solar LP. These reports, which have been submitted to the Ontario Ministry of Tourism, Culture and Sport (MTCS), are available upon request. The purpose of this letter is to inform you of the Stage 3 archaeological assessments that Golder will commence in June at four locations (BdGd-48, BdGd-50, BdGd-51, and BdGd-52) within the Sol-Luce Kingston Solar PV Energy Project study area. The following section summarizes the results of the Stage 1 and 2 assessments at these four historic Euro-Canadian sites. It should be noted, that the material cultural remains recovered at BdGd-48, BdGd-50, BdGd-51, and BdGd-52 to date do not suggest the presence of Aboriginal material.

BdGd-48 is an early Euro-Canadian (*circa* 1850 to 1910) domestic activity area, measuring 57 metres by 30 metres. Artifacts recovered include tableware, teaware, kitchenware, a container, window glass, and a wrought nail.

BdGd-50 is a Euro-Canadian (*circa* 1860 to 1950) homestead, measuring 116 metres by 53 metres, including a fieldstone, brick and mortar foundation with some evidence of a log wall. Artifacts recovered include tableware, teaware, kitchenware, a container, machine cut nails, window glass, wire nails, wrought nails, a fence staple, horse tack, an ink well, a plastic button, and plastic jewellery.

BdGd-51 is a Euro-Canadian (*circa* 1860 to 1950) homestead, measuring 33 metres by 33 metres. Artifacts recovered include tableware, teaware, a machine cut nail, window glass, ink jar, clay smoking pipe, and glass medicine bottles.

BdGd-52 is Euro-Canadian (*circa* 1860 to 1950) farmstead, measuring 99 metres by 67 metres. Artifacts recovered include tableware, teaware, kitchenware, a liquor container, a machine cut nail, window glass, and an ink jar. Additionally, as was noted in a previous communication (April 16, 2012), a finely retouched scraper was also identified at this site, however, additional investigation indicated that it was an isolated find.

## KINGSTON SOLAR LP

9-11 St. Charles Court, Markham, ON L3R 4Q1, Canada Tel: 905-477-3343 Fax: 905-477-4195

As was noted above, Golder will commence the Stage 3 archaeological assessment of sites BdGd-48, BdGd-50, BdGd-51, and BdGd-52 in June. This will include the controlled collection of surface artifacts and the hand excavation of a series of one metre square units located across the site area in order to establish the limits of each site and to systematically test each site's cultural heritage value or interest. All soil that is excavated will be screened through 6 millimetre mesh with all artifacts retained and returned to the laboratory for analysis. The recovered artifacts will be analyzed and recommendations will be made, following the 2011 *Standards and Guidelines for Consultant Archaeologists* set forth by the MTCS, as to whether Stage 4 avoidance and protection or mitigation is warranted.

As sites BdGd-48, BdGd-50, BdGd-51, and BdGd-52 date to the historic Euro-Canadian period, the potential for the recovery of pre-contact or post-contact Aboriginal material during the Stage 3 assessments is very low. However, if you have any questions or require additional information about this portion of the project, please do not hesitate to contact us.

Sincerely,

Kingston Solar LP

By: 

Name: Lee Jeong Tack

Title: President

June 13, 2012

Chief Paula Sherman  
Ardoch Algonquin First Nation  
1045 Canoe Path  
Ardoch, Ontario K0H 1C0

**RE: Notice of Stage 3 Archaeological Assessment for the Sol-Luce Kingston Solar PV Energy Project**

Dear Chief, Council and Members of Community:

As part of the ongoing work to complete the required studies for the Renewable Energy Act (REA) approval under the *Green Energy Act*, Stage 1 and 2 archaeological assessments have been completed on participating properties in the study area by AMEC Environment & Infrastructure (AMEC) and Golder Associates Ltd. (Golder) on behalf of Kingston Solar LP. These reports, which have been submitted to the Ontario Ministry of Tourism, Culture and Sport (MTCS), are available upon request. The purpose of this letter is to inform you of the Stage 3 archaeological assessments that Golder will commence in June at four locations (BdGd-48, BdGd-50, BdGd-51, and BdGd-52) within the Sol-Luce Kingston Solar PV Energy Project study area. The following section summarizes the results of the Stage 1 and 2 assessments at these four historic Euro-Canadian sites. It should be noted, that the material cultural remains recovered at BdGd-48, BdGd-50, BdGd-51, and BdGd-52 to date do not suggest the presence of Aboriginal material.

BdGd-48 is an early Euro-Canadian (*circa* 1850 to 1910) domestic activity area, measuring 57 metres by 30 metres. Artifacts recovered include tableware, teaware, kitchenware, a container, window glass, and a wrought nail.

BdGd-50 is a Euro-Canadian (*circa* 1860 to 1950) homestead, measuring 116 metres by 53 metres, including a fieldstone, brick and mortar foundation with some evidence of a log wall. Artifacts recovered include tableware, teaware, kitchenware, a container, machine cut nails, window glass, wire nails, wrought nails, a fence staple, horse tack, an ink well, a plastic button, and plastic jewellery.

BdGd-51 is a Euro-Canadian (*circa* 1860 to 1950) homestead, measuring 33 metres by 33 metres. Artifacts recovered include tableware, teaware, a machine cut nail, window glass, ink jar, clay smoking pipe, and glass medicine bottles.

BdGd-52 is Euro-Canadian (*circa* 1860 to 1950) farmstead, measuring 99 metres by 67 metres. Artifacts recovered include tableware, teaware, kitchenware, a liquor container, a machine cut nail, window glass, and an ink jar. Additionally, as was noted in a previous communication (April 16, 2012), a finely retouched scraper was also identified at this site, however, additional investigation indicated that it was an isolated find.

**KINGSTON SOLAR LP**

1000 1st Street West, Suite 100, Kingston, Ontario K7L 1A2 Canada Tel: (613) 339-5510 Fax: (613) 339-5511

As was noted above, Golder will commence the Stage 3 archaeological assessment of sites BdGd-48, BdGd-50, BdGd-51, and BdGd-52 in June. This will include the controlled collection of surface artifacts and the hand excavation of a series of one metre square units located across the site area in order to establish the limits of each site and to systematically test each site's cultural heritage value or interest. All soil that is excavated will be screened through 6 millimetre mesh with all artifacts retained and returned to the laboratory for analysis. The recovered artifacts will be analyzed and recommendations will be made, following the 2011 *Standards and Guidelines for Consultant Archaeologists* set forth by the MTCS, as to whether Stage 4 avoidance and protection or mitigation is warranted.

As sites BdGd-48, BdGd-50, BdGd-51, and BdGd-52 date to the historic Euro-Canadian period, the potential for the recovery of pre-contact or post-contact Aboriginal material during the Stage 3 assessments is very low. However, if you have any questions or require additional information about this portion of the project, please do not hesitate to contact us.

Sincerely,

Kingston Solar LP

By: \_\_\_\_\_



Name: Lee Jeong Tack

Title: President

June 13, 2012

Chief Keith Knott  
Curve Lake First Nation  
General Delivery  
Curve Lake, Ontario K0L 1R0

**RE: Notice of Stage 3 Archaeological Assessment for the Sol-Luce Kingston Solar PV Energy Project**

Dear Chief, Council and Members of Community:

As part of the ongoing work to complete the required studies for the Renewable Energy Act (REA) approval under the *Green Energy Act*, Stage 1 and 2 archaeological assessments have been completed on participating properties in the study area by AMEC Environment & Infrastructure (AMEC) and Golder Associates Ltd. (Golder) on behalf of Kingston Solar LP. These reports, which have been submitted to the Ontario Ministry of Tourism, Culture and Sport (MTCS), are available upon request. The purpose of this letter is to inform you of the Stage 3 archaeological assessments that Golder will commence in June at four locations (BdGd-48, BdGd-50, BdGd-51, and BdGd-52) within the Sol-Luce Kingston Solar PV Energy Project study area. The following section summarizes the results of the Stage 1 and 2 assessments at these four historic Euro-Canadian sites. It should be noted, that the material cultural remains recovered at BdGd-48, BdGd-50, BdGd-51, and BdGd-52 to date do not suggest the presence of Aboriginal material.

BdGd-48 is an early Euro-Canadian (*circa* 1850 to 1910) domestic activity area, measuring 57 metres by 30 metres. Artifacts recovered include tableware, teaware, kitchenware, a container, window glass, and a wrought nail.

BdGd-50 is a Euro-Canadian (*circa* 1860 to 1950) homestead, measuring 116 metres by 53 metres, including a fieldstone, brick and mortar foundation with some evidence of a log wall. Artifacts recovered include tableware, teaware, kitchenware, a container, machine cut nails, window glass, wire nails, wrought nails, a fence staple, horse tack, an ink well, a plastic button, and plastic jewellery.

BdGd-51 is a Euro-Canadian (*circa* 1860 to 1950) homestead, measuring 33 metres by 33 metres. Artifacts recovered include tableware, teaware, a machine cut nail, window glass, ink jar, clay smoking pipe, and glass medicine bottles.

BdGd-52 is Euro-Canadian (*circa* 1860 to 1950) farmstead, measuring 99 metres by 67 metres. Artifacts recovered include tableware, teaware, kitchenware, a liquor container, a machine cut nail, window glass, and an ink jar. Additionally, as was noted in a previous communication (April 16, 2012), a finely retouched scraper was also identified at this site, however, additional investigation indicated that it was an isolated find.

KINGSTON SOLAR LP

11-4 St. Charles Court, Mississauga, ON L4W 5G6 Tel: 905-276-2222 Fax: 905-276-1825

As was noted above, Golder will commence the Stage 3 archaeological assessment of sites BdGd-48, BdGd-50, BdGd-51, and BdGd-52 in June. This will include the controlled collection of surface artifacts and the hand excavation of a series of one metre square units located across the site area in order to establish the limits of each site and to systematically test each site's cultural heritage value or interest. All soil that is excavated will be screened through 6 millimetre mesh with all artifacts retained and returned to the laboratory for analysis. The recovered artifacts will be analyzed and recommendations will be made, following the 2011 *Standards and Guidelines for Consultant Archaeologists* set forth by the MTCS, as to whether Stage 4 avoidance and protection or mitigation is warranted.

As sites BdGd-48, BdGd-50, BdGd-51, and BdGd-52 date to the historic Euro-Canadian period, the potential for the recovery of pre-contact or post-contact Aboriginal material during the Stage 3 assessments is very low. However, if you have any questions or require additional information about this portion of the project, please do not hesitate to contact us.

Sincerely,

Kingston Solar LP

By: 

Name: Lee Jeong Tack

Title: President



June 13, 2012

Chief Sandra Moore  
Hiawatha First Nation  
123 Paudash Street  
Hiawatha, Ontario K0L 2G0

**RE: Notice of Stage 3 Archaeological Assessment for the Sol-Luce Kingston Solar PV Energy Project**

Dear Chief, Council and Members of Community:

As part of the ongoing work to complete the required studies for the Renewable Energy Act (REA) approval under the *Green Energy Act*, Stage 1 and 2 archaeological assessments have been completed on participating properties in the study area by AMEC Environment & Infrastructure (AMEC) and Golder Associates Ltd. (Golder) on behalf of Kingston Solar LP. These reports, which have been submitted to the Ontario Ministry of Tourism, Culture and Sport (MTCSS), are available upon request. The purpose of this letter is to inform you of the Stage 3 archaeological assessments that Golder will commence in June at four locations (BdGd-48, BdGd-50, BdGd-51, and BdGd-52) within the Sol-Luce Kingston Solar PV Energy Project study area. The following section summarizes the results of the Stage 1 and 2 assessments at these four historic Euro-Canadian sites. It should be noted, that the material cultural remains recovered at BdGd-48, BdGd-50, BdGd-51, and BdGd-52 to date do not suggest the presence of Aboriginal material.

BdGd-48 is an early Euro-Canadian (*circa* 1850 to 1910) domestic activity area, measuring 57 metres by 30 metres. Artifacts recovered include tableware, teaware, kitchenware, a container, window glass, and a wrought nail.

BdGd-50 is a Euro-Canadian (*circa* 1860 to 1950) homestead, measuring 116 metres by 53 metres, including a fieldstone, brick and mortar foundation with some evidence of a log wall. Artifacts recovered include tableware, teaware, kitchenware, a container, machine cut nails, window glass, wire nails, wrought nails, a fence staple, horse tack, an ink well, a plastic button, and plastic jewellery.

BdGd-51 is a Euro-Canadian (*circa* 1860 to 1950) homestead, measuring 33 metres by 33 metres. Artifacts recovered include tableware, teaware, a machine cut nail, window glass, ink jar, clay smoking pipe, and glass medicine bottles.

BdGd-52 is Euro-Canadian (*circa* 1860 to 1950) farmstead, measuring 99 metres by 67 metres. Artifacts recovered include tableware, teaware, kitchenware, a liquor container, a machine cut nail, window glass, and an ink jar. Additionally, as was noted in a previous communication (April 16, 2012), a finely retouched scraper was also identified at this site, however, additional investigation indicated that it was an isolated find.

## KINGSTON SOLAR LP

As was noted above, Golder will commence the Stage 3 archaeological assessment of sites BdGd-48, BdGd-50, BdGd-51, and BdGd-52 in June. This will include the controlled collection of surface artifacts and the hand excavation of a series of one metre square units located across the site area in order to establish the limits of each site and to systematically test each site's cultural heritage value or interest. All soil that is excavated will be screened through 6 millimetre mesh with all artifacts retained and returned to the laboratory for analysis. The recovered artifacts will be analyzed and recommendations will be made, following the 2011 *Standards and Guidelines for Consultant Archaeologists* set forth by the MTCS, as to whether Stage 4 avoidance and protection or mitigation is warranted.

As sites BdGd-48, BdGd-50, BdGd-51, and BdGd-52 date to the historic Euro-Canadian period, the potential for the recovery of pre-contact or post-contact Aboriginal material during the Stage 3 assessments is very low. However, if you have any questions or require additional information about this portion of the project, please do not hesitate to contact us.

Sincerely,

Kingston Solar LP

By: \_\_\_\_\_



Name: Lee Jeong Tack

Title: President

## KINGSTON SOLAR LP

9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

June 13, 2012

Chief James Marsden  
Alderville First Nation  
11696 2nd Line, P.O. Box 46  
Alderville, Ontario K0K 2X0

Dear Chief, Council and Members of Community;

**Re: Sol-luce Kingston Solar PV Energy Project (Project)  
Draft Renewable Energy Approval (REA)**

On August 26, 2011, the Ontario Ministry of the Environment (MOE) provided Kingston Solar LP with a letter indicating that Alderville First Nation should be consulted on the proposed Project. On October 17, 2011, Kingston Solar LP sent a letter to your community informing of the proposed Sol-luce Kingston Solar PV Energy Project (the Project). Kingston Solar LP would like to follow up with the Alderville First Nation regarding the Project and Kingston Solar LP's communications with your community.

Kingston Solar LP on April 16, 2012 provided update on progress of Archaeological Assessment Studies to your community. Subsequently we have also invited your community to the Interim Community Session held on April 17, 2012.

This letter is being sent to your community as a reminder that Kingston Solar LP proposes to develop the Sol-luce Kingston Solar PV Energy Project, located to the north and south of Unity Road and south of Mud Lake Road in the City of Kingston and Loyalist Township in Eastern Ontario. The proposed solar facility will have a maximum name plate capacity of approximately 100 MW AC (megawatts of alternating current). If approved, this facility would use photovoltaic (PV) technology to convert solar energy into electricity. Power generated by the Project will be fed into the provincial grid via a substation located adjacent to the Hydro One Networks Inc. (HONI) transmission line which crosses the study area.

The proposed project will require approval under Ontario Regulation 359/09 (O.Reg 359/09) the Renewable Energy Approval (REA) under the *Green Energy Act*. In accordance with the REA regulations (Section 17), Kingston Solar LP has:

- ✓ Notified the Alderville First Nation of our intent to develop the Project;
- ✓ Submitted a Project Description; and,
- ✓ Requested information regarding any adverse impacts that the project may have on constitutionally protected Aboriginal or treaty rights that the Alderville First Nation may have.

Further to above activities, Kingston Solar LP would like to;

- ✓ Provide a summary of each of the Draft REA Reports that are to be released.

## KINGSTON SOLAR LP

9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-601-5658 Fax: 905-285-1852

As required by O.Reg 359/09, Kingston Solar LP has prepared Draft REA reports which are now available for a 60-day review period. Hard copies of these reports are available at the following locations:

- ✓ City of Kingston, City Hall, Clerk's Office, 216 Ontario Street, Ontario
- ✓ Kingston Frontenac Public Library – Isabel Turner Branch, 935 Gardiners Road, Kingston, Ontario
- ✓ Loyalist Township, 263 Main Street, Odessa, Ontario
- ✓ Odessa Branch Library, 102 Main Street, Odessa, Ontario
- ✓ County of Lennox-Addington, 97 Thomas Street East, Napanee, Ontario

Electronic copies of the Project Draft REA reports are also available on Project website via the following link: [www.samsungrenewableenergy.ca/kingston](http://www.samsungrenewableenergy.ca/kingston)

Kingston Solar LP considers communication with Aboriginal communities to be a valuable component of the REA process. Accordingly, we would like to better understand your interest in this Project and how we might be involved in those interests. Kingston Solar LP would be pleased to meet with Chief, Council, Elders and youth from your community to discuss the proposed Project and to learn about your community's interests in the lands and any other interests that may relate to your community.

The Final REA Application will be submitted to the Director of the Environmental Assessment and Approvals Branch (EAAB) at the MOE. Once the application is reviewed and deemed complete by the MOE, the MOE will post an abstract of the project on the Registry for a minimum 30-day public comment period.

The following is a summary of each of the Draft REA Reports.

### **Summary of REA Reports**

#### Project Description Report

This report provides a project description including technical details on the project, solar facility layout and facility components, project activities, potential project effects and mitigation measures.

#### Construction Plan Report

This report includes a description of the following:

- ✓ Construction Activities
- ✓ The location and timing of the construction;
- ✓ Potential negative effects that might be incurred during construction;
- ✓ Mitigation measures to be implemented to avoid/minimize the identified effects.

#### Natural Heritage Assessment and Environmental Impact Study (NHA/EIS) Report

This report includes a description of the natural heritage features in the Project location (birds, vegetation and terrestrial wildlife) and demonstration that the required REA setbacks from natural heritage features have been met and any potential effects mitigated.

#### Water Assessment and Water Body Report

This report includes a description of the water bodies (i.e., permanent watercourses, intermittent watercourses, seepage areas or lakes) in the project location and demonstration that the required REA setbacks from significant water features have been met and any potential effects mitigated.

## KINGSTON SOLAR LP

9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

### Decommissioning Plan Report

This report includes a description of the activities that are to be undertaken should the facility be decommissioned including:

- ✓ Procedures to dismantle the facility;
- ✓ Land restoration activities; and,
- ✓ Procedures for waste management.

### Design and Operations Report

This report includes a description of the following:

- ✓ Site plan of the project showing all project components and their location;
- ✓ Surface water supplies to be used;
- ✓ An environmental effects monitoring plan; and,
- ✓ A plan to inform interest and the response plan to address potential future.

### Noise Study Report

A Noise Study Report was prepared to demonstrate that the facility is in compliance with regulatory requirements pertaining to the types of operations that may occur at the facility. The report was prepared in accordance with the MOE requirements as set out in NPC-232, NPC-233, and NPC-205.

### Stage 1 and 2 Archaeological Assessments (AAs) and Cultural Heritage Assessment Report

Stage 1 and 2 Archaeological Assessments (AAs) and a Cultural Heritage Assessment Report were prepared to outline the archaeological and cultural potential of the project location and mitigate any potential negative effects of the proposed project. Stage 1 and 2 Archaeological Assessment Reports were submitted to the Ministry of Tourism, Culture and Sport (MTCS). MTCS has provided written acknowledgement that the field work and reports were carried out in accordance with the Standards and Guidelines for Consultant Archaeologists.

For your convenience we have provided summaries to the above reports enclosed in this letter.

A Consultation Report will be provided as part of the final REA submission to MOE. This report will include summary of communication and consultation activities conducted to date with the public, government agencies and Aboriginal communities as well as a summary of the communication and consultation activities that are planned to be undertaken under the REA process, including responses to concerns that are received.

## **Request for Information**

Since 2011, Kingston Solar LP has had correspondence with a number of Aboriginal communities identified by the MOE as well as other Aboriginal communities that Kingston Solar LP identified as those who may have interest in the Project. Kingston Solar LP has stated its willingness to meet with your community representatives to discuss the Project and to receive comments or questions. Kingston Solar LP has no specific information in regards to potential adverse effects that the Project could have on the constitutional and/or treaty rights of your community and would like to confirm this with you. In this regard, Kingston Solar LP requests that your community provide in writing any information available to the community that in your opinion, should be considered in preparing the REA Reports and in particular, any information your community may have about the adverse impacts that the project may have on constitutionally protected Aboriginal or treaty rights and any measures for mitigating those adverse impacts. We have not to date received a response from you.

## KINGSTON SOLAR LP

9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

### Closing

Kingston Solar LP is pleased to continue its communications with Aboriginal communities with respect to this Project and would like to better understand your interest in this Project. We would be pleased to meet with you and representatives from your community to discuss the proposed Project and to learn about your community's interests and potential concerns. We will follow-up with a telephone call to you.

Please do not hesitate to contact me at: 905-501-5658.

Yours truly,

Kingston Solar LP

By: \_\_\_\_\_

Name: Lee Jeong Tack

Title: President

Encl: Summaries of REA Technical Reports

## KINGSTON SOLAR LP

9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

June 13, 2012

Chief Kirby Whiteduck  
Algonquins of Pikwàkanagàn  
1657A Mishomis Inamo, Pikwàkanagàn  
Golden Lake, Ontario K0J 1X0

Dear Chief, Council and Members of Community;

**Re: Sol-luce Kingston Solar PV Energy Project (Project)  
Draft Renewable Energy Approval (REA)**

On July 28, 2011, Kingston Solar LP sent a letter to your community informing of the proposed Sol-luce Kingston Solar PV Energy Project (the Project). Kingston Solar LP would like to follow up with the Algonquins of Pikwàkanagàn regarding the Project and Kingston Solar LP's communications with your community.

Kingston Solar LP on April 16, 2012 provided update on progress of Archaeological Assessment Studies to your community. Subsequently we have also invited your community to the Interim Community Session held on April 17, 2012.

This letter is being sent to your community as a reminder that Kingston Solar LP proposes to develop the Sol-luce Kingston Solar PV Energy Project, located to the north and south of Unity Road and south of Mud Lake Road in the City of Kingston and Loyalist Township in Eastern Ontario. The proposed solar facility will have a maximum name plate capacity of approximately 100 MW AC (megawatts of alternating current). If approved, this facility would use photovoltaic (PV) technology to convert solar energy into electricity. Power generated by the Project will be fed into the provincial grid via a substation located adjacent to the Hydro One Networks Inc. (HONI) transmission line which crosses the study area.

The proposed project will require approval under Ontario Regulation 359/09 (O.Reg 359/09) the Renewable Energy Approval (REA) under the *Green Energy Act*. In accordance with the REA regulations (Section 17), Kingston Solar LP has:

- ✓ Notified Algonquins of Pikwàkanagàn of our intent to develop the Project;
- ✓ Submitted a Project Description; and,
- ✓ Requested information regarding any adverse impacts that the project may have on constitutionally protected Aboriginal or treaty rights that the Algonquins of Pikwàkanagàn may have.

Further to above activities, Kingston Solar LP would like to;

- ✓ Provide a summary of each of the Draft REA Reports that are to be released.

As required by O.Reg 359/09, Kingston Solar LP has prepared Draft REA reports which are now available for a 60-day review period. Hard copies of these reports are available at the following locations:

- ✓ City of Kingston, City Hall, Clerk's Office, 216 Ontario Street, Ontario
- ✓ Kingston Frontenac Public Library – Isabel Turner Branch, 935 Gardiners Road, Kingston, Ontario
- ✓ Loyalist Township, 263 Main Street, Odessa, Ontario
- ✓ Odessa Branch Library, 102 Main Street, Odessa, Ontario

## KINGSTON SOLAR LP

9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

- ✓ County of Lennox-Addington, 97 Thomas Street East, Napanee, Ontario

Electronic copies of the Project Draft REA reports are also available on Project website via the following link: [www.samsungrenewableenergy.ca/kingston](http://www.samsungrenewableenergy.ca/kingston)

Kingston Solar LP considers communication with Aboriginal communities to be a valuable component of the REA process. Accordingly, we would like to better understand your interest in this Project and how we might be involved in those interests. Kingston Solar LP would be pleased to meet with Chief, Council, Elders and youth from your community to discuss the proposed Project and to learn about your community's interests in the lands and any other interests that may relate to your community.

The Final REA Application will be submitted to the Director of the Environmental Assessment and Approvals Branch (EAAB) at the MOE. Once the application is reviewed and deemed complete by the MOE, the MOE will post an abstract of the project on the Registry for a minimum 30-day public comment period.

The following is a summary of each of the Draft REA Reports.

### **Summary of REA Reports**

#### Project Description Report

This report provides a project description including technical details on the project, solar facility layout and facility components, project activities, potential project effects and mitigation measures.

#### Construction Plan Report

This report includes a description of the following:

- ✓ Construction Activities
- ✓ The location and timing of the construction;
- ✓ Potential negative effects that might be incurred during construction;
- ✓ Mitigation measures to be implemented to avoid/minimize the identified effects.

#### Natural Heritage Assessment and Environmental Impact Study (NHA/EIS) Report

This report will include a description of the natural heritage features in the Project location (birds, vegetation and terrestrial wildlife) and demonstration that the required REA setbacks from natural heritage features have been met and any potential effects mitigated.

#### Water Assessment and Water Body Report

This report includes a description of the water bodies (i.e., permanent watercourses, intermittent watercourses, seepage areas or lakes) in the project location and demonstration that the required REA setbacks from significant water features have been met and any potential effects mitigated.

#### Decommissioning Plan Report

This report includes a description of the activities that are to be undertaken should the facility be decommissioned including:

- ✓ Procedures to dismantle the facility;
- ✓ Land restoration activities; and,
- ✓ Procedures for waste management.



## KINGSTON SOLAR LP

9<sup>th</sup> Fl. 55 Slandish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-265-1852

### Design and Operations Report

This report includes a description of the following:

- ✓ Site plan of the project showing all project components and their location;
- ✓ Surface water supplies to be used;
- ✓ An environmental effects monitoring plan; and,
- ✓ A plan to inform interest and the response plan to address potential future.

### Noise Study Report

A Noise Study Report was prepared to demonstrate that the facility is in compliance with regulatory requirements pertaining to the types of operations that may occur at the facility. The report was prepared in accordance with the MOE requirements as set out in NPC-232, NPC-233, and NPC-205.

### Stage 1 and 2 Archaeological Assessments (AAs) and Cultural Heritage Assessment Report

Stage 1 and 2 Archaeological Assessments (AAs) and a Cultural Heritage Assessment Report were prepared to outline the archaeological and cultural potential of the project location and mitigate any potential negative effects of the proposed project. Stage 1 and 2 Archaeological Assessment Reports were submitted to the Ministry of Tourism, Culture and Sport (MTCS). MTCS has provided written acknowledgement that the field work and reports were carried out in accordance with the Standards and Guidelines for Consultant Archaeologists.

For your convenience we have provided summaries to the above reports enclosed in this letter.

A Consultation Report will be provided as part of the final REA submission to MOE. This report will include summary of communication and consultation activities conducted to date with the public, government agencies and Aboriginal communities as well as a summary of the communication and consultation activities that are planned to be undertaken under the REA process, including responses to concerns that are received.

### **Request for Information**

Since 2011, Kingston Solar LP has had correspondence with a number of Aboriginal communities identified by the MOE as well as other Aboriginal communities that Kingston Solar LP identified as those who may have interest in the Project. Kingston Solar LP has stated its willingness to meet with your community representatives to discuss the Project and to receive comments or questions. Kingston Solar LP has no specific information in regards to potential adverse effects that the Project could have on the constitutional and/or treaty rights of your community and would like to confirm this with you. In this regard, Kingston Solar LP requests that your community provide in writing any information available to the community that in your opinion, should be considered in preparing the REA Reports and in particular, any information your community may have about the adverse impacts that the project may have on constitutionally protected Aboriginal or treaty rights and any measures for mitigating those adverse impacts. We have not to date received a response from you.

## KINGSTON SOLAR LP

9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

### Closing

Kingston Solar LP is pleased to continue its communications with Aboriginal communities with respect to this Project and would like to better understand your interest in this Project. We would be pleased to meet with you and representatives from your community to discuss the proposed Project and to learn about your community's interests and potential concerns. We will follow-up with a telephone call to you.

Please do not hesitate to contact me at: 905-501-5658.

Yours truly,

Kingston Solar LP

By: \_\_\_\_\_

Name: Lee Jeong Tack  
Title: President

Encl: Summaries of REA Technical Reports

## KINGSTON SOLAR LP

9<sup>th</sup> Fl, 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

June 13, 2012

Chief Paula Sherman  
Ardoch Algonquin First Nation  
1045 Canoe Path  
Ardoch, Ontario K0H 1C0

Dear Chief, Council and Members of Community;

**Re: Sol-luce Kingston Solar PV Energy Project (Project)  
Draft Renewable Energy Approval (REA)**

On July 28, 2011, Kingston Solar LP sent a letter to your community informing of the proposed Sol-luce Kingston Solar PV Energy Project (the Project). Kingston Solar LP would like to follow up with the Ardoch Algonquin First Nation regarding the Project and Kingston Solar LP's communications with your community.

Kingston Solar LP on April 16, 2012 provided update on progress of Archaeological Assessment Studies to your community. Subsequently we have also invited your community to the Interim Community Session held on April 17, 2012.

This letter is being sent to your community as a reminder that Kingston Solar LP proposes to develop the Sol-luce Kingston Solar PV Energy Project, located to the north and south of Unity Road and south of Mud Lake Road in the City of Kingston and Loyalist Township in Eastern Ontario. The proposed solar facility will have a maximum name plate capacity of approximately 100 MW AC (megawatts of alternating current). If approved, this facility would use photovoltaic (PV) technology to convert solar energy into electricity. Power generated by the Project will be fed into the provincial grid via a substation located adjacent to the Hydro One Networks Inc. (HONI) transmission line which crosses the study area.

The proposed project will require approval under Ontario Regulation 359/09 (O.Reg 359/09) the Renewable Energy Approval (REA) under the *Green Energy Act*. In accordance with the REA regulations (Section 17), Kingston Solar LP has:

- ✓ Notified the Ardoch Algonquin First Nation of our intent to develop the Project;
- ✓ Submitted a Project Description; and,
- ✓ Requested information regarding any adverse impacts that the project may have on constitutionally protected Aboriginal or treaty rights that the Ardoch Algonquin First Nation may have.

Further to above activities, Kingston Solar LP would like to;

- ✓ Provide a summary of each of the Draft REA Reports that are to be released.

As required by O.Reg 359/09, Kingston Solar LP has prepared Draft REA reports which are now available for a 60-day review period. Hard copies of these reports are available at the following locations:

- ✓ City of Kingston, City Hall, Clerk's Office, 216 Ontario Street, Ontario
- ✓ Kingston Frontenac Public Library – Isabel Turner Branch, 935 Gardiners Road, Kingston, Ontario
- ✓ Loyalist Township, 263 Main Street, Odessa, Ontario
- ✓ Odessa Branch Library, 102 Main Street, Odessa, Ontario

## KINGSTON SOLAR LP

9111 Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

- ✓ County of Lennox-Addington, 97 Thomas Street East, Napanee, Ontario

Electronic copies of the Project Draft REA reports are also available on Project website via the following link: [www.samsungrenewableenergy.ca/kingston](http://www.samsungrenewableenergy.ca/kingston)

Kingston Solar LP considers communication with Aboriginal communities to be a valuable component of the REA process. Accordingly, we would like to better understand your interest in this Project and how we might be involved in those interests. Kingston Solar LP would be pleased to meet with Chief, Council, Elders and youth from your community to discuss the proposed Project and to learn about your community's interests in the lands and any other interests that may relate to your community.

The Final REA Application will be submitted to the Director of the Environmental Assessment and Approvals Branch (EAAB) at the MOE. Once the application is reviewed and deemed complete by the MOE, the MOE will post an abstract of the project on the Registry for a minimum 30-day public comment period.

The following is a summary of each of the Draft REA Reports.

### **Summary of REA Reports**

#### Project Description Report

This report provides a project description including technical details on the project, solar facility layout and facility components, project activities, potential project effects and mitigation measures.

#### Construction Plan Report

This report includes a description of the following:

- ✓ Construction Activities
- ✓ The location and timing of the construction;
- ✓ Potential negative effects that might be incurred during construction;
- ✓ Mitigation measures to be implemented to avoid/minimize the identified effects.

#### Natural Heritage Assessment and Environmental Impact Study (NHA/EIS) Report

This report includes a description of the natural heritage features in the Project location (birds, vegetation and terrestrial wildlife) and demonstration that the required REA setbacks from natural heritage features have been met and any potential effects mitigated.

#### Water Assessment and Water Body Report

This report includes a description of the water bodies (i.e., permanent watercourses, intermittent watercourses, seepage areas or lakes) in the project location and demonstration that the required REA setbacks from significant water features have been met and any potential effects mitigated.

#### Decommissioning Plan Report

This report includes a description of the activities that are to be undertaken should the facility be decommissioned including:

- ✓ Procedures to dismantle the facility;
- ✓ Land restoration activities; and,
- ✓ Procedures for waste management.

#### Design and Operations Report

## KINGSTON SOLAR LP

9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

This report includes a description of the following:

- ✓ Site plan of the project showing all project components and their location;
- ✓ Surface water supplies to be used;
- ✓ An environmental effects monitoring plan; and,
- ✓ A plan to inform interest and the response plan to address potential future.

### Noise Study Report

A Noise Study Report was prepared to demonstrate that the facility is in compliance with regulatory requirements pertaining to the types of operations that may occur at the facility. The report was prepared in accordance with the MOE requirements as set out in NPC-232, NPC-233, and NPC-205.

### Stage 1 and 2 Archaeological Assessments (AAs) and Cultural Heritage Assessment Report

Stage 1 and 2 Archaeological Assessments (AAs) and a Cultural Heritage Assessment Report were prepared to outline the archaeological and cultural potential of the project location and mitigate any potential negative effects of the proposed project. Stage 1 and 2 Archaeological Assessment Reports were submitted to the Ministry of Tourism, Culture and Sport (MTCS). MTCS has provided written acknowledgement that the field work and reports were carried out in accordance with the Standards and Guidelines for Consultant Archaeologists.

For your convenience we have provided summaries to the above reports enclosed in this letter.

A Consultation Report will be provided as part of the final REA submission to MOE. This report will include summary of communication and consultation activities conducted to date with the public, government agencies and Aboriginal communities as well as a summary of the communication and consultation activities that are planned to be undertaken under the REA process, including responses to concerns that are received.

### **Request for Information**

Since 2011, Kingston Solar LP has had correspondence with a number of Aboriginal communities identified by the MOE as well as other Aboriginal communities that Kingston Solar LP identified as those who may have interest in the Project. Kingston Solar LP has stated its willingness to meet with your community representatives to discuss the Project and to receive comments or questions. Kingston Solar LP has no specific information in regards to potential adverse effects that the Project could have on the constitutional and/or treaty rights of your community and would like to confirm this with you. In this regard, Kingston Solar LP requests that your community provide in writing any information available to the community that in your opinion, should be considered in preparing the REA Reports and in particular, any information your community may have about the adverse impacts that the project may have on constitutionally protected Aboriginal or treaty rights and any measures for mitigating those adverse impacts. We have not to date received a response from you.

## KINGSTON SOLAR LP

9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

### Closing

Kingston Solar LP is pleased to continue its communications with Aboriginal communities with respect to this Project and would like to better understand your interest in this Project. We would be pleased to meet with you and representatives from your community to discuss the proposed Project and to learn about your community's interests and potential concerns. We will follow-up with a telephone call to you.

Please do not hesitate to contact me at: 905-501-5658.

Yours truly,

Kingston Solar LP

By: \_\_\_\_\_

Name: Lee Jeong Tack  
Title: President

Encl: Summaries of REA Technical Reports

## KINGSTON SOLAR LP

911 FI, 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

June 13, 2012

Chief Keith Knott  
Curve Lake First Nation  
General Delivery  
Curve Lake, Ontario K0L 1R0

Dear Chief, Council and Members of Community;

**Re: Sol-luce Kingston Solar PV Energy Project (Project)  
Draft Renewable Energy Approval (REA)**

On August 26, 2011, the Ontario Ministry of the Environment (MOE) provided Kingston Solar LP with a letter indicating that Curve Lake First Nation should be consulted on the proposed Project. On October 3, 2011, Kingston Solar LP sent a letter to your community informing of the proposed Sol-luce Kingston Solar PV Energy Project (the Project). Kingston Solar LP would like to follow up with the Curve Lake First Nation regarding the Project and Kingston Solar LP's communications with your community.

Kingston Solar LP on April 16, 2012 provided update on progress of Archaeological Assessment Studies to your community. Subsequently we have also invited your community to the Interim Community Session held on April 17, 2012.

This letter is being sent to your community as a reminder that Kingston Solar LP proposes to develop the Sol-luce Kingston Solar PV Energy Project, located to the north and south of Unity Road and south of Mud Lake Road in the City of Kingston and Loyalist Township in Eastern Ontario. The proposed solar facility will have a maximum name plate capacity of approximately 100 MW AC (megawatts of alternating current). If approved, this facility would use photovoltaic (PV) technology to convert solar energy into electricity. Power generated by the Project will be fed into the provincial grid via a substation located adjacent to the Hydro One Networks Inc. (HONI) transmission line which crosses the study area.

The proposed project will require approval under Ontario Regulation 359/09 (O.Reg 359/09) the Renewable Energy Approval (REA) under the *Green Energy Act*. In accordance with the REA regulations (Section 17), Kingston Solar LP has:

- ✓ Notified the Curve Lake First Nation of our intent to develop the Project;
- ✓ Submitted a Project Description; and,
- ✓ Requested information regarding any adverse impacts that the project may have on constitutionally protected Aboriginal or treaty rights that the Curve Lake First Nation may have.

Further to above activities, Kingston Solar LP would like to;

- ✓ Provide a summary of each of the Draft REA Reports that are to be released.

As required by O.Reg 359/09, Kingston Solar LP has prepared Draft REA reports which are now available for a 60-day review period. Hard copies of these reports are available at the following locations:

- ✓ City of Kingston, City Hall, Clerk's Office, 216 Ontario Street, Ontario
- ✓ Kingston Frontenac Public Library – Isabel Turner Branch, 935 Gardiners Road, Kingston, Ontario

## KINGSTON SOLAR LP

9<sup>th</sup> Fl, 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

- ✓ Loyalist Township, 263 Main Street, Odessa, Ontario
- ✓ Odessa Branch Library, 102 Main Street, Odessa, Ontario
- ✓ County of Lennox-Addington, 97 Thomas Street East, Napanee, Ontario

Electronic copies of the Project Draft REA reports are also available on Project website via the following link: [www.samsungrenewableenergy.ca/kingston](http://www.samsungrenewableenergy.ca/kingston)

Kingston Solar LP considers communication with Aboriginal communities to be a valuable component of the REA process. Accordingly, we would like to better understand your interest in this Project and how we might be involved in those interests. Kingston Solar LP would be pleased to meet with Chief, Council, Elders and youth from your community to discuss the proposed Project and to learn about your community's interests in the lands and any other interests that may relate to your community.

The Final REA Application will be submitted to the Director of the Environmental Assessment and Approvals Branch (EAAB) at the MOE. Once the application is reviewed and deemed complete by the MOE, the MOE will post an abstract of the project on the Registry for a minimum 30-day public comment period.

The following is a summary of each of the Draft REA Reports.

A Consultation Report will be provided as part of the final REA submission to MOE. This report will include summary of communication and consultation activities conducted to date with the public, government agencies and Aboriginal communities as well as a summary of the communication and consultation activities that are planned to be undertaken under the REA process, including responses to concerns that are received.

### **Summary of REA Reports**

#### Project Description Report

This report provides a project description including technical details on the project, solar facility layout and facility components, project activities, potential project effects and mitigation measures.

#### Construction Plan Report

This report includes a description of the following:

- ✓ Construction Activities
- ✓ The location and timing of the construction;
- ✓ Potential negative effects that might be incurred during construction;
- ✓ Mitigation measures to be implemented to avoid/minimize the identified effects.

#### Natural Heritage Assessment and Environmental Impact Study (NHA/EIS) Report

This report includes a description of the natural heritage features in the Project location (birds, vegetation and terrestrial wildlife) and demonstration that the required REA setbacks from natural heritage features have been met and any potential effects mitigated.

#### Water Assessment and Water Body Report

This report includes a description of the water bodies (i.e., permanent watercourses, intermittent watercourses, seepage areas or lakes) in the project location and demonstration that the required REA setbacks from significant water features have been met and any potential effects mitigated.



## KINGSTON SOLAR LP

9<sup>th</sup> Fl, 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

### Decommissioning Plan Report

This report includes a description of the activities that are to be undertaken should the facility be decommissioned including:

- ✓ Procedures to dismantle the facility;
- ✓ Land restoration activities; and,
- ✓ Procedures for waste management.

### Design and Operations Report

This report includes a description of the following:

- ✓ Site plan of the project showing all project components and their location;
- ✓ Surface water supplies to be used;
- ✓ An environmental effects monitoring plan; and,
- ✓ A plan to inform interest and the response plan to address potential future.

### Noise Study Report

A Noise Study Report was prepared to demonstrate that the facility is in compliance with regulatory requirements pertaining to the types of operations that may occur at the facility. The report was prepared in accordance with the MOE requirements as set out in NPC-232, NPC-233, and NPC-205.

### Stage 1 and 2 Archaeological Assessments (AAs) and Cultural Heritage Assessment Report

Stage 1 and 2 Archaeological Assessments (AAs) and a Cultural Heritage Assessment Report were prepared to outline the archaeological and cultural potential of the project location and mitigate any potential negative effects of the proposed project. Stage 1 and 2 Archaeological Assessment Reports were submitted to the Ministry of Tourism, Culture and Sport (MTCS). MTCS has provided written acknowledgement that the field work and reports were carried out in accordance with the Standards and Guidelines for Consultant Archaeologists.

For your convenience we have provided summaries to the above reports enclosed in this letter.

A Consultation Report will be provided as part of the final REA submission to MOE. This report will include summary of communication and consultation activities conducted to date with the public, government agencies and Aboriginal communities as well as a summary of the communication and consultation activities that are planned to be undertaken under the REA process, including responses to concerns that are received.

### **Request for Information**

Since 2011, Kingston Solar LP has had correspondence with a number of Aboriginal communities identified by the MOE as well as other Aboriginal communities that Kingston Solar LP identified as those who may have interest in the Project. Kingston Solar LP has stated its willingness to meet with your community representatives to discuss the Project and to receive comments or questions. Kingston Solar LP has no specific information in regards to potential adverse effects that the Project could have on the constitutional and/or treaty rights of your community and would like to confirm this with you. In this regard, Kingston Solar LP requests that your community provide in writing any information available to the community that in your opinion, should be considered in preparing the REA Reports and in particular, any information your community may have about the adverse impacts that the project may have on constitutionally protected Aboriginal or treaty rights and any measures for mitigating those adverse impacts. We have not to date received a response from you.

## KINGSTON SOLAR LP

9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

### Closing

Kingston Solar LP is pleased to continue its communications with Aboriginal communities with respect to this Project and would like to better understand your interest in this Project. We would be pleased to meet with you and representatives from your community to discuss the proposed Project and to learn about your community's interests and potential concerns. We will follow-up with a telephone call to you.

Please do not hesitate to contact me at: 905-501-5658.

Yours truly,

Kingston Solar LP

By: \_\_\_\_\_

Name: Lee Jeong Tack

Title: President

Encl: Summaries of REA Technical Reports

## KINGSTON SOLAR LP

9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

June 13, 2012

Chief Sandra Moore  
Hiawatha First Nation  
123 Paudash Street  
Hiawatha, Ontario K0L 2G0

Dear Chief, Council and Members of Community;

**Re: Sol-luce Kingston Solar PV Energy Project (Project)  
Draft Renewable Energy Approval (REA)**

On August 26, 2011, the Ontario Ministry of the Environment (MOE) provided Kingston Solar LP with a letter indicating that Hiawatha First Nation should be consulted on the proposed Project. On October 3, 2011, Kingston Solar LP sent a letter to your community informing of the proposed Sol-luce Kingston Solar PV Energy Project (the Project). Kingston Solar LP would like to follow up with the Hiawatha First Nation regarding the Project and Kingston Solar LP's communications with your community.

Kingston Solar LP on April 16, 2012 provided update on progress of Archaeological Assessment Studies to your community. Subsequently we have also invited your community to the Interim Community Session held on April 17, 2012.

This letter is being sent to your community as a reminder that Kingston Solar LP proposes to develop the Sol-luce Kingston Solar PV Energy Project, located to the north and south of Unity Road and south of Mud Lake Road in the City of Kingston and Loyalist Township in Eastern Ontario. The proposed solar facility will have a maximum name plate capacity of approximately 100 MW AC (megawatts of alternating current). If approved, this facility would use photovoltaic (PV) technology to convert solar energy into electricity. Power generated by the Project will be fed into the provincial grid via a substation located adjacent to the Hydro One Networks Inc. (HONI) transmission line which crosses the study area.

The proposed project will require approval under Ontario Regulation 359/09 (O.Reg 359/09) the Renewable Energy Approval (REA) under the *Green Energy Act*. In accordance with the REA regulations (Section 17), Kingston Solar LP has:

- ✓ Notified the Hiawatha First Nation of our intent to develop the Project;
- ✓ Submitted a Project Description; and,
- ✓ Requested information regarding any adverse impacts that the project may have on constitutionally protected Aboriginal or treaty rights that the Hiawatha First Nation may have.

Further to above activities, Kingston Solar LP would like to;

- ✓ Provide a summary of each of the Draft REA Reports that are to be released.

As required by O.Reg 359/09, Kingston Solar LP has prepared Draft REA reports which are now available for a 60-day review period. Hard copies of these reports are available at the following locations:

- ✓ City of Kingston, City Hall, Clerk's Office, 216 Ontario Street, Ontario
- ✓ Kingston Frontenac Public Library – Isabel Turner Branch, 935 Gardiners Road, Kingston, Ontario

## KINGSTON SOLAR LP

9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

- ✓ Loyalist Township, 263 Main Street, Odessa, Ontario
- ✓ Odessa Branch Library, 102 Main Street, Odessa, Ontario
- ✓ County of Lennox-Addington, 97 Thomas Street East, Napanee, Ontario

Electronic copies of the Project Draft REA reports are also available on Project website via the following link: [www.samsungrenewableenergy.ca/kingston](http://www.samsungrenewableenergy.ca/kingston)

Kingston Solar LP considers communication with Aboriginal communities to be a valuable component of the REA process. Accordingly, we would like to better understand your interest in this Project and how we might be involved in those interests. Kingston Solar LP would be pleased to meet with Chief, Council, Elders and youth from your community to discuss the proposed Project and to learn about your community's interests in the lands and any other interests that may relate to your community.

The Final REA Application will be submitted to the Director of the Environmental Assessment and Approvals Branch (EAAB) at the MOE. Once the application is reviewed and deemed complete by the MOE, the MOE will post an abstract of the project on the Registry for a minimum 30-day public comment period.

The following is a summary of each of the Draft REA Reports.

### **Summary of REA Reports**

#### Project Description Report

This report provides a project description including technical details on the project, solar facility layout and facility components, project activities, potential project effects and mitigation measures.

#### Construction Plan Report

This report includes a description of the following:

- ✓ Construction Activities
- ✓ The location and timing of the construction;
- ✓ Potential negative effects that might be incurred during construction;
- ✓ Mitigation measures to be implemented to avoid/minimize the identified effects.

#### Natural Heritage Assessment and Environmental Impact Study (NHA/EIS) Report

This report includes a description of the natural heritage features in the Project location (birds, vegetation and terrestrial wildlife) and demonstration that the required REA setbacks from natural heritage features have been met and any potential effects mitigated.

#### Water Assessment and Water Body Report

This report includes a description of the water bodies (i.e., permanent watercourses, intermittent watercourses, seepage areas or lakes) in the project location and demonstration that the required REA setbacks from significant water features have been met and any potential effects mitigated.

#### Decommissioning Plan Report

This report includes a description of the activities that are to be undertaken should the facility be decommissioned including:

- ✓ Procedures to dismantle the facility;
- ✓ Land restoration activities; and,
- ✓ Procedures for waste management.

## KINGSTON SOLAR LP

9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

### Design and Operations Report

This report includes a description of the following:

- ✓ Site plan of the project showing all project components and their location;
- ✓ Surface water supplies to be used;
- ✓ An environmental effects monitoring plan; and,
- ✓ A plan to inform interest and the response plan to address potential future.

### Noise Study Report

A Noise Study Report was prepared to demonstrate that the facility is in compliance with regulatory requirements pertaining to the types of operations that may occur at the facility. The report was prepared in accordance with the MOE requirements as set out in NPC-232, NPC-233, and NPC-205.

### Stage 1 and 2 Archaeological Assessments (AAs) and Cultural Heritage Assessment Report

Stage 1 and 2 Archaeological Assessments (AAs) and a Cultural Heritage Assessment Report were prepared to outline the archaeological and cultural potential of the project location and mitigate any potential negative effects of the proposed project. Stage 1 and 2 Archaeological Assessment Reports were submitted to the Ministry of Tourism, Culture and Sport (MTCS). MTCS has provided written acknowledgement that the field work and reports were carried out in accordance with the Standards and Guidelines for Consultant Archaeologists.

For your convenience we have provided summaries to the above reports enclosed in this letter.

A Consultation Report will be provided as part of the final REA submission to MOE. This report will include summary of communication and consultation activities conducted to date with the public, government agencies and Aboriginal communities as well as a summary of the communication and consultation activities that are planned to be undertaken under the REA process, including responses to concerns that are received.

### **Request for Information**

Since 2011, Kingston Solar LP has had correspondence with a number of Aboriginal communities identified by the MOE as well as other Aboriginal communities that Kingston Solar LP identified as those who may have interest in the Project. Kingston Solar LP has stated its willingness to meet with your community representatives to discuss the Project and to receive comments or questions. We did receive a letter (dated October 24, 2011) from Hiawatha First Nation requesting notification of finding related to the presence of ancestral remains. A response was submitted on October 28, 2011. Kingston Solar LP has no specific information in regards to potential adverse effects that the Project could have on the constitutional and/or treaty rights of your community and would like to confirm this with you. In this regard, Kingston Solar LP requests that your community provide in writing any information available to the community that in your opinion, should be considered in preparing the REA Reports and in particular, any information your community may have about the adverse impacts that the project may have on constitutionally protected Aboriginal or treaty rights and any measures for mitigating those adverse impacts. We have not to date received a response from you.

## KINGSTON SOLAR LP

9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852


### Closing

Kingston Solar LP is pleased to continue its communications with Aboriginal communities with respect to this Project and would like to better understand your interest in this Project. We would be pleased to meet with you and representatives from your community to discuss the proposed Project and to learn about your community's interests and potential concerns. We will follow-up with a telephone call to you.

Please do not hesitate to contact me at: 905-501-5658.

Yours truly,

Kingston Solar LP

By:  \_\_\_\_\_

Name: Lee Jeong Tack

Title: President

Encl: Summaries of REA Technical Reports

Cc: Lori Ritter, Land Resource Worker, Hiawatha First Nation  
Diane Sheridan, Land Resource Worker, Hiawatha First Nation

## KINGSTON SOLAR LP

9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-601-5658 Fax: 905-285-1862

June 13, 2012

Grand Chief Konrad Sioui  
Conseil de la Nation huronne-wendat  
255 Place Chef Michel Laveau  
Wendake, Quebec G0A 4V0

Dear Chief, Council and Members of Community;

**Re: Sol-luce Kingston Solar PV Energy Project (Project)  
Draft Renewable Energy Approval (REA)**

On July 28, 2011, Kingston Solar LP sent a letter to your community informing of the proposed Sol-luce Kingston Solar PV Energy Project (the Project). Kingston Solar LP would like to follow up with the Conseil de la Nation huronne-wendat regarding the Project and Kingston Solar LP's communications with your community.

Kingston Solar LP on April 16, 2012 provided update on progress of Archaeological Assessment Studies to your community. Subsequently we have also invited your community to the Interim Community Session held on April 17, 2012.

This letter is being sent to your community as a reminder that Kingston Solar LP proposes to develop the Sol-luce Kingston Solar PV Energy Project, located to the north and south of Unity Road and south of Mud Lake Road in the City of Kingston and Loyalist Township in Eastern Ontario. The proposed solar facility will have a maximum name plate capacity of approximately 100 MW AC (megawatts of alternating current). If approved, this facility would use photovoltaic (PV) technology to convert solar energy into electricity. Power generated by the Project will be fed into the provincial grid via a substation located adjacent to the Hydro One Networks Inc. (HONI) transmission line which crosses the study area.

The proposed project will require approval under Ontario Regulation 359/09 (O.Reg 359/09) the Renewable Energy Approval (REA) under the *Green Energy Act*. In accordance with the REA regulations (Section 17), Kingston Solar LP has:

- ✓ Notified the Conseil de la Nation huronne-wendat of our intent to develop the Project;
- ✓ Submitted a Project Description; and,
- ✓ Requested information regarding any adverse impacts that the project may have on constitutionally protected Aboriginal or treaty rights that the Conseil de la Nation huronne-wendat may have.

Further to above activities, Kingston Solar LP would like to;

- ✓ Provide a summary of each of the Draft REA Reports that are to be released.

As required by O.Reg 359/09, Kingston Solar LP has prepared Draft REA reports which are now available for a 60-day review period. Hard copies of these reports are available at the following locations:

- ✓ City of Kingston, City Hall, Clerk's Office, 216 Ontario Street, Ontario
- ✓ Kingston Frontenac Public Library – Isabel Turner Branch, 935 Gardiners Road, Kingston, Ontario
- ✓ Loyalist Township, 263 Main Street, Odessa, Ontario
- ✓ Odessa Branch Library, 102 Main Street, Odessa, Ontario

## KINGSTON SOLAR LP

9<sup>th</sup> Fl, 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

- ✓ County of Lennox-Addington, 97 Thomas Street East, Napanee, Ontario

Electronic copies of the Project Draft REA reports are also available on Project website via the following link: [www.samsungrenewableenergy.ca/kingston](http://www.samsungrenewableenergy.ca/kingston)

Kingston Solar LP considers communication with Aboriginal communities to be a valuable component of the REA process. Accordingly, we would like to better understand your interest in this Project and how we might be involved in those interests. Kingston Solar LP would be pleased to meet with Chief, Council, Elders and youth from your community to discuss the proposed Project and to learn about your community's interests in the lands and any other interests that may relate to your community.

The Final REA Application will be submitted to the Director of the Environmental Assessment and Approvals Branch (EAAB) at the MOE. Once the application is reviewed and deemed complete by the MOE, the MOE will post an abstract of the project on the Registry for a minimum 30-day public comment period.

The following is a summary of each of the Draft REA Reports.

### **Summary of REA Reports**

#### Project Description Report

This report provides a project description including technical details on the project, solar facility layout and facility components, project activities, potential project effects and mitigation measures.

#### Construction Plan Report

This report includes a description of the following:

- ✓ Construction Activities
- ✓ The location and timing of the construction;
- ✓ Potential negative effects that might be incurred during construction;
- ✓ Mitigation measures to be implemented to avoid/minimize the identified effects.

#### Natural Heritage Assessment and Environmental Impact Study (NHA/EIS) Report

This report includes a description of the natural heritage features in the Project location (birds, vegetation and terrestrial wildlife) and demonstration that the required REA setbacks from natural heritage features have been met and any potential effects mitigated.

#### Water Assessment and Water Body Report

This report includes a description of the water bodies (i.e., permanent watercourses, intermittent watercourses, seepage areas or lakes) in the project location and demonstration that the required REA setbacks from significant water features have been met and any potential effects mitigated.

#### Decommissioning Plan Report

This report includes a description of the activities that are to be undertaken should the facility be decommissioned including:

- ✓ Procedures to dismantle the facility;
- ✓ Land restoration activities; and,
- ✓ Procedures for waste management.



## KINGSTON SOLAR LP

9000 F1 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

### Design and Operations Report

This report includes a description of the following:

- ✓ Site plan of the project showing all project components and their location;
- ✓ Surface water supplies to be used;
- ✓ An environmental effects monitoring plan; and,
- ✓ A plan to inform interest and the response plan to address potential future.

### Noise Study Report

A Noise Study Report was prepared to demonstrate that the facility is in compliance with regulatory requirements pertaining to the types of operations that may occur at the facility. The report was prepared in accordance with the MOE requirements as set out in NPC-232, NPC-233, and NPC-205.

### Stage 1 and 2 Archaeological Assessments (AAs) and Cultural Heritage Assessment Report

Stage 1 and 2 Archaeological Assessments (AAs) and a Cultural Heritage Assessment Report were prepared to outline the archaeological and cultural potential of the project location and mitigate any potential negative effects of the proposed project. Stage 1 and 2 Archaeological Assessment Reports were submitted to the Ministry of Tourism, Culture and Sport (MTCS). MTCS has provided written acknowledgement that the field work and reports were carried out in accordance with the Standards and Guidelines for Consultant Archaeologists.

For your convenience we have provided summaries to the above reports enclosed in this letter.

A Consultation Report will be provided as part of the final REA submission to MOE. This report will include summary of communication and consultation activities conducted to date with the public, government agencies and Aboriginal communities as well as a summary of the communication and consultation activities that are planned to be undertaken under the REA process, including responses to concerns that are received.

## **Request for Information**

Since 2011, Kingston Solar LP has had correspondence with a number of Aboriginal communities identified by the MOE as well as other Aboriginal communities that Kingston Solar LP identified as those who may have interest in the Project. Kingston Solar LP has stated its willingness to meet with your community representatives to discuss the Project and to receive comments or questions. Kingston Solar LP has no specific information in regards to potential adverse effects that the Project could have on the constitutional and/or treaty rights of your community and would like to confirm this with you. In this regard, Kingston Solar LP requests that your community provide in writing any information available to the community that in your opinion, should be considered in preparing the REA Reports and in particular, any information your community may have about the adverse impacts that the project may have on constitutionally protected Aboriginal or treaty rights and any measures for mitigating those adverse impacts. We have not to date received a response from you.

## **Closing**

Kingston Solar LP is pleased to continue its communications with Aboriginal communities with respect to this Project and would like to better understand your interest in this Project. We would be pleased to meet with you and representatives from your community to discuss the proposed Project and to learn about your community's interests and potential concerns. We will follow-up with a telephone call to you.

**KINGSTON SOLAR LP**


9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

Please do not hesitate to contact me at: 905-501-5658.

Yours truly,

Kingston Solar LP

By: \_\_\_\_\_

A handwritten signature in black ink, appearing to read 'Lee Jeong Tack', written over a horizontal line.

Name: Lee Jeong Tack

Title: President

Encl: Summaries of REA Technical Reports

## KINGSTON SOLAR LP

9<sup>th</sup> Fl, 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5656 Fax: 905-285-1852

June 13, 2012

Chief Kris Nahrgang  
Kawartha Nishnawbe First Nation  
P.O. Box 1432  
Lakefield, Ontario K0L 2H0

Dear Chief, Council and Members of Community;

**Re: Sol-luce Kingston Solar PV Energy Project (Project)  
Draft Renewable Energy Approval (REA)**

On August 26, 2011, the Ontario Ministry of the Environment (MOE) provided Kingston Solar LP with a letter indicating that Kawartha Nishnawbe First Nation should be consulted on the proposed Project. On October 3, 2011, Kingston Solar LP sent a letter to your community informing of the proposed Sol-luce Kingston Solar PV Energy Project (the Project). Kingston Solar LP would like to follow up with the Kawartha Nishnawbe First Nation regarding the Project and Kingston Solar LP's communications with your community.

Kingston Solar LP on April 16, 2012 provided update on progress of Archaeological Assessment Studies to your community. Subsequently we have also invited your community to the Interim Community Session held on April 17, 2012.

This letter is being sent to your community as a reminder that Kingston Solar LP proposes to develop the Sol-luce Kingston Solar PV Energy Project, located to the north and south of Unity Road and south of Mud Lake Road in the City of Kingston and Loyalist Township in Eastern Ontario. The proposed solar facility will have a maximum name plate capacity of approximately 100 MW AC (megawatts of alternating current). If approved, this facility would use photovoltaic (PV) technology to convert solar energy into electricity. Power generated by the Project will be fed into the provincial grid via a substation located adjacent to the Hydro One Networks Inc. (HONI) transmission line which crosses the study area.

The proposed project will require approval under Ontario Regulation 359/09 (O.Reg 359/09) the Renewable Energy Approval (REA) under the *Green Energy Act*. In accordance with the REA regulations (Section 17), Kingston Solar LP has:

- ✓ Notified the Kawartha Nishnawbe First Nation of our intent to develop the Project;
- ✓ Submitted a Project Description; and,
- ✓ Requested information regarding any adverse impacts that the project may have on constitutionally protected Aboriginal or treaty rights that the Kawartha Nishnawbe First Nation may have.

Further to above activities, Kingston Solar LP would like to;

- ✓ Provide a summary of each of the Draft REA Reports that are to be released.

As required by O.Reg 359/09, Kingston Solar LP has prepared Draft REA reports which are now available for a 60-day review period. Hard copies of these reports are available at the following locations:

- ✓ City of Kingston, City Hall, Clerk's Office, 216 Ontario Street, Ontario
- ✓ Kingston Frontenac Public Library – Isabel Turner Branch, 935 Gardiners Road, Kingston, Ontario

## KINGSTON SOLAR LP

9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

- ✓ Loyalist Township, 263 Main Street, Odessa, Ontario
- ✓ Odessa Branch Library, 102 Main Street, Odessa, Ontario
- ✓ County of Lennox-Addington, 97 Thomas Street East, Napanee, Ontario

Electronic copies of the Project Draft REA reports are also available on Project website via the following link: [www.samsungrenewableenergy.ca/kingston](http://www.samsungrenewableenergy.ca/kingston)

Kingston Solar LP considers communication with Aboriginal communities to be a valuable component of the REA process. Accordingly, we would like to better understand your interest in this Project and how we might be involved in those interests. Kingston Solar LP would be pleased to meet with Chief, Council, Elders and youth from your community to discuss the proposed Project and to learn about your community's interests in the lands and any other interests that may relate to your community.

The Final REA Application will be submitted to the Director of the Environmental Assessment and Approvals Branch (EAAB) at the MOE. Once the application is reviewed and deemed complete by the MOE, the MOE will post an abstract of the project on the Registry for a minimum 30-day public comment period.

The following is a summary of each of the Draft REA Reports.

### **Summary of REA Reports**

#### Project Description Report

This report provides a project description including technical details on the project, solar facility layout and facility components, project activities, potential project effects and mitigation measures.

#### Construction Plan Report

This report includes a description of the following:

- ✓ Construction Activities
- ✓ The location and timing of the construction;
- ✓ Potential negative effects that might be incurred during construction;
- ✓ Mitigation measures to be implemented to avoid/minimize the identified effects.

#### Natural Heritage Assessment and Environmental Impact Study (NHA/EIS) Report

This report includes a description of the natural heritage features in the Project location (birds, vegetation and terrestrial wildlife) and demonstration that the required REA setbacks from natural heritage features have been met and any potential effects mitigated.

#### Water Assessment and Water Body Report

This report includes a description of the water bodies (i.e., permanent watercourses, intermittent watercourses, seepage areas or lakes) in the project location and demonstration that the required REA setbacks from significant water features have been met and any potential effects mitigated.

#### Decommissioning Plan Report

This report includes a description of the activities that are to be undertaken should the facility be decommissioned including:

- ✓ Procedures to dismantle the facility;
- ✓ Land restoration activities; and,
- ✓ Procedures for waste management.

## KINGSTON SOLAR LP

9<sup>th</sup> Fl, 55 Standish Court, Mississauga, ON L5R 4E2 Canada Tel: 905-501-5656 Fax: 905-265-1852

### Design and Operations Report

This report includes a description of the following:

- ✓ Site plan of the project showing all project components and their location;
- ✓ Surface water supplies to be used;
- ✓ An environmental effects monitoring plan; and,
- ✓ A plan to inform interest and the response plan to address potential future.

### Noise Study Report

A Noise Study Report was prepared to demonstrate that the facility is in compliance with regulatory requirements pertaining to the types of operations that may occur at the facility. The report was prepared in accordance with the MOE requirements as set out in NPC-232, NPC-233, and NPC-205.

### Stage 1 and 2 Archaeological Assessments (AAs) and Cultural Heritage Assessment Report

Stage 1 and 2 Archaeological Assessments (AAs) and a Cultural Heritage Assessment Report were prepared to outline the archaeological and cultural potential of the project location and mitigate any potential negative effects of the proposed project. Stage 1 and 2 Archaeological Assessment Reports were submitted to the Ministry of Tourism, Culture and Sport (MTCS). MTCS has provided written acknowledgement that the field work and reports were carried out in accordance with the Standards and Guidelines for Consultant Archaeologists.

For your convenience we have provided summaries to the above reports enclosed in this letter.

A Consultation Report will be provided as part of the final REA submission to MOE. This report will include summary of communication and consultation activities conducted to date with the public, government agencies and Aboriginal communities as well as a summary of the communication and consultation activities that are planned to be undertaken under the REA process, including responses to concerns that are received.

### **Request for Information**

Since 2011, Kingston Solar LP has had correspondence with a number of Aboriginal communities identified by the MOE as well as other Aboriginal communities that Kingston Solar LP identified as those who may have interest in the Project. Kingston Solar LP has stated its willingness to meet with your community representatives to discuss the Project and to receive comments or questions. Kingston Solar LP has no specific information in regards to potential adverse effects that the Project could have on the constitutional and/or treaty rights of your community and would like to confirm this with you. In this regard, Kingston Solar LP requests that your community provide in writing any information available to the community that in your opinion, should be considered in preparing the REA Reports and in particular, any information your community may have about the adverse impacts that the project may have on constitutionally protected Aboriginal or treaty rights and any measures for mitigating those adverse impacts. We have not to date received a response from you.

## KINGSTON SOLAR LP

9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

### Closing

Kingston Solar LP is pleased to continue its communications with Aboriginal communities with respect to this Project and would like to better understand your interest in this Project. We would be pleased to meet with you and representatives from your community to discuss the proposed Project and to learn about your community's interests and potential concerns. We will follow-up with a telephone call to you.

Please do not hesitate to contact me at: 905-501-5658.

Yours truly,

Kingston Solar LP

By: \_\_\_\_\_

Name: Lee Jeong Tack  
Title: President

Encl: Summaries of REA Technical Reports

## KINGSTON SOLAR LP

9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

June 13, 2012

Chief Tracy Gauthier  
Mississaugas of Scugog Island First Nation  
22521 Island Road  
Port Perry, Ontario L9L 1B6

Dear Chief, Council and Members of Community;

**Re: Sol-luce Kingston Solar PV Energy Project (Project)  
Draft Renewable Energy Approval (REA)**

On August 26, 2011, the Ontario Ministry of the Environment (MOE) provided Kingston Solar LP with a letter indicating that Mississaugas of Scugog Island First Nation should be consulted on the proposed Project. On October 3, 2011, Kingston Solar LP sent a letter to your community informing of the proposed Sol-luce Kingston Solar PV Energy Project (the Project). Kingston Solar LP would like to follow up with the Mississaugas of Scugog Island First Nation regarding the Project and Kingston Solar LP's communications with your community.

Kingston Solar LP on April 16, 2012 provided update on progress of Archaeological Assessment Studies to your community. Subsequently we have also invited your community to the Interim Community Session held on April 17, 2012.

This letter is being sent to your community as a reminder that Kingston Solar LP proposes to develop the Sol-luce Kingston Solar PV Energy Project, located to the north and south of Unity Road and south of Mud Lake Road in the City of Kingston and Loyalist Township in Eastern Ontario. The proposed solar facility will have a maximum name plate capacity of approximately 100 MW AC (megawatts of alternating current). If approved, this facility would use photovoltaic (PV) technology to convert solar energy into electricity. Power generated by the Project will be fed into the provincial grid via a substation located adjacent to the Hydro One Networks Inc. (HONI) transmission line which crosses the study area.

The proposed project will require approval under Ontario Regulation 359/09 (O.Reg 359/09) the Renewable Energy Approval (REA) under the *Green Energy Act*. In accordance with the REA regulations (Section 17), Kingston Solar LP has:

- ✓ Notified the Mississaugas of Scugog Island First Nation of our intent to develop the Project;
- ✓ Submitted a Project Description; and,
- ✓ Requested information regarding any adverse impacts that the project may have on constitutionally protected Aboriginal or treaty rights that the Mississaugas of Scugog Island First Nation may have.

Further to above activities, Kingston Solar LP would like to;

- ✓ Provide a summary of each of the Draft REA Reports that are to be released.

As required by O.Reg 359/09, Kingston Solar LP has prepared Draft REA reports which are now available for a 60-day review period. Hard copies of these reports are available at the following locations:

- ✓ City of Kingston, City Hall, Clerk's Office, 216 Ontario Street, Ontario

## KINGSTON SOLAR LP

9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

- ✓ Kingston Frontenac Public Library – Isabel Turner Branch, 935 Gardiners Road, Kingston, Ontario
- ✓ Loyalist Township, 263 Main Street, Odessa, Ontario
- ✓ Odessa Branch Library, 102 Main Street, Odessa, Ontario
- ✓ County of Lennox-Addington, 97 Thomas Street East, Napanee, Ontario

Electronic copies of the Project Draft REA reports are also available on Project website via the following link: [www.samsungrenewableenergy.ca/kingston](http://www.samsungrenewableenergy.ca/kingston)

Kingston Solar LP considers communication with Aboriginal communities to be a valuable component of the REA process. Accordingly, we would like to better understand your interest in this Project and how we might be involved in those interests. Kingston Solar LP would be pleased to meet with Chief, Council, Elders and youth from your community to discuss the proposed Project and to learn about your community's interests in the lands and any other interests that may relate to your community.

The Final REA Application will be submitted to the Director of the Environmental Assessment and Approvals Branch (EAAB) at the MOE. Once the application is reviewed and deemed complete by the MOE, the MOE will post an abstract of the project on the Registry for a minimum 30-day public comment period.

The following is a summary of each of the Draft REA Reports.

### **Summary of REA Reports**

#### Project Description Report

This report provides a project description including technical details on the project, solar facility layout and facility components, project activities, potential project effects and mitigation measures.

#### Construction Plan Report

This report includes a description of the following:

- ✓ Construction Activities
- ✓ The location and timing of the construction;
- ✓ Potential negative effects that might be incurred during construction;
- ✓ Mitigation measures to be implemented to avoid/minimize the identified effects.

#### Natural Heritage Assessment and Environmental Impact Study (NHA/EIS) Report

This report includes a description of the natural heritage features in the Project location (birds, vegetation and terrestrial wildlife) and demonstration that the required REA setbacks from natural heritage features have been met and any potential effects mitigated.

#### Water Assessment and Water Body Report

This report includes a description of the water bodies (i.e., permanent watercourses, intermittent watercourses, seepage areas or lakes) in the project location and demonstration that the required REA setbacks from significant water features have been met and any potential effects mitigated.

#### Decommissioning Plan Report

This report includes a description of the activities that are to be undertaken should the facility be decommissioned including:

- ✓ Procedures to dismantle the facility;
- ✓ Land restoration activities; and,



## KINGSTON SOLAR LP

9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

- ✓ Procedures for waste management.

### Design and Operations Report

This report includes a description of the following:

- ✓ Site plan of the project showing all project components and their location;
- ✓ Surface water supplies to be used;
- ✓ An environmental effects monitoring plan; and,
- ✓ A plan to inform interest and the response plan to address potential future.

### Noise Study Report

A Noise Study Report was prepared to demonstrate that the facility is in compliance with regulatory requirements pertaining to the types of operations that may occur at the facility. The report was prepared in accordance with the MOE requirements as set out in NPC-232, NPC-233, and NPC-205.

### Stage 1 and 2 Archaeological Assessments (AAs) and Cultural Heritage Assessment Report

Stage 1 and 2 Archaeological Assessments (AAs) and a Cultural Heritage Assessment Report were prepared to outline the archaeological and cultural potential of the project location and mitigate any potential negative effects of the proposed project. Stage 1 and 2 Archaeological Assessment Reports were submitted to the Ministry of Tourism, Culture and Sport (MTCS). MTCS has provided written acknowledgement that the field work and reports were carried out in accordance with the Standards and Guidelines for Consultant Archaeologists.

For your convenience we have provided summaries to the above reports enclosed in this letter.

A Consultation Report will be provided as part of the final REA submission to MOE. This report will include summary of communication and consultation activities conducted to date with the public, government agencies and Aboriginal communities as well as a summary of the communication and consultation activities that are planned to be undertaken under the REA process, including responses to concerns that are received.

### **Request for Information**

Since 2011, Kingston Solar LP has had correspondence with a number of Aboriginal communities identified by the MOE as well as other Aboriginal communities that Kingston Solar LP identified as those who may have interest in the Project. Kingston Solar LP has stated its willingness to meet with your community representatives to discuss the Project and to receive comments or questions. Kingston Solar LP has no specific information in regards to potential adverse effects that the Project could have on the constitutional and/or treaty rights of your community and would like to confirm this with you. In this regard, Kingston Solar LP requests that your community provide in writing any information available to the community that in your opinion, should be considered in preparing the REA Reports and in particular, any information your community may have about the adverse impacts that the project may have on constitutionally protected Aboriginal or treaty rights and any measures for mitigating those adverse impacts. We have not to date received a response from you.

**KINGSTON SOLAR LP**

9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

**Closing**


Kingston Solar LP is pleased to continue its communications with Aboriginal communities with respect to this Project and would like to better understand your interest in this Project. We would be pleased to meet with you and representatives from your community to discuss the proposed Project and to learn about your community's interests and potential concerns. We will follow-up with a telephone call to you.

Please do not hesitate to contact me at: 905-501-5658.

Yours truly,

Kingston Solar LP

By: \_\_\_\_\_



Name: Lee Jeong Tack  
Title: President

Encl: Summaries of REA Technical Reports

## KINGSTON SOLAR LP

9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

June 13, 2012

Métis Nation of Ontario  
500 Old St. Patrick Street, Unit 3  
Ottawa, Ontario K1N 9G4

Dear Métis Nation of Ontario;

**Re: Sol-luce Kingston Solar PV Energy Project (Project)  
Draft Renewable Energy Approval (REA)**

On July 28, 2011, Kingston Solar LP sent a letter to your community informing of the proposed Sol-luce Kingston Solar PV Energy Project (the Project). Kingston Solar LP would like to follow up with the Métis Nation of Ontario regarding the Project and Kingston Solar LP's communications with your community.

Kingston Solar LP on April 16, 2012 provided update on progress of Archaeological Assessment Studies to your community. Subsequently we have also invited your community to the Interim Community Session held on April 17, 2012.

This letter is being sent to your community as a reminder that Kingston Solar LP proposes to develop the Sol-luce Kingston Solar PV Energy Project, located to the north and south of Unity Road and south of Mud Lake Road in the City of Kingston and Loyalist Township in Eastern Ontario. The proposed solar facility will have a maximum name plate capacity of approximately 100 MW AC (megawatts of alternating current). If approved, this facility would use photovoltaic (PV) technology to convert solar energy into electricity. Power generated by the Project will be fed into the provincial grid via a substation located adjacent to the Hydro One Networks Inc. (HONI) transmission line which crosses the study area.

The proposed project will require approval under Ontario Regulation 359/09 (O.Reg 359/09) the Renewable Energy Approval (REA) under the *Green Energy Act*. In accordance with the REA regulations (Section 17), Kingston Solar LP has:

- ✓ Notified the Métis Nation of Ontario of our intent to develop the Project;
- ✓ Submitted a Project Description; and,
- ✓ Requested information regarding any adverse impacts that the project may have on constitutionally protected Aboriginal or treaty rights that the Métis Nation of Ontario may have.

Further to above activities, Kingston Solar LP would like to;

- ✓ Provide a summary of each of the Draft REA Reports that are to be released.

As required by O.Reg 359/09, Kingston Solar LP has prepared Draft REA reports which are now available for a 60-day review period. Hard copies of these reports are available at the following locations:

- ✓ City of Kingston, City Hall, Clerk's Office, 216 Ontario Street, Ontario
- ✓ Kingston Frontenac Public Library – Isabel Turner Branch, 935 Gardiners Road, Kingston, Ontario
- ✓ Loyalist Township, 263 Main Street, Odessa, Ontario
- ✓ Odessa Branch Library, 102 Main Street, Odessa, Ontario
- ✓ County of Lennox-Addington, 97 Thomas Street East, Napanee, Ontario

## KINGSTON SOLAR LP

9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-265-1852

Electronic copies of the Project Draft REA reports are also available on Project website via the following link: [www.samsungrénewableenergy.ca/kingston](http://www.samsungrénewableenergy.ca/kingston)

Kingston Solar LP considers communication with Aboriginal communities to be a valuable component of the REA process. Accordingly, we would like to better understand your interest in this Project and how we might be involved in those interests. Kingston Solar LP would be pleased to meet with your leadership and community to discuss the proposed Project and to learn about your community's interests in the lands and any other interests that may relate to your community.

The Final REA Application will be submitted to the Director of the Environmental Assessment and Approvals Branch (EAAB) at the MOE. Once the application is reviewed and deemed complete by the MOE, the MOE will post an abstract of the project on the Registry for a minimum 30-day public comment period.

The following is a summary of each of the Draft REA Reports.

### **Summary of REA Reports**

#### Project Description Report

This report provides a project description including technical details on the project, solar facility layout and facility components, project activities, potential project effects and mitigation measures.

#### Construction Plan Report

This report includes a description of the following:

- ✓ Construction Activities
- ✓ The location and timing of the construction;
- ✓ Potential negative effects that might be incurred during construction;
- ✓ Mitigation measures to be implemented to avoid/minimize the identified effects.

#### Natural Heritage Assessment and Environmental Impact Study (NHA/EIS) Report

This report includes a description of the natural heritage features in the Project location (birds, vegetation and terrestrial wildlife) and demonstration that the required REA setbacks from natural heritage features have been met and any potential effects mitigated.

#### Water Assessment and Water Body Report

This report includes a description of the water bodies (i.e., permanent watercourses, intermittent watercourses, seepage areas or lakes) in the project location and demonstration that the required REA setbacks from significant water features have been met and any potential effects mitigated.

#### Decommissioning Plan Report

This report includes a description of the activities that are to be undertaken should the facility be decommissioned including:

- ✓ Procedures to dismantle the facility;
- ✓ Land restoration activities; and,
- ✓ Procedures for waste management.

#### Design and Operations Report

This report includes a description of the following:

## KINGSTON SOLAR LP

9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

- ✓ Site plan of the project showing all project components and their location;
- ✓ Surface water supplies to be used;
- ✓ An environmental effects monitoring plan; and,
- ✓ A plan to inform interest and the response plan to address potential future.

### Noise Study Report

A Noise Study Report was prepared to demonstrate that the facility is in compliance with regulatory requirements pertaining to the types of operations that may occur at the facility. The report was prepared in accordance with the MOE requirements as set out in NPC-232, NPC-233, and NPC-205.

### Stage 1 and 2 Archaeological Assessments (AAs) and Cultural Heritage Assessment Report

Stage 1 and 2 Archaeological Assessments (AAs) and a Cultural Heritage Assessment Report were prepared to outline the archaeological and cultural potential of the project location and mitigate any potential negative effects of the proposed project. Stage 1 and 2 Archaeological Assessment Reports were submitted to the Ministry of Tourism, Culture and Sport (MTCS). MTCS has provided written acknowledgement that the field work and reports were carried out in accordance with the Standards and Guidelines for Consultant Archaeologists.

For your convenience we have provided summaries to the above reports enclosed in this letter.

A Consultation Report will be provided as part of the final REA submission to MOE. This report will include summary of communication and consultation activities conducted to date with the public, government agencies and Aboriginal communities as well as a summary of the communication and consultation activities that are planned to be undertaken under the REA process, including responses to concerns that are received.

### **Request for Information**

Since 2011, Kingston Solar LP has had correspondence with a number of Aboriginal communities identified by the MOE as well as other Aboriginal communities that Kingston Solar LP identified as those who may have interest in the Project. Kingston Solar LP has stated its willingness to meet with your community representatives to discuss the Project and to receive comments or questions. Kingston Solar LP has no specific information in regards to potential adverse effects that the Project could have on the constitutional and/or treaty rights of your community and would like to confirm this with you. In this regard, Kingston Solar LP requests that your community provide in writing any information available to the community that in your opinion, should be considered in preparing the REA Reports and in particular, any information your community may have about the adverse impacts that the project may have on constitutionally protected Aboriginal or treaty rights and any measures for mitigating those adverse impacts. We have not to date received a response from you.

## KINGSTON SOLAR LP

9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

### Closing

Kingston Solar LP is pleased to continue its communications with Aboriginal communities with respect to this Project and would like to better understand your interest in this Project. We would be pleased to meet with you and representatives from your community to discuss the proposed Project and to learn about your community's interests and potential concerns. We will follow-up with a telephone call to you.

Please do not hesitate to contact me at: 905-501-5658.

Yours truly,

Kingston Solar LP

By: \_\_\_\_\_



Name: Lee Jeong Tack  
Title: President

Encl: Summaries of REA Technical Reports

Cc: Melanie Paradis, Consultation Unit

## KINGSTON SOLAR LP

9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

June 13, 2012

Grand Chief Michael Mitchell  
Mohawk Council of Akwesasne  
P.O. Box 579  
Cornwall, Ontario K6H 5T3

Dear Chief, Council and Members of Community;

**Re: Sol-luce Kingston Solar PV Energy Project (Project)  
Draft Renewable Energy Approval (REA)**

On July 28, 2011, Kingston Solar LP sent a letter to your community informing of the proposed Sol-luce Kingston Solar PV Energy Project (the Project). Kingston Solar LP would like to follow up with the Mohawk Council of Akwesasne regarding the Project and Kingston Solar LP's communications with your community.

Kingston Solar LP on April 16, 2012 provided update on progress of Archaeological Assessment Studies to your community. Subsequently we have also invited your community to the Interim Community Session held on April 17, 2012.

This letter is being sent to your community as a reminder that Kingston Solar LP proposes to develop the Sol-luce Kingston Solar PV Energy Project, located to the north and south of Unity Road and south of Mud Lake Road in the City of Kingston and Loyalist Township in Eastern Ontario. The proposed solar facility will have a maximum name plate capacity of approximately 100 MW AC (megawatts of alternating current). If approved, this facility would use photovoltaic (PV) technology to convert solar energy into electricity. Power generated by the Project will be fed into the provincial grid via a substation located adjacent to the Hydro One Networks Inc. (HONI) transmission line which crosses the study area.

The proposed project will require approval under Ontario Regulation 359/09 (O.Reg 359/09) the Renewable Energy Approval (REA) under the *Green Energy Act*. In accordance with the REA regulations (Section 17), Kingston Solar LP has:

- ✓ Notified the Mohawk Council of Akwesasne of our intent to develop the Project;
- ✓ Submitted a Project Description; and,
- ✓ Requested information regarding any adverse impacts that the project may have on constitutionally protected Aboriginal or treaty rights that the Mohawk Council of Akwesasne may have.

Further to above activities, Kingston Solar LP would like to;

- ✓ Provide a summary of each of the Draft REA Reports that are to be released.

As required by O.Reg 359/09, Kingston Solar LP has prepared Draft REA reports which are now available for a 60-day review period. Hard copies of these reports are available at the following locations:

- ✓ City of Kingston, City Hall, Clerk's Office, 216 Ontario Street, Ontario
- ✓ Kingston Frontenac Public Library – Isabel Turner Branch, 935 Gardiners Road, Kingston, Ontario
- ✓ Loyalist Township, 263 Main Street, Odessa, Ontario
- ✓ Odessa Branch Library, 102 Main Street, Odessa, Ontario

## KINGSTON SOLAR LP

9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

- ✓ County of Lennox-Addington, 97 Thomas Street East, Napanee, Ontario

Electronic copies of the Project Draft REA reports are also available on Project website via the following link: [www.samsungrenewableenergy.ca/kingston](http://www.samsungrenewableenergy.ca/kingston)

Kingston Solar LP considers communication with Aboriginal communities to be a valuable component of the REA process. Accordingly, we would like to better understand your interest in this Project and how we might be involved in those interests. Kingston Solar LP would be pleased to meet with Chief, Council, Elders and youth from your community to discuss the proposed Project and to learn about your community's interests in the lands and any other interests that may relate to your community.

The Final REA Application will be submitted to the Director of the Environmental Assessment and Approvals Branch (EAAB) at the MOE. Once the application is reviewed and deemed complete by the MOE, the MOE will post an abstract of the project on the Registry for a minimum 30-day public comment period.

The following is a summary of each of the Draft REA Reports.

### **Summary of REA Reports**

#### Project Description Report

This report provides a project description including technical details on the project, solar facility layout and facility components, project activities, potential project effects and mitigation measures.

#### Construction Plan Report

This report includes a description of the following:

- ✓ Construction Activities
- ✓ The location and timing of the construction;
- ✓ Potential negative effects that might be incurred during construction;
- ✓ Mitigation measures to be implemented to avoid/minimize the identified effects.

#### Natural Heritage Assessment and Environmental Impact Study (NHA/EIS) Report

This report includes a description of the natural heritage features in the Project location (birds, vegetation and terrestrial wildlife) and demonstration that the required REA setbacks from natural heritage features have been met and any potential effects mitigated.

#### Water Assessment and Water Body Report

This report includes a description of the water bodies (i.e., permanent watercourses, intermittent watercourses, seepage areas or lakes) in the project location and demonstration that the required REA setbacks from significant water features have been met and any potential effects mitigated.

#### Decommissioning Plan Report

This report includes a description of the activities that are to be undertaken should the facility be decommissioned including:

- ✓ Procedures to dismantle the facility;
- ✓ Land restoration activities; and,
- ✓ Procedures for waste management.

#### Design and Operations Report



## KINGSTON SOLAR LP

9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

This report includes a description of the following:

- ✓ Site plan of the project showing all project components and their location;
- ✓ Surface water supplies to be used;
- ✓ An environmental effects monitoring plan; and,
- ✓ A plan to inform interest and the response plan to address potential future.

### Noise Study Report

A Noise Study Report was prepared to demonstrate that the facility is in compliance with regulatory requirements pertaining to the types of operations that may occur at the facility. The report was prepared in accordance with the MOE requirements as set out in NPC-232, NPC-233, and NPC-205.

### Stage 1 and 2 Archaeological Assessments (AAs) and Cultural Heritage Assessment Report

Stage 1 and 2 Archaeological Assessments (AAs) and a Cultural Heritage Assessment Report were prepared to outline the archaeological and cultural potential of the project location and mitigate any potential negative effects of the proposed project. Stage 1 and 2 Archaeological Assessment Reports were submitted to the Ministry of Tourism, Culture and Sport (MTCS). MTCS has provided written acknowledgement that the field work and reports were carried out in accordance with the Standards and Guidelines for Consultant Archaeologists.

For your convenience we have provided summaries to the above reports enclosed in this letter.

A Consultation Report will be provided as part of the final REA submission to MOE. This report will include summary of communication and consultation activities conducted to date with the public, government agencies and Aboriginal communities as well as a summary of the communication and consultation activities that are planned to be undertaken under the REA process, including responses to concerns that are received.

### **Request for Information**

Since 2011, Kingston Solar LP has had correspondence with a number of Aboriginal communities identified by the MOE as well as other Aboriginal communities that Kingston Solar LP identified as those who may have interest in the Project. Kingston Solar LP has stated its willingness to meet with your community representatives to discuss the Project and to receive comments or questions. Kingston Solar LP has no specific information in regards to potential adverse effects that the Project could have on the constitutional and/or treaty rights of your community and would like to confirm this with you. In this regard, Kingston Solar LP requests that your community provide in writing any information available to the community that in your opinion, should be considered in preparing the REA Reports and in particular, any information your community may have about the adverse impacts that the project may have on constitutionally protected Aboriginal or treaty rights and any measures for mitigating those adverse impacts. We have not to date received a response from you.

## KINGSTON SOLAR LP

9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

### Closing


Kingston Solar LP is pleased to continue its communications with Aboriginal communities with respect to this Project and would like to better understand your interest in this Project. We would be pleased to meet with you and representatives from your community to discuss the proposed Project and to learn about your community's interests and potential concerns. We will follow-up with a telephone call to you.

Please do not hesitate to contact me at: 905-501-5658.

Yours truly,

Kingston Solar LP

By: \_\_\_\_\_



Name: Lee Jeong Tack

Title: President

Encl: Summaries of REA Technical Reports

## KINGSTON SOLAR LP

9<sup>th</sup> Fl. #5 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5858 Fax: 905-285-1852

June 13, 2012

Chief Doreen Davis  
Shabot Obaadjiwan First Nation  
29649 Hwy 7  
Arden, Ontario K0H 1B0

Dear Chief, Council and Members of Community;

**Re: Sol-luce Kingston Solar PV Energy Project (Project)  
Draft Renewable Energy Approval (REA)**

On July 28, 2011, Kingston Solar LP sent a letter to your community informing of the proposed Sol-luce Kingston Solar PV Energy Project (the Project). Kingston Solar LP would like to follow up with the Shabot Obaadjiwan First Nation regarding the Project and Kingston Solar LP's communications with your community.

Kingston Solar LP on April 16, 2012 provided update on progress of Archaeological Assessment Studies to your community. Subsequently we have also invited your community to the Interim Community Session held on April 17, 2012.

This letter is being sent to your community as a reminder that Kingston Solar LP proposes to develop the Sol-luce Kingston Solar PV Energy Project, located to the north and south of Unity Road and south of Mud Lake Road in the City of Kingston and Loyalist Township in Eastern Ontario. The proposed solar facility will have a maximum name plate capacity of approximately 100 MW AC (megawatts of alternating current). If approved, this facility would use photovoltaic (PV) technology to convert solar energy into electricity. Power generated by the Project will be fed into the provincial grid via a substation located adjacent to the Hydro One Networks Inc. (HONI) transmission line which crosses the study area.

The proposed project will require approval under Ontario Regulation 359/09 (O.Reg 359/09) the Renewable Energy Approval (REA) under the *Green Energy Act*. In accordance with the REA regulations (Section 17), Kingston Solar LP has:

- ✓ Notified the Shabot Obaadjiwan First Nation of our intent to develop the Project;
- ✓ Submitted a Project Description; and,
- ✓ Requested information regarding any adverse impacts that the project may have on constitutionally protected Aboriginal or treaty rights that the Shabot Obaadjiwan First Nation may have.

Further to above activities, Kingston Solar LP would like to;

- ✓ Provide a summary of each of the Draft REA Reports that are to be released.

## KINGSTON SOLAR LP

900 Fl. 55 Standish Court, Mississauga, ON L6R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

As required by O.Reg 359/09, Kingston Solar LP has prepared Draft REA reports which are now available for a 60-day review period. Hard copies of these reports are available at the following locations:

- ✓ City of Kingston, City Hall, Clerk's Office, 216 Ontario Street, Ontario
- ✓ Kingston Frontenac Public Library – Isabel Turner Branch, 935 Gardiners Road, Kingston, Ontario
- ✓ Loyalist Township, 263 Main Street, Odessa, Ontario
- ✓ Odessa Branch Library, 102 Main Street, Odessa, Ontario
- ✓ County of Lennox-Addington, 97 Thomas Street East, Napanee, Ontario

Electronic copies of the Project Draft REA reports are also available on Project website via the following link: [www.samsungrenewableenergy.ca/kingston](http://www.samsungrenewableenergy.ca/kingston)

Kingston Solar LP considers communication with Aboriginal communities to be a valuable component of the REA process. Accordingly, we would like to better understand your interest in this Project and how we might be involved in those interests. Kingston Solar LP would be pleased to meet with Chief, Council, Elders and youth from your community to discuss the proposed Project and to learn about your community's interests in the lands and any other interests that may relate to your community.

The Final REA Application will be submitted to the Director of the Environmental Assessment and Approvals Branch (EAAB) at the MOE. Once the application is reviewed and deemed complete by the MOE, the MOE will post an abstract of the project on the Registry for a minimum 30-day public comment period.

The following is a summary of each of the Draft REA Reports.

### **Summary of REA Reports**

#### Project Description Report

This report provides a project description including technical details on the project, solar facility layout and facility components, project activities, potential project effects and mitigation measures.

#### Construction Plan Report

This report includes a description of the following:

- ✓ Construction Activities
- ✓ The location and timing of the construction;
- ✓ Potential negative effects that might be incurred during construction;
- ✓ Mitigation measures to be implemented to avoid/minimize the identified effects.

#### Natural Heritage Assessment and Environmental Impact Study (NHA/EIS) Report

This report includes a description of the natural heritage features in the Project location (birds, vegetation and terrestrial wildlife) and demonstration that the required REA setbacks from natural heritage features have been met and any potential effects mitigated.

#### Water Assessment and Water Body Report

This report includes a description of the water bodies (i.e., permanent watercourses, intermittent watercourses, seepage areas or lakes) in the project location and demonstration that the required REA setbacks from significant water features have been met and any potential effects mitigated.

## KINGSTON SOLAR LP

9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

### Decommissioning Plan Report

This report includes a description of the activities that are to be undertaken should the facility be decommissioned including:

- ✓ Procedures to dismantle the facility;
- ✓ Land restoration activities; and,
- ✓ Procedures for waste management.

### Design and Operations Report

This report includes a description of the following:

- ✓ Site plan of the project showing all project components and their location;
- ✓ Surface water supplies to be used;
- ✓ An environmental effects monitoring plan; and,
- ✓ A plan to inform interest and the response plan to address potential future.

### Noise Study Report

A Noise Study Report was prepared to demonstrate that the facility is in compliance with regulatory requirements pertaining to the types of operations that may occur at the facility. The report was prepared in accordance with the MOE requirements as set out in NPC-232, NPC-233, and NPC-205.

### Stage 1 and 2 Archaeological Assessments (AAs) and Cultural Heritage Assessment Report

Stage 1 and 2 Archaeological Assessments (AAs) and a Cultural Heritage Assessment Report were prepared to outline the archaeological and cultural potential of the project location and mitigate any potential negative effects of the proposed project. Stage 1 and 2 Archaeological Assessment Reports were submitted to the Ministry of Tourism, Culture and Sport (MTCS). MTCS has provided written acknowledgement that the field work and reports were carried out in accordance with the Standards and Guidelines for Consultant Archaeologists.

For your convenience we have provided summaries to the above reports enclosed in this letter.

A Consultation Report will be provided as part of the final REA submission to MOE. This report will include summary of communication and consultation activities conducted to date with the public, government agencies and Aboriginal communities as well as a summary of the communication and consultation activities that are planned to be undertaken under the REA process, including responses to concerns that are received.

## **Request for Information**

Since 2011, Kingston Solar LP has had correspondence with a number of Aboriginal communities identified by the MOE as well as other Aboriginal communities that Kingston Solar LP identified as those who may have interest in the Project. Kingston Solar LP has stated its willingness to meet with your community representatives to discuss the Project and to receive comments or questions. Kingston Solar LP has no specific information in regards to potential adverse effects that the Project could have on the constitutional and/or treaty rights of your community and would like to confirm this with you. In this regard, Kingston Solar LP requests that your community provide in writing any information available to the community that in your opinion, should be considered in preparing the REA Reports and in particular, any information your community may have about the adverse impacts that the project may have on

## KINGSTON SOLAR LP

9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

constitutionally protected Aboriginal or treaty rights and any measures for mitigating those adverse impacts. We have not to date received a response from you.

### Closing


Kingston Solar LP is pleased to continue its communications with Aboriginal communities with respect to this Project and would like to better understand your interest in this Project. We would be pleased to meet with you and representatives from your community to discuss the proposed Project and to learn about your community's interests and potential concerns. We will follow-up with a telephone call to you.

Please do not hesitate to contact me at: 905-501-5658.

Yours truly,

Kingston Solar LP

By: \_\_\_\_\_



Name: Lee Jeong Tack  
Title: President

Encl: Summaries of REA Technical Reports

## KINGSTON SOLAR LP

9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

June 13, 2012

Chief R. Donald Maracle  
Mohawks of the Bay of Quinte  
Tyendinaga Mohawk Council  
13 Old York Rd  
Tyendinaga Mohawk Territory, Ontario KOJ 1X0

Dear Chief, Council and Members of Community;

**Re: Sol-luce Kingston Solar PV Energy Project (Project)**

On August 26, 2011, the Ontario Ministry of the Environment (MOE) provided Kingston Solar LP with a letter indicating that Mohawks of the Bay of Quinte (Tyendinaga Mohawk Council) should be consulted on the proposed Project. On October 17, 2011, Kingston Solar LP sent a letter to your community informing of the proposed Sol-luce Kingston Solar PV Energy Project (the Project). Kingston Solar LP would like to follow up with the Mohawks of the Bay of Quinte (Tyendinaga Mohawk Council) regarding the Project and Kingston Solar LP's communications with your community.

Kingston Solar LP on April 16, 2012 provided update on progress of Archaeological Assessment Studies to your community. Subsequently we have also invited your community to the Interim Community Session held on April 17, 2012.

This letter is being sent to your community as a reminder that Kingston Solar LP proposes to develop the Sol-luce Kingston Solar PV Energy Project, located to the north and south of Unity Road and south of Mud Lake Road in the City of Kingston and Loyalist Township in Eastern Ontario. The proposed solar facility will have a maximum name plate capacity of approximately 100 MW AC (megawatts of alternating current). If approved, this facility would use photovoltaic (PV) technology to convert solar energy into electricity. Power generated by the Project will be fed into the provincial grid via a substation located adjacent to the Hydro One Networks Inc. (HONI) transmission line which crosses the study area.

The proposed project will require approval under Ontario Regulation 359/09 (O.Reg 359/09) the Renewable Energy Approval (REA) under the *Green Energy Act*. In accordance with the REA regulations (Section 17), Kingston Solar LP has:

- ✓ Notified Mohawks of the Bay of Quinte (Tyendinaga Mohawk Council) of our intent to develop the Project;
- ✓ Submitted a Project Description; and,
- ✓ Requested information regarding any adverse impacts that the project may have on constitutionally protected Aboriginal or treaty rights that the Mohawks of the Bay of Quinte (Tyendinaga Mohawk Council) may have.

Further to above activities, Kingston Solar LP would like to;

- ✓ Provide a summary of each of the Draft REA Reports that are to be released.

As required by O.Reg 359/09, Kingston Solar LP has prepared Draft REA reports which are now available for a 60-day review period. Hard copies of these reports are available at the following locations:

## KINGSTON SOLAR LP

9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

- ✓ City of Kingston, City Hall, Clerk's Office, 216 Ontario Street, Ontario
- ✓ Kingston Frontenac Public Library – Isabel Turner Branch, 935 Gardiners Road, Kingston, Ontario
- ✓ Loyalist Township, 263 Main Street, Odessa, Ontario
- ✓ Odessa Branch Library, 102 Main Street, Odessa, Ontario
- ✓ County of Lennox-Addington, 97 Thomas Street East, Napanee, Ontario

Electronic copies of the Project Draft REA reports are also available on Project website via the following link: [www.samsungrenewableenergy.ca/kingston](http://www.samsungrenewableenergy.ca/kingston)

Kingston Solar LP considers communication with Aboriginal communities to be a valuable component of the REA process. Accordingly, we would like to better understand your interest in this Project and how we might be involved in those interests. Kingston Solar LP would be pleased to meet with Chief, Council, Elders and youth from your community to discuss the proposed Project and to learn about your community's interests in the lands and any other interests that may relate to your community.

The Final REA Application will be submitted to the Director of the Environmental Assessment and Approvals Branch (EAAB) at the MOE. Once the application is reviewed and deemed complete by the MOE, the MOE will post an abstract of the project on the Registry for a minimum 30-day public comment period.

The following is a summary of each of the Draft REA Reports.

### **Summary of REA Reports**

#### Project Description Report

This report provides a project description including technical details on the project, solar facility layout and facility components, project activities, potential project effects and mitigation measures.

#### Construction Plan Report

This report includes a description of the following:

- ✓ Construction Activities
- ✓ The location and timing of the construction;
- ✓ Potential negative effects that might be incurred during construction;
- ✓ Mitigation measures to be implemented to avoid/minimize the identified effects.

#### Natural Heritage Assessment and Environmental Impact Study (NHA/EIS) Report

This report includes a description of the natural heritage features in the Project location (birds, vegetation and terrestrial wildlife) and demonstration that the required REA setbacks from natural heritage features have been met and any potential effects mitigated.

#### Water Assessment and Water Body Report

This report includes a description of the water bodies (i.e., permanent watercourses, intermittent watercourses, seepage areas or lakes) in the project location and demonstration that the required REA setbacks from significant water features have been met and any potential effects mitigated.

#### Decommissioning Plan Report



## KINGSTON SOLAR LP

9<sup>th</sup> Fl, 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

This report includes a description of the activities that are to be undertaken should the facility be decommissioned including:

- ✓ Procedures to dismantle the facility;
- ✓ Land restoration activities; and,
- ✓ Procedures for waste management.

### Design and Operations Report

This report includes a description of the following:

- ✓ Site plan of the project showing all project components and their location;
- ✓ Surface water supplies to be used;
- ✓ An environmental effects monitoring plan; and,
- ✓ A plan to inform interest and the response plan to address potential future.

### Noise Study Report

A Noise Study Report was prepared to demonstrate that the facility is in compliance with regulatory requirements pertaining to the types of operations that may occur at the facility. The report was prepared in accordance with the MOE requirements as set out in NPC-232, NPC-233, and NPC-205.

### Stage 1 and 2 Archaeological Assessments (AAs) and Cultural Heritage Assessment Report

Stage 1 and 2 Archaeological Assessments (AAs) and a Cultural Heritage Assessment Report were prepared to outline the archaeological and cultural potential of the project location and mitigate any potential negative effects of the proposed project. Stage 1 and 2 Archaeological Assessment Reports were submitted to the Ministry of Tourism, Culture and Sport (MTCS). MTCS has provided written acknowledgement that the field work and reports were carried out in accordance with the Standards and Guidelines for Consultant Archaeologists.

For your convenience we have provided summaries to the above reports enclosed in this letter.

A Consultation Report will be provided as part of the final REA submission to MOE. This report will include summary of communication and consultation activities conducted to date with the public, government agencies and Aboriginal communities as well as a summary of the communication and consultation activities that are planned to be undertaken under the REA process, including responses to concerns that are received.

### **Request for Information**

Since 2011, Kingston Solar LP has had correspondence with a number of Aboriginal communities identified by the MOE as well as other Aboriginal communities that Kingston Solar LP identified as those who may have interest in the Project. Kingston Solar LP has stated its willingness to meet with your community representatives to discuss the Project and to receive comments or questions. Kingston Solar LP has no specific information in regards to potential adverse effects that the Project could have on the constitutional and/or treaty rights of your community and would like to confirm this with you. In this regard, Kingston Solar LP requests that your community provide in writing any information available to the community that in your opinion, should be considered in preparing the REA Reports and in particular, any information your community may have about the adverse impacts that the project may have on constitutionally protected Aboriginal or treaty rights and any measures for mitigating those adverse impacts. We have not to date received a response from you.

## KINGSTON SOLAR LP

9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

### Closing

Kingston Solar LP is pleased to continue its communications with Aboriginal communities with respect to this Project and would like to better understand your interest in this Project. We would be pleased to meet with you and representatives from your community to discuss the proposed Project and to learn about your community's interests and potential concerns. We will follow-up with a telephone call to you.

Please do not hesitate to contact me at: 905-501-5658.

Yours truly,

Kingston Solar LP

By:  \_\_\_\_\_

Name: Lee Jeong Tack

Title: President

Encl: Summaries of REA Technical Reports

June 14, 2012

Chief James Marsden  
Alderville First Nation  
11696 2nd Line, P.O. Box 46  
Alderville, Ontario K0K 2X0

**RE: Notice of Stage 3 Archaeological Assessment for the Sol-Luce Kingston Solar PV Energy Project**

Dear Chief, Council and Members of Community:

As part of the ongoing work to complete the required studies for the Renewable Energy Act (REA) approval under the *Green Energy Act*, Stage 1 and 2 archaeological assessments have been completed on participating properties in the study area by AMEC Environment & Infrastructure (AMEC) and Golder Associates Ltd. (Golder) on behalf of Kingston Solar LP. These reports, which have been submitted to the Ontario Ministry of Tourism, Culture and Sport (MTCS), are available upon request. The purpose of this letter is to inform you of the Stage 3 archaeological assessments that Golder will commence in June at four locations (BdGd-48, BdGd-50, BdGd-51, and BdGd-52) within the Sol-Luce Kingston Solar PV Energy Project study area. The following section summarizes the results of the Stage 1 and 2 assessments at these four historic Euro-Canadian sites. It should be noted, that the material cultural remains recovered at BdGd-48, BdGd-50, BdGd-51, and BdGd-52 to date do not suggest the presence of Aboriginal material.

BdGd-48 is an early Euro-Canadian (*circa* 1850 to 1910) domestic activity area, measuring 57 metres by 30 metres. Artifacts recovered include tableware, teaware, kitchenware, a container, window glass, and a wrought nail.

BdGd-50 is a Euro-Canadian (*circa* 1860 to 1950) homestead, measuring 116 metres by 53 metres, including a fieldstone, brick and mortar foundation with some evidence of a log wall. Artifacts recovered include tableware, teaware, kitchenware, a container, machine cut nails, window glass, wire nails, wrought nails, a fence staple, horse tack, an ink well, a plastic button, and plastic jewellery.

BdGd-51 is a Euro-Canadian (*circa* 1860 to 1950) homestead, measuring 33 metres by 33 metres. Artifacts recovered include tableware, teaware, a machine cut nail, window glass, ink jar, clay smoking pipe, and glass medicine bottles.

BdGd-52 is Euro-Canadian (*circa* 1860 to 1950) farmstead, measuring 99 metres by 67 metres. Artifacts recovered include tableware, teaware, kitchenware, a liquor container, a machine cut nail, window glass, and an ink jar. Additionally, as was noted in a previous communication (April 16, 2012), a finely retouched scraper was also identified at this site, however, additional investigation indicated that it was an isolated find.

KINGSTON SOLAR LP

12000 Highway 101, Unit 101, Kingston, Ontario K7G 1S1 | Tel: 1-800-269-2342 | Fax: 603-288-1854

As was noted above, Golder will commence the Stage 3 archaeological assessment of sites BdGd-48, BdGd-50, BdGd-51, and BdGd-52 in June. This will include the controlled collection of surface artifacts and the hand excavation of a series of one metre square units located across the site area in order to establish the limits of each site and to systematically test each site's cultural heritage value or interest. All soil that is excavated will be screened through 6 millimetre mesh with all artifacts retained and returned to the laboratory for analysis. The recovered artifacts will be analyzed and recommendations will be made, following the 2011 *Standards and Guidelines for Consultant Archaeologists* set forth by the MTCS, as to whether Stage 4 avoidance and protection or mitigation is warranted.

As sites BdGd-48, BdGd-50, BdGd-51, and BdGd-52 date to the historic Euro-Canadian period, the potential for the recovery of pre-contact or post-contact Aboriginal material during the Stage 3 assessments is very low. However, if you have any questions or require additional information about this portion of the project, please do not hesitate to contact us.

Sincerely,

Kingston Solar LP

By: \_\_\_\_\_



Name: Lee Jeong Tack

Title: President

June 14, 2012

Grand Chief Konrad Sioui  
Conseil de la Nation huronne-wendat  
255 Place Chef Michel Laveau  
Wendake, Quebec G0A 4V0

**RE: Notice of Stage 3 Archaeological Assessment for the Sol-Luce Kingston Solar PV Energy Project**

Dear Chief, Council and Members of Community:

As part of the ongoing work to complete the required studies for the Renewable Energy Act (REA) approval under the *Green Energy Act*, Stage 1 and 2 archaeological assessments have been completed on participating properties in the study area by AMEC Environment & Infrastructure (AMEC) and Golder Associates Ltd. (Golder) on behalf of Kingston Solar LP. These reports, which have been submitted to the Ontario Ministry of Tourism, Culture and Sport (MTCS), are available upon request. The purpose of this letter is to inform you of the Stage 3 archaeological assessments that Golder will commence in June at four locations (BdGd-48, BdGd-50, BdGd-51, and BdGd-52) within the Sol-Luce Kingston Solar PV Energy Project study area. The following section summarizes the results of the Stage 1 and 2 assessments at these four historic Euro-Canadian sites. It should be noted, that the material cultural remains recovered at BdGd-48, BdGd-50, BdGd-51, and BdGd-52 to date do not suggest the presence of Aboriginal material.

BdGd-48 is an early Euro-Canadian (*circa* 1850 to 1910) domestic activity area, measuring 57 metres by 30 metres. Artifacts recovered include tableware, teaware, kitchenware, a container, window glass, and a wrought nail.

BdGd-50 is a Euro-Canadian (*circa* 1860 to 1950) homestead, measuring 116 metres by 53 metres, including a fieldstone, brick and mortar foundation with some evidence of a log wall. Artifacts recovered include tableware, teaware, kitchenware, a container, machine cut nails, window glass, wire nails, wrought nails, a fence staple, horse tack, an ink well, a plastic button, and plastic jewellery.

BdGd-51 is a Euro-Canadian (*circa* 1860 to 1950) homestead, measuring 33 metres by 33 metres. Artifacts recovered include tableware, teaware, a machine cut nail, window glass, ink jar, clay smoking pipe, and glass medicine bottles.

BdGd-52 is Euro-Canadian (*circa* 1860 to 1950) farmstead, measuring 99 metres by 67 metres. Artifacts recovered include tableware, teaware, kitchenware, a liquor container, a machine cut nail, window glass, and an ink jar. Additionally, as was noted in a previous communication (April 16, 2012), a finely retouched scraper was also identified at this site, however, additional investigation indicated that it was an isolated find.

## KINGSTON SOLAR LP

© 2011 10 Standard from Massachusetts (019) 410-0000 (019) 410-0000 (019) 410-0000

As was noted above, Golder will commence the Stage 3 archaeological assessment of sites BdGd-48, BdGd-50, BdGd-51, and BdGd-52 in June. This will include the controlled collection of surface artifacts and the hand excavation of a series of one metre square units located across the site area in order to establish the limits of each site and to systematically test each site's cultural heritage value or interest. All soil that is excavated will be screened through 6 millimetre mesh with all artifacts retained and returned to the laboratory for analysis. The recovered artifacts will be analyzed and recommendations will be made, following the 2011 *Standards and Guidelines for Consultant Archaeologists* set forth by the MTCS, as to whether Stage 4 avoidance and protection or mitigation is warranted.

As sites BdGd-48, BdGd-50, BdGd-51, and BdGd-52 date to the historic Euro-Canadian period, the potential for the recovery of pre-contact or post-contact Aboriginal material during the Stage 3 assessments is very low. However, if you have any questions or require additional information about this portion of the project, please do not hesitate to contact us.

Sincerely,

Kingston Solar LP

By: \_\_\_\_\_



Name: Lee Jeong Tack

Title: President

June 14, 2012

Chief Kris Nahrgang  
Kawartha Nishnawbe First Nation  
P.O. Box 1432  
Lakefield, Ontario K0L 2H0

**RE: Notice of Stage 3 Archaeological Assessment for the Sol-Luce Kingston Solar PV Energy Project**

Dear Chief, Council and Members of Community:

As part of the ongoing work to complete the required studies for the Renewable Energy Act (REA) approval under the *Green Energy Act*, Stage 1 and 2 archaeological assessments have been completed on participating properties in the study area by AMEC Environment & Infrastructure (AMEC) and Golder Associates Ltd. (Golder) on behalf of Kingston Solar LP. These reports, which have been submitted to the Ontario Ministry of Tourism, Culture and Sport (MTCS), are available upon request. The purpose of this letter is to inform you of the Stage 3 archaeological assessments that Golder will commence in June at four locations (BdGd-48, BdGd-50, BdGd-51, and BdGd-52) within the Sol-Luce Kingston Solar PV Energy Project study area. The following section summarizes the results of the Stage 1 and 2 assessments at these four historic Euro-Canadian sites. It should be noted, that the material cultural remains recovered at BdGd-48, BdGd-50, BdGd-51, and BdGd-52 to date do not suggest the presence of Aboriginal material.

BdGd-48 is an early Euro-Canadian (*circa* 1850 to 1910) domestic activity area, measuring 57 metres by 30 metres. Artifacts recovered include tableware, teaware, kitchenware, a container, window glass, and a wrought nail.

BdGd-50 is a Euro-Canadian (*circa* 1860 to 1950) homestead, measuring 116 metres by 53 metres, including a fieldstone, brick and mortar foundation with some evidence of a log wall. Artifacts recovered include tableware, teaware, kitchenware, a container, machine cut nails, window glass, wire nails, wrought nails, a fence staple, horse tack, an ink well, a plastic button, and plastic jewellery.

BdGd-51 is a Euro-Canadian (*circa* 1860 to 1950) homestead, measuring 33 metres by 33 metres. Artifacts recovered include tableware, teaware, a machine cut nail, window glass, ink jar, clay smoking pipe, and glass medicine bottles.

BdGd-52 is Euro-Canadian (*circa* 1860 to 1950) farmstead, measuring 99 metres by 67 metres. Artifacts recovered include tableware, teaware, kitchenware, a liquor container, a machine cut nail, window glass, and an ink jar. Additionally, as was noted in a previous communication (April 16, 2012), a finely retouched scraper was also identified at this site, however, additional investigation indicated that it was an isolated find.

KINGSTON SOLAR LP

As was noted above, Golder will commence the Stage 3 archaeological assessment of sites BdGd-48, BdGd-50, BdGd-51, and BdGd-52 in June. This will include the controlled collection of surface artifacts and the hand excavation of a series of one metre square units located across the site area in order to establish the limits of each site and to systematically test each site's cultural heritage value or interest. All soil that is excavated will be screened through 6 millimetre mesh with all artifacts retained and returned to the laboratory for analysis. The recovered artifacts will be analyzed and recommendations will be made, following the 2011 *Standards and Guidelines for Consultant Archaeologists* set forth by the MTCS, as to whether Stage 4 avoidance and protection or mitigation is warranted.

As sites BdGd-48, BdGd-50, BdGd-51, and BdGd-52 date to the historic Euro-Canadian period, the potential for the recovery of pre-contact or post-contact Aboriginal material during the Stage 3 assessments is very low. However, if you have any questions or require additional information about this portion of the project, please do not hesitate to contact us.

Sincerely,

Kingston Solar LP

By: \_\_\_\_\_



Name: Lee Jeong Tack

Title: President



June 14, 2012

Chief Tracy Gauthier  
Mississaugas of Scugog Island First Nation  
22521 Island Road  
Port Perry, Ontario L9L 1B6

**RE: Notice of Stage 3 Archaeological Assessment for the Sol-Luce Kingston Solar PV Energy Project**

Dear Chief, Council and Members of Community:

As part of the ongoing work to complete the required studies for the Renewable Energy Act (REA) approval under the *Green Energy Act*, Stage 1 and 2 archaeological assessments have been completed on participating properties in the study area by AMEC Environment & Infrastructure (AMEC) and Golder Associates Ltd. (Golder) on behalf of Kingston Solar LP. These reports, which have been submitted to the Ontario Ministry of Tourism, Culture and Sport (MTCS), are available upon request. The purpose of this letter is to inform you of the Stage 3 archaeological assessments that Golder will commence in June at four locations (BdGd-48, BdGd-50, BdGd-51, and BdGd-52) within the Sol-Luce Kingston Solar PV Energy Project study area. The following section summarizes the results of the Stage 1 and 2 assessments at these four historic Euro-Canadian sites. It should be noted, that the material cultural remains recovered at BdGd-48, BdGd-50, BdGd-51, and BdGd-52 to date do not suggest the presence of Aboriginal material.

BdGd-48 is an early Euro-Canadian (*circa* 1850 to 1910) domestic activity area, measuring 57 metres by 30 metres. Artifacts recovered include tableware, teaware, kitchenware, a container, window glass, and a wrought nail.

BdGd-50 is a Euro-Canadian (*circa* 1860 to 1950) homestead, measuring 116 metres by 53 metres, including a fieldstone, brick and mortar foundation with some evidence of a log wall. Artifacts recovered include tableware, teaware, kitchenware, a container, machine cut nails, window glass, wire nails, wrought nails, a fence staple, horse tack, an ink well, a plastic button, and plastic jewellery.

BdGd-51 is a Euro-Canadian (*circa* 1860 to 1950) homestead, measuring 33 metres by 33 metres. Artifacts recovered include tableware, teaware, a machine cut nail, window glass, ink jar, clay smoking pipe, and glass medicine bottles.

BdGd-52 is Euro-Canadian (*circa* 1860 to 1950) farmstead, measuring 99 metres by 67 metres. Artifacts recovered include tableware, teaware, kitchenware, a liquor container, a machine cut nail, window glass, and an ink jar. Additionally, as was noted in a previous communication (April 16, 2012), a finely retouched scraper was also identified at this site, however, additional investigation indicated that it was an isolated find.

## KINGSTON SOLAR LP

11000 150th Avenue, Edmonton, Alberta T5A 4E8 | Tel: (780) 483-1111 | Fax: (780) 483-1112

As was noted above, Golder will commence the Stage 3 archaeological assessment of sites BdGd-48, BdGd-50, BdGd-51, and BdGd-52 in June. This will include the controlled collection of surface artifacts and the hand excavation of a series of one metre square units located across the site area in order to establish the limits of each site and to systematically test each site's cultural heritage value or interest. All soil that is excavated will be screened through 6 millimetre mesh with all artifacts retained and returned to the laboratory for analysis. The recovered artifacts will be analyzed and recommendations will be made, following the 2011 *Standards and Guidelines for Consultant Archaeologists* set forth by the MTCS, as to whether Stage 4 avoidance and protection or mitigation is warranted.

As sites BdGd-48, BdGd-50, BdGd-51, and BdGd-52 date to the historic Euro-Canadian period, the potential for the recovery of pre-contact or post-contact Aboriginal material during the Stage 3 assessments is very low. However, if you have any questions or require additional information about this portion of the project, please do not hesitate to contact us.

Sincerely,

Kingston Solar LP

By: \_\_\_\_\_



Name: Lee Jeong Tack

Title: President

June 14, 2012

Métis Nation of Ontario  
500 Old St. Patrick Street, Unit 3  
Ottawa, Ontario K1N 9G4

**RE: Notice of Stage 3 Archaeological Assessment for the Sol-Luce Kingston Solar PV Energy Project**

Dear Métis Nation of Ontario:

As part of the ongoing work to complete the required studies for the Renewable Energy Act (REA) approval under the *Green Energy Act*, Stage 1 and 2 archaeological assessments have been completed on participating properties in the study area by AMEC Environment & Infrastructure (AMEC) and Golder Associates Ltd. (Golder) on behalf of Kingston Solar LP. These reports, which have been submitted to the Ontario Ministry of Tourism, Culture and Sport (MTCS), are available upon request. The purpose of this letter is to inform you of the Stage 3 archaeological assessments that Golder will commence in June at four locations (BdGd-48, BdGd-50, BdGd-51, and BdGd-52) within the Sol-Luce Kingston Solar PV Energy Project study area. The following section summarizes the results of the Stage 1 and 2 assessments at these four historic Euro-Canadian sites. It should be noted, that the material cultural remains recovered at BdGd-48, BdGd-50, BdGd-51, and BdGd-52 to date do not suggest the presence of Aboriginal material.

BdGd-48 is an early Euro-Canadian (*circa* 1850 to 1910) domestic activity area, measuring 57 metres by 30 metres. Artifacts recovered include tableware, teaware, kitchenware, a container, window glass, and a wrought nail.

BdGd-50 is a Euro-Canadian (*circa* 1860 to 1950) homestead, measuring 116 metres by 53 metres, including a fieldstone, brick and mortar foundation with some evidence of a log wall. Artifacts recovered include tableware, teaware, kitchenware, a container, machine cut nails, window glass, wire nails, wrought nails, a fence staple, horse tack, an ink well, a plastic button, and plastic jewellery.

BdGd-51 is a Euro-Canadian (*circa* 1860 to 1950) homestead, measuring 33 metres by 33 metres. Artifacts recovered include tableware, teaware, a machine cut nail, window glass, ink jar, clay smoking pipe, and glass medicine bottles.

BdGd-52 is Euro-Canadian (*circa* 1860 to 1950) farmstead, measuring 99 metres by 67 metres. Artifacts recovered include tableware, teaware, kitchenware, a liquor container, a machine cut nail, window glass, and an ink jar. Additionally, as was noted in a previous communication (April 16, 2012), a finely retouched scraper was also identified at this site, however, additional investigation indicated that it was an isolated find.

## KINGSTON SOLAR LP

As was noted above, Golder will commence the Stage 3 archaeological assessment of sites BdGd-48, BdGd-50, BdGd-51, and BdGd-52 in June. This will include the controlled collection of surface artifacts and the hand excavation of a series of one metre square units located across the site area in order to establish the limits of each site and to systematically test each site's cultural heritage value or interest. All soil that is excavated will be screened through 6 millimetre mesh with all artifacts retained and returned to the laboratory for analysis. The recovered artifacts will be analyzed and recommendations will be made, following the 2011 *Standards and Guidelines for Consultant Archaeologists* set forth by the MTCS, as to whether Stage 4 avoidance and protection or mitigation is warranted.

As sites BdGd-48, BdGd-50, BdGd-51, and BdGd-52 date to the historic Euro-Canadian period, the potential for the recovery of pre-contact or post-contact Aboriginal material during the Stage 3 assessments is very low. However, if you have any questions or require additional information about this portion of the project, please do not hesitate to contact us.

Sincerely,

Kingston Solar LP

By: \_\_\_\_\_



Name: Lee Jeong Tack

Title: President

June 14, 2012

Grand Chief Michael Mitchell  
Mohawk Council of Akwesasne  
P.O. Box 579  
Cornwall, Ontario K6H 5T3

**RE: Notice of Stage 3 Archaeological Assessment for the Sol-Luce Kingston Solar PV Energy Project**

Dear Chief, Council and Members of Community:

As part of the ongoing work to complete the required studies for the Renewable Energy Act (REA) approval under the *Green Energy Act*, Stage 1 and 2 archaeological assessments have been completed on participating properties in the study area by AMEC Environment & Infrastructure (AMEC) and Golder Associates Ltd. (Golder) on behalf of Kingston Solar LP. These reports, which have been submitted to the Ontario Ministry of Tourism, Culture and Sport (MTCS), are available upon request. The purpose of this letter is to inform you of the Stage 3 archaeological assessments that Golder will commence in June at four locations (BdGd-48, BdGd-50, BdGd-51, and BdGd-52) within the Sol-Luce Kingston Solar PV Energy Project study area. The following section summarizes the results of the Stage 1 and 2 assessments at these four historic Euro-Canadian sites. It should be noted, that the material cultural remains recovered at BdGd-48, BdGd-50, BdGd-51, and BdGd-52 to date do not suggest the presence of Aboriginal material.

BdGd-48 is an early Euro-Canadian (*circa* 1850 to 1910) domestic activity area, measuring 57 metres by 30 metres. Artifacts recovered include tableware, teaware, kitchenware, a container, window glass, and a wrought nail.

BdGd-50 is a Euro-Canadian (*circa* 1860 to 1950) homestead, measuring 116 metres by 53 metres, including a fieldstone, brick and mortar foundation with some evidence of a log wall. Artifacts recovered include tableware, teaware, kitchenware, a container, machine cut nails, window glass, wire nails, wrought nails, a fence staple, horse tack, an ink well, a plastic button, and plastic jewellery.

BdGd-51 is a Euro-Canadian (*circa* 1860 to 1950) homestead, measuring 33 metres by 33 metres. Artifacts recovered include tableware, teaware, a machine cut nail, window glass, ink jar, clay smoking pipe, and glass medicine bottles.

BdGd-52 is Euro-Canadian (*circa* 1860 to 1950) farmstead, measuring 99 metres by 67 metres. Artifacts recovered include tableware, teaware, kitchenware, a liquor container, a machine cut nail, window glass, and an ink jar. Additionally, as was noted in a previous communication (April 16, 2012), a finely retouched scraper was also identified at this site, however, additional investigation indicated that it was an isolated find.

**KINGSTON SOLAR LP**

777, 45 Dundas Street West, Toronto, Ontario M5G 1R8 | TEL: 416-593-8888 | FAX: 416-593-8899

As was noted above, Golder will commence the Stage 3 archaeological assessment of sites BdGd-48, BdGd-50, BdGd-51, and BdGd-52 in June. This will include the controlled collection of surface artifacts and the hand excavation of a series of one metre square units located across the site area in order to establish the limits of each site and to systematically test each site's cultural heritage value or interest. All soil that is excavated will be screened through 6 millimetre mesh with all artifacts retained and returned to the laboratory for analysis. The recovered artifacts will be analyzed and recommendations will be made, following the 2011 *Standards and Guidelines for Consultant Archaeologists* set forth by the MTCS, as to whether Stage 4 avoidance and protection or mitigation is warranted.

As sites BdGd-48, BdGd-50, BdGd-51, and BdGd-52 date to the historic Euro-Canadian period, the potential for the recovery of pre-contact or post-contact Aboriginal material during the Stage 3 assessments is very low. However, if you have any questions or require additional information about this portion of the project, please do not hesitate to contact us.

Sincerely,

Kingston Solar LP

By: \_\_\_\_\_

Name: Lee Jeong Tack

Title: President

June 14, 2012

Chief Doreen Davis  
Shabot Obaadjiwan First Nation  
29649 Hwy 7  
Arden, Ontario K0H 1B0

**RE: Notice of Stage 3 Archaeological Assessment for the Sol-Luce Kingston Solar PV Energy Project**

Dear Chief, Council and Members of Community:

As part of the ongoing work to complete the required studies for the Renewable Energy Act (REA) approval under the *Green Energy Act*, Stage 1 and 2 archaeological assessments have been completed on participating properties in the study area by AMEC Environment & Infrastructure (AMEC) and Golder Associates Ltd. (Golder) on behalf of Kingston Solar LP. These reports, which have been submitted to the Ontario Ministry of Tourism, Culture and Sport (MTCS), are available upon request. The purpose of this letter is to inform you of the Stage 3 archaeological assessments that Golder will commence in June at four locations (BdGd-48, BdGd-50, BdGd-51, and BdGd-52) within the Sol-Luce Kingston Solar PV Energy Project study area. The following section summarizes the results of the Stage 1 and 2 assessments at these four historic Euro-Canadian sites. It should be noted, that the material cultural remains recovered at BdGd-48, BdGd-50, BdGd-51, and BdGd-52 to date do not suggest the presence of Aboriginal material.

BdGd-48 is an early Euro-Canadian (*circa* 1850 to 1910) domestic activity area, measuring 57 metres by 30 metres. Artifacts recovered include tableware, teaware, kitchenware, a container, window glass, and a wrought nail.

BdGd-50 is a Euro-Canadian (*circa* 1860 to 1950) homestead, measuring 116 metres by 53 metres, including a fieldstone, brick and mortar foundation with some evidence of a log wall. Artifacts recovered include tableware, teaware, kitchenware, a container, machine cut nails, window glass, wire nails, wrought nails, a fence staple, horse tack, an ink well, a plastic button, and plastic jewellery.

BdGd-51 is a Euro-Canadian (*circa* 1860 to 1950) homestead, measuring 33 metres by 33 metres. Artifacts recovered include tableware, teaware, a machine cut nail, window glass, ink jar, clay smoking pipe, and glass medicine bottles.

BdGd-52 is Euro-Canadian (*circa* 1860 to 1950) farmstead, measuring 99 metres by 67 metres. Artifacts recovered include tableware, teaware, kitchenware, a liquor container, a machine cut nail, window glass, and an ink jar. Additionally, as was noted in a previous communication (April 16, 2012), a finely retouched scraper was also identified at this site, however, additional investigation indicated that it was an isolated find.

## KINGSTON SOLAR LP

20-11-18-0000000-0000-0000-0000-0000-0000-0000-0000-0000-0000-0000


As was noted above, Golder will commence the Stage 3 archaeological assessment of sites BdGd-48, BdGd-50, BdGd-51, and BdGd-52 in June. This will include the controlled collection of surface artifacts and the hand excavation of a series of one metre square units located across the site area in order to establish the limits of each site and to systematically test each site's cultural heritage value or interest. All soil that is excavated will be screened through 6 millimetre mesh with all artifacts retained and returned to the laboratory for analysis. The recovered artifacts will be analyzed and recommendations will be made, following the 2011 *Standards and Guidelines for Consultant Archaeologists* set forth by the MTCS, as to whether Stage 4 avoidance and protection or mitigation is warranted.

As sites BdGd-48, BdGd-50, BdGd-51, and BdGd-52 date to the historic Euro-Canadian period, the potential for the recovery of pre-contact or post-contact Aboriginal material during the Stage 3 assessments is very low. However, if you have any questions or require additional information about this portion of the project, please do not hesitate to contact us.

Sincerely,

Kingston Solar LP

By: \_\_\_\_\_



Name: Lee Jeong Tack

Title: President



June 14, 2012

Chief R. Donald Maracle  
Mohawks of the Bay of Quinte  
Tyendinaga Mohawk Council  
13 Old York Rd  
Tyendinaga Mohawk Territory, Ontario KOJ 1X0

**RE: Notice of Stage 3 Archaeological Assessment for the Sol-Luce Kingston Solar PV Energy Project**

Dear Chief, Council and Members of Community:

As part of the ongoing work to complete the required studies for the Renewable Energy Act (REA) approval under the *Green Energy Act*, Stage 1 and 2 archaeological assessments have been completed on participating properties in the study area by AMEC Environment & Infrastructure (AMEC) and Golder Associates Ltd. (Golder) on behalf of Kingston Solar LP. These reports, which have been submitted to the Ontario Ministry of Tourism, Culture and Sport (MTCS), are available upon request. The purpose of this letter is to inform you of the Stage 3 archaeological assessments that Golder will commence in June at four locations (BdGd-48, BdGd-50, BdGd-51, and BdGd-52) within the Sol-Luce Kingston Solar PV Energy Project study area. The following section summarizes the results of the Stage 1 and 2 assessments at these four historic Euro-Canadian sites. It should be noted, that the material cultural remains recovered at BdGd-48, BdGd-50, BdGd-51, and BdGd-52 to date do not suggest the presence of Aboriginal material.

BdGd-48 is an early Euro-Canadian (*circa* 1850 to 1910) domestic activity area, measuring 57 metres by 30 metres. Artifacts recovered include tableware, teaware, kitchenware, a container, window glass, and a wrought nail.

BdGd-50 is a Euro-Canadian (*circa* 1860 to 1950) homestead, measuring 116 metres by 53 metres, including a fieldstone, brick and mortar foundation with some evidence of a log wall. Artifacts recovered include tableware, teaware, kitchenware, a container, machine cut nails, window glass, wire nails, wrought nails, a fence staple, horse tack, an ink well, a plastic button, and plastic jewellery.

BdGd-51 is a Euro-Canadian (*circa* 1860 to 1950) homestead, measuring 33 metres by 33 metres. Artifacts recovered include tableware, teaware, a machine cut nail, window glass, ink jar, clay smoking pipe, and glass medicine bottles.

BdGd-52 is Euro-Canadian (*circa* 1860 to 1950) farmstead, measuring 99 metres by 67 metres. Artifacts recovered include tableware, teaware, kitchenware, a liquor container, a machine cut nail, window glass, and an ink jar. Additionally, as was noted in a previous communication (April 16, 2012), a finely retouched scraper was also identified at this site, however, additional investigation indicated that it was an isolated find.

KINGSTON SOLAR LP

17750 26<sup>th</sup> Street, Fort McMurray, Alberta T9C 0G8 Canada Tel: 780.762.2222 Fax: 780.762.2222

As was noted above, Golder will commence the Stage 3 archaeological assessment of sites BdGd-48, BdGd-50, BdGd-51, and BdGd-52 in June. This will include the controlled collection of surface artifacts and the hand excavation of a series of one metre square units located across the site area in order to establish the limits of each site and to systematically test each site's cultural heritage value or interest. All soil that is excavated will be screened through 6 millimetre mesh with all artifacts retained and returned to the laboratory for analysis. The recovered artifacts will be analyzed and recommendations will be made, following the 2011 *Standards and Guidelines for Consultant Archaeologists* set forth by the MTCS, as to whether Stage 4 avoidance and protection or mitigation is warranted.

As sites BdGd-48, BdGd-50, BdGd-51, and BdGd-52 date to the historic Euro-Canadian period, the potential for the recovery of pre-contact or post-contact Aboriginal material during the Stage 3 assessments is very low. However, if you have any questions or require additional information about this portion of the project, please do not hesitate to contact us.

Sincerely,

Kingston Solar LP

By: 

Name: Lee Jeong Tack

Title: President

## KINGSTON SOLAR LP

311 F. 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

July 13, 2012

Chief James Marsden  
Alderville First Nation  
11696 2nd Line, P.O. Box 46  
Alderville, Ontario K0K 2X0

Dear Chief, Council and Members of Community;

**Re: Sol-luce Kingston Solar PV Energy Project (Project)  
Draft Renewable Energy Approval (REA)**

We would advise your community that Kingston Solar LP has issued a revised Draft Noise Study Report for the Sol-luce Kingston Solar PV Energy Project, located to the north and south of Unity Road and south of Mud Lake Road in the City of Kingston and Loyalist Township in Eastern Ontario.

The revised Draft Noise Study Report was made available for a 30-day review period on July 15, 2012. Hard copies of this report are available at the following locations:

- ✓ City of Kingston, City Hall, Clerk's Office, 216 Ontario Street, Ontario
- ✓ Kingston Frontenac Public Library – Isabel Turner Branch, 935 Gardiners Road, Kingston, Ontario
- ✓ Loyalist Township, 263 Main Street, Odessa, Ontario
- ✓ Odessa Branch Library, 102 Main Street, Odessa, Ontario
- ✓ County of Lennox-Addington, 97 Thomas Street East, Napanee, Ontario

An electronic copy of the revised Draft Noise Study Report is also available on Project website via the following link: [www.samsungrenewableenergy.ca/kingston](http://www.samsungrenewableenergy.ca/kingston)

A Noise Study Report was prepared to demonstrate that the facility is in compliance with regulatory requirements pertaining to the types of operations that may occur at the facility. The report was prepared in accordance with the MOE requirements as set out in NPC-232, NPC-233, and NPC-205. Revisions to this report conclude that sound levels from the proposed solar facility:

- I. will not impact adjacent vacant lots and that,
- II. will not combine with sound levels from other solar projects within 2 km.

Kingston Solar LP is pleased to continue its communications with Aboriginal communities with respect to this Project and would like to better understand your interest in this Project. We would be pleased to meet with you and representatives from your community to discuss the proposed Project and to learn about your community's interests and potential concerns. We will follow-up with a telephone call to you.

**KINGSTON SOLAR LP**

9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

Should you have any questions, please do not hesitate to contact me at: 905-501-5658.

Yours truly,

**KINGSTON SOLAR LP**

By:   
\_\_\_\_\_

Name: Daniel Choi  
Title: Manager

## NOTICE OF DRAFT REA DOCUMENT RELEASE

### Sol-Luce Kingston Solar PV Energy Project City of Kingston and Loyalist Township

#### Revised Draft Noise Study Report Available July 15, 2012 For 30 Day Public Review

Kingston Solar LP is planning to engage in a renewable energy project, which will require the issuance of a Renewable Energy Approval (REA). The proposed facility is to be known as the "Sol-luce Kingston Solar PV Energy Project". If approved, the Class 3 Solar Facility would have a total maximum name plate capacity of 100 MW. It is proposed that this facility will convert solar energy into electricity to be fed into the Hydro One electricity grid. The output from each of the solar sites will be collected and routed to an electrical substation, in the vicinity of Unity Road, which will interconnect to the Hydro One transmission lines. The Project lands will be a series of leased sites located to the north and south of Unity Road as well as south of Mud Lake Road in the City of Kingston and Loyalist Township. The Project lands will consist of approximately 261 hectares of land.

As part of the application for a Renewable Energy Approval, the environmental studies and draft reports have been completed for regulatory approval and made available for public inspection on June 15, 2012

Kingston Solar LP would like to inform your community that a revised version of the Draft Noise Study Report for the Sol-luce Kingston Solar PV Energy Project will be available for public inspection as of July 15, 2012 at the following locations:

#### Documents for Public Inspection:


- Proponent's website ([www.samsungrenewableenergy.ca/kingston](http://www.samsungrenewableenergy.ca/kingston))
- City of Kingston, City Hall, Clerk's Office, 216 Ontario Street, Ontario
- Kingston Frontenac Public Library- Isabel Turner Branch, 935 Gardiners Road, Kingston, Ontario
- Loyalist Township, 263 Main Street, Odessa, Ontario
- Odessa Branch Library, 102 Main Street, Odessa, Ontario
- County of Lennox-Addington, 97 Thomas Street East, Napanee, Ontario

The revised Draft Noise Study Report includes additional details on predicted sound levels at adjacent vacant lots and cumulative sound levels with other nearby renewable energy projects. The report concludes that predicted sound levels at adjacent vacant lots or resulting from the combination of sound levels from nearby projects do not exceed Ontario Ministry of Environment guidelines.

If you have any questions or concerns please contact the following:

A. José De Armas  
Manager, Project Development  
Kingston Solar LP  
55 Standish Court, 9th Floor  
Mississauga, ON L5R 4B2  
Tel: 905-501-5658  
Email: [Jose.DeArmas@samsung.com](mailto:Jose.DeArmas@samsung.com)

Rob Young, P.Geo., MCIP, RPP  
Associate Environmental Scientist  
AMEC Environment & Infrastructure  
160 Traders Blvd. East, Unit 110  
Mississauga, Ontario L4Z 3K7  
Tel: 905-568-2929  
Email: [rob.young@amec.com](mailto:rob.young@amec.com)



## KINGSTON SOLAR LP

900 F.I. 85 Slandish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1802

July 13, 2012

Chief Kirby Whiteduck  
Algonquins of Pikwàkanagàn  
1657A Mishomis Inamo, Pikwàkanagàn  
Golden Lake, Ontario K0J 1X0

Dear Chief, Council and Members of Community;

**Re: Sol-luce Kingston Solar PV Energy Project (Project)  
Draft Renewable Energy Approval (REA)**

We would advise your community that Kingston Solar LP has issued a revised Draft Noise Study Report for the Sol-luce Kingston Solar PV Energy Project, located to the north and south of Unity Road and south of Mud Lake Road in the City of Kingston and Loyalist Township in Eastern Ontario.

The revised Draft Noise Study Report was made available for a 30-day review period on July 15, 2012. Hard copies of this report are available at the following locations:

- ✓ City of Kingston, City Hall, Clerk's Office, 216 Ontario Street, Ontario
- ✓ Kingston Frontenac Public Library – Isabel Turner Branch, 935 Gardiners Road, Kingston, Ontario
- ✓ Loyalist Township, 263 Main Street, Odessa, Ontario
- ✓ Odessa Branch Library, 102 Main Street, Odessa, Ontario
- ✓ County of Lennox-Addington, 97 Thomas Street East, Napanee, Ontario

An electronic copy of the revised Draft Noise Study Report is also available on Project website via the following link: [www.samsungrenewableenergy.ca/kingston](http://www.samsungrenewableenergy.ca/kingston)

A Noise Study Report was prepared to demonstrate that the facility is in compliance with regulatory requirements pertaining to the types of operations that may occur at the facility. The report was prepared in accordance with the MOE requirements as set out in NPC-232, NPC-233, and NPC-205. Revisions to this report conclude that sound levels from the proposed solar facility:

- I. will not impact adjacent vacant lots and that,
- II. will not combine with sound levels from other solar projects within 2 km.

Kingston Solar LP is pleased to continue its communications with Aboriginal communities with respect to this Project and would like to better understand your interest in this Project. We would be pleased to meet with you and representatives from your community to discuss the proposed Project and to learn about your community's interests and potential concerns. We will follow-up with a telephone call to you.

**KINGSTON SOLAR LP**

9<sup>th</sup> Fl, 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-265-1852

Should you have any questions, please do not hesitate to contact me at: 905-501-5658.

Yours truly,

**KINGSTON SOLAR LP**

By: 

Name: Daniel Choi

Title: Manager

## NOTICE OF DRAFT REA DOCUMENT RELEASE

### Sol-Luce Kingston Solar PV Energy Project City of Kingston and Loyalist Township

#### Revised Draft Noise Study Report Available July 15, 2012 For 30 Day Public Review

Kingston Solar LP is planning to engage in a renewable energy project, which will require the issuance of a Renewable Energy Approval (REA). The proposed facility is to be known as the "Sol-luce Kingston Solar PV Energy Project". If approved, the Class 3 Solar Facility would have a total maximum name plate capacity of 100 MW. It is proposed that this facility will convert solar energy into electricity to be fed into the Hydro One electricity grid. The output from each of the solar sites will be collected and routed to an electrical substation, in the vicinity of Unity Road, which will interconnect to the Hydro One transmission lines. The Project lands will be a series of leased sites located to the north and south of Unity Road as well as south of Mud Lake Road in the City of Kingston and Loyalist Township. The Project lands will consist of approximately 261 hectares of land.

As part of the application for a Renewable Energy Approval, the environmental studies and draft reports have been completed for regulatory approval and made available for public inspection on June 15, 2012

Kingston Solar LP would like to inform your community that a revised version of the Draft Noise Study Report for the Sol-luce Kingston Solar PV Energy Project will be available for public inspection as of July 15, 2012 at the following locations:

#### Documents for Public Inspection:


- Proponent's website ([www.samsungrenewableenergy.ca/kingston](http://www.samsungrenewableenergy.ca/kingston))
- City of Kingston, City Hall, Clerk's Office, 216 Ontario Street, Ontario
- Kingston Frontenac Public Library- Isabel Turner Branch, 935 Gardiners Road, Kingston, Ontario
- Loyalist Township, 263 Main Street, Odessa, Ontario
- Odessa Branch Library, 102 Main Street, Odessa, Ontario
- County of Lennox-Addington, 97 Thomas Street East, Napanee, Ontario

The revised Draft Noise Study Report includes additional details on predicted sound levels at adjacent vacant lots and cumulative sound levels with other nearby renewable energy projects. The report concludes that predicted sound levels at adjacent vacant lots or resulting from the combination of sound levels from nearby projects do not exceed Ontario Ministry of Environment guidelines.

If you have any questions or concerns please contact the following:

A. José De Armas  
Manager, Project Development  
Kingston Solar LP  
55 Standish Court, 9th Floor  
Mississauga, ON L5R 4B2  
Tel: 905-501-5658  
Email: [Jose.DeArmas@samsung.com](mailto:Jose.DeArmas@samsung.com)

Rob Young, P.Geo., MCIP, RPP  
Associate Environmental Scientist  
AMEC Environment & Infrastructure  
160 Traders Blvd. East, Unit 110  
Mississauga, Ontario L4Z 3K7  
Tel: 905-568-2929  
Email: [rob.young@amec.com](mailto:rob.young@amec.com)





## KINGSTON SOLAR LP

☎ ☎ ☎ 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

July 13, 2012

Chief Paula Sherman  
Ardoch Algonquin First Nation  
1045 Canoe Path  
Ardoch, Ontario K0H 1C0

Dear Chief, Council and Members of Community;

**Re: Sol-luce Kingston Solar PV Energy Project (Project)  
Draft Renewable Energy Approval (REA)**

We would advise your community that Kingston Solar LP has issued a revised Draft Noise Study Report for the Sol-luce Kingston Solar PV Energy Project, located to the north and south of Unity Road and south of Mud Lake Road in the City of Kingston and Loyalist Township in Eastern Ontario.

The revised Draft Noise Study Report was made available for a 30-day review period on July 15, 2012. Hard copies of this report are available at the following locations:

- ✓ City of Kingston, City Hall, Clerk's Office, 216 Ontario Street, Ontario
- ✓ Kingston Frontenac Public Library – Isabel Turner Branch, 935 Gardiners Road, Kingston, Ontario
- ✓ Loyalist Township, 263 Main Street, Odessa, Ontario
- ✓ Odessa Branch Library, 102 Main Street, Odessa, Ontario
- ✓ County of Lennox-Addington, 97 Thomas Street East, Napanee, Ontario

An electronic copy of the revised Draft Noise Study Report is also available on Project website via the following link: [www.samsungrénewableenergy.ca/kingston](http://www.samsungrénewableenergy.ca/kingston)

A Noise Study Report was prepared to demonstrate that the facility is in compliance with regulatory requirements pertaining to the types of operations that may occur at the facility. The report was prepared in accordance with the MOE requirements as set out in NPC-232, NPC-233, and NPC-205. Revisions to this report conclude that sound levels from the proposed solar facility:

- I. will not impact adjacent vacant lots and that,
- II. will not combine with sound levels from other solar projects within 2 km.

Kingston Solar LP is pleased to continue its communications with Aboriginal communities with respect to this Project and would like to better understand your interest in this Project. We would be pleased to meet with you and representatives from your community to discuss the proposed Project and to learn about your community's interests and potential concerns. We will follow-up with a telephone call to you.


**KINGSTON SOLAR LP**

9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

Should you have any questions, please do not hesitate to contact me at: 905-501-5658.

Yours truly,

**KINGSTON SOLAR LP**

By:  \_\_\_\_\_

Name: Daniel Choi  
Title: Manager

## NOTICE OF DRAFT REA DOCUMENT RELEASE

### Sol-Luce Kingston Solar PV Energy Project City of Kingston and Loyalist Township

#### Revised Draft Noise Study Report Available July 15, 2012 For 30 Day Public Review

Kingston Solar LP is planning to engage in a renewable energy project, which will require the issuance of a Renewable Energy Approval (REA). The proposed facility is to be known as the "Sol-luce Kingston Solar PV Energy Project". If approved, the Class 3 Solar Facility would have a total maximum name plate capacity of 100 MW. It is proposed that this facility will convert solar energy into electricity to be fed into the Hydro One electricity grid. The output from each of the solar sites will be collected and routed to an electrical substation, in the vicinity of Unity Road, which will interconnect to the Hydro One transmission lines. The Project lands will be a series of leased sites located to the north and south of Unity Road as well as south of Mud Lake Road in the City of Kingston and Loyalist Township. The Project lands will consist of approximately 261 hectares of land.

As part of the application for a Renewable Energy Approval, the environmental studies and draft reports have been completed for regulatory approval and made available for public inspection on June 15, 2012

Kingston Solar LP would like to inform your community that a revised version of the Draft Noise Study Report for the Sol-luce Kingston Solar PV Energy Project will be available for public inspection as of July 15, 2012 at the following locations:

#### Documents for Public Inspection:


- Proponent's website ([www.samsungrenewableenergy.ca/kingston](http://www.samsungrenewableenergy.ca/kingston))
- City of Kingston, City Hall, Clerk's Office, 216 Ontario Street, Ontario
- Kingston Frontenac Public Library- Isabel Turner Branch, 935 Gardiners Road, Kingston, Ontario
- Loyalist Township, 263 Main Street, Odessa, Ontario
- Odessa Branch Library, 102 Main Street, Odessa, Ontario
- County of Lennox-Addington, 97 Thomas Street East, Napanee, Ontario

The revised Draft Noise Study Report includes additional details on predicted sound levels at adjacent vacant lots and cumulative sound levels with other nearby renewable energy projects. The report concludes that predicted sound levels at adjacent vacant lots or resulting from the combination of sound levels from nearby projects do not exceed Ontario Ministry of Environment guidelines.

If you have any questions or concerns please contact the following:

A. José De Armas  
Manager, Project Development  
Kingston Solar LP  
55 Standish Court, 9th Floor  
Mississauga, ON L5R 4B2  
Tel: 905-501-5658  
Email: [Jose.DeArmas@samsung.com](mailto:Jose.DeArmas@samsung.com)

Rob Young, P.Geo., MCIP, RPP  
Associate Environmental Scientist  
AMEC Environment & Infrastructure  
160 Traders Blvd. East, Unit 110  
Mississauga, Ontario L4Z 3K7  
Tel: 905-568-2929  
Email: [rob.young@amec.com](mailto:rob.young@amec.com)



## KINGSTON SOLAR LP

9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5858 Fax: 905-285-1852

July 13, 2012

Chief Keith Knott  
Curve Lake First Nation  
General Delivery  
Curve Lake, Ontario K0L 1R0

Dear Chief, Council and Members of Community;

**Re: Sol-luce Kingston Solar PV Energy Project (Project)  
Draft Renewable Energy Approval (REA)**

We would advise your community that Kingston Solar LP has issued a revised Draft Noise Study Report for the Sol-luce Kingston Solar PV Energy Project, located to the north and south of Unity Road and south of Mud Lake Road in the City of Kingston and Loyalist Township in Eastern Ontario.

The revised Draft Noise Study Report was made available for a 30-day review period on July 15, 2012. Hard copies of this report are available at the following locations:

- ✓ City of Kingston, City Hall, Clerk's Office, 216 Ontario Street, Ontario
- ✓ Kingston Frontenac Public Library – Isabel Turner Branch, 935 Gardiners Road, Kingston, Ontario
- ✓ Loyalist Township, 263 Main Street, Odessa, Ontario
- ✓ Odessa Branch Library, 102 Main Street, Odessa, Ontario
- ✓ County of Lennox-Addington, 97 Thomas Street East, Napanee, Ontario

An electronic copy of the revised Draft Noise Study Report is also available on Project website via the following link: [www.samsungrenewableenergy.ca/kingston](http://www.samsungrenewableenergy.ca/kingston)

A Noise Study Report was prepared to demonstrate that the facility is in compliance with regulatory requirements pertaining to the types of operations that may occur at the facility. The report was prepared in accordance with the MOE requirements as set out in NPC-232, NPC-233, and NPC-205. Revisions to this report conclude that sound levels from the proposed solar facility:

- I. will not impact adjacent vacant lots and that,
- II. will not combine with sound levels from other solar projects within 2 km.

Kingston Solar LP is pleased to continue its communications with Aboriginal communities with respect to this Project and would like to better understand your interest in this Project. We would be pleased to meet with you and representatives from your community to discuss the proposed Project and to learn about your community's interests and potential concerns. We will follow-up with a telephone call to you.

**KINGSTON SOLAR LP**

9<sup>th</sup> Fl, 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

Should you have any questions, please do not hesitate to contact me at: 905-501-5658.

Yours truly,

**KINGSTON SOLAR LP**

By: 

Name: Daniel Choi

Title: Manager

## NOTICE OF DRAFT REA DOCUMENT RELEASE

### Sol-Luce Kingston Solar PV Energy Project City of Kingston and Loyalist Township

#### Revised Draft Noise Study Report Available July 15, 2012 For 30 Day Public Review

Kingston Solar LP is planning to engage in a renewable energy project, which will require the issuance of a Renewable Energy Approval (REA). The proposed facility is to be known as the "Sol-luce Kingston Solar PV Energy Project". If approved, the Class 3 Solar Facility would have a total maximum name plate capacity of 100 MW. It is proposed that this facility will convert solar energy into electricity to be fed into the Hydro One electricity grid. The output from each of the solar sites will be collected and routed to an electrical substation, in the vicinity of Unity Road, which will interconnect to the Hydro One transmission lines. The Project lands will be a series of leased sites located to the north and south of Unity Road as well as south of Mud Lake Road in the City of Kingston and Loyalist Township. The Project lands will consist of approximately 261 hectares of land.

As part of the application for a Renewable Energy Approval, the environmental studies and draft reports have been completed for regulatory approval and made available for public inspection on June 15, 2012

Kingston Solar LP would like to inform your community that a revised version of the Draft Noise Study Report for the Sol-luce Kingston Solar PV Energy Project will be available for public inspection as of July 15, 2012 at the following locations:

#### Documents for Public Inspection:


- Proponent's website ([www.samsungrenewableenergy.ca/kingston](http://www.samsungrenewableenergy.ca/kingston))
- City of Kingston, City Hall, Clerk's Office, 216 Ontario Street, Ontario
- Kingston Frontenac Public Library- Isabel Turner Branch, 935 Gardiners Road, Kingston, Ontario
- Loyalist Township, 263 Main Street, Odessa, Ontario
- Odessa Branch Library, 102 Main Street, Odessa, Ontario
- County of Lennox-Addington, 97 Thomas Street East, Napanee, Ontario

The revised Draft Noise Study Report includes additional details on predicted sound levels at adjacent vacant lots and cumulative sound levels with other nearby renewable energy projects. The report concludes that predicted sound levels at adjacent vacant lots or resulting from the combination of sound levels from nearby projects do not exceed Ontario Ministry of Environment guidelines.

If you have any questions or concerns please contact the following:

A. José De Armas  
Manager, Project Development  
Kingston Solar LP  
55 Standish Court, 9th Floor  
Mississauga, ON L5R 4B2  
Tel: 905-501-5658  
Email: [Jose.DeArmas@samsung.com](mailto:Jose.DeArmas@samsung.com)

Rob Young, P.Geo., MCIP, RPP  
Associate Environmental Scientist  
AMEC Environment & Infrastructure  
160 Traders Blvd. East, Unit 110  
Mississauga, Ontario L4Z 3K7  
Tel: 905-568-2929  
Email: [rob.young@amec.com](mailto:rob.young@amec.com)



## KINGSTON SOLAR LP

9<sup>th</sup> Fl. 56 Standish Court, Mississauga, ON L5R 4E2 Canada Tel: 905-501-5658 Fax: 905-286-1852

July 13, 2012

Chief Sandra Moore  
Hiawatha First Nation  
123 Paudash Street  
Hiawatha, Ontario K0L 2G0

Dear Chief, Council and Members of Community;

**Re: Sol-luce Kingston Solar PV Energy Project (Project)  
Draft Renewable Energy Approval (REA)**

We would advise your community that Kingston Solar LP has issued a revised Draft Noise Study Report for the Sol-luce Kingston Solar PV Energy Project, located to the north and south of Unity Road and south of Mud Lake Road in the City of Kingston and Loyalist Township in Eastern Ontario.

The revised Draft Noise Study Report was made available for a 30-day review period on July 15, 2012. Hard copies of this report are available at the following locations:

- ✓ City of Kingston, City Hall, Clerk's Office, 216 Ontario Street, Ontario
- ✓ Kingston Frontenac Public Library – Isabel Turner Branch, 935 Gardiners Road, Kingston, Ontario
- ✓ Loyalist Township, 263 Main Street, Odessa, Ontario
- ✓ Odessa Branch Library, 102 Main Street, Odessa, Ontario
- ✓ County of Lennox-Addington, 97 Thomas Street East, Napanee, Ontario

An electronic copy of the revised Draft Noise Study Report is also available on Project website via the following link: [www.samsungrenewableenergy.ca/kingston](http://www.samsungrenewableenergy.ca/kingston)

A Noise Study Report was prepared to demonstrate that the facility is in compliance with regulatory requirements pertaining to the types of operations that may occur at the facility. The report was prepared in accordance with the MOE requirements as set out in NPC-232, NPC-233, and NPC-205. Revisions to this report conclude that sound levels from the proposed solar facility:

- I. will not impact adjacent vacant lots and that,
- II. will not combine with sound levels from other solar projects within 2 km.

Kingston Solar LP is pleased to continue its communications with Aboriginal communities with respect to this Project and would like to better understand your interest in this Project. We would be pleased to meet with you and representatives from your community to discuss the proposed Project and to learn about your community's interests and potential concerns. We will follow-up with a telephone call to you.

**KINGSTON SOLAR LP**

9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

Should you have any questions, please do not hesitate to contact me at: 905-501-5658.

Yours truly,

**KINGSTON SOLAR LP**

By:  \_\_\_\_\_

Name: Daniel Choi  
Title: Manager



## NOTICE OF DRAFT REA DOCUMENT RELEASE

### Sol-Luce Kingston Solar PV Energy Project City of Kingston and Loyalist Township

#### Revised Draft Noise Study Report Available July 15, 2012 For 30 Day Public Review

Kingston Solar LP is planning to engage in a renewable energy project, which will require the issuance of a Renewable Energy Approval (REA). The proposed facility is to be known as the "Sol-luce Kingston Solar PV Energy Project". If approved, the Class 3 Solar Facility would have a total maximum name plate capacity of 100 MW. It is proposed that this facility will convert solar energy into electricity to be fed into the Hydro One electricity grid. The output from each of the solar sites will be collected and routed to an electrical substation, in the vicinity of Unity Road, which will interconnect to the Hydro One transmission lines. The Project lands will be a series of leased sites located to the north and south of Unity Road as well as south of Mud Lake Road in the City of Kingston and Loyalist Township. The Project lands will consist of approximately 261 hectares of land.

As part of the application for a Renewable Energy Approval, the environmental studies and draft reports have been completed for regulatory approval and made available for public inspection on June 15, 2012

Kingston Solar LP would like to inform your community that a revised version of the Draft Noise Study Report for the Sol-luce Kingston Solar PV Energy Project will be available for public inspection as of July 15, 2012 at the following locations:

#### Documents for Public Inspection:


- Proponent's website ([www.samsungrenewableenergy.ca/kingston](http://www.samsungrenewableenergy.ca/kingston))
- City of Kingston, City Hall, Clerk's Office, 216 Ontario Street, Ontario
- Kingston Frontenac Public Library- Isabel Turner Branch, 935 Gardiners Road, Kingston, Ontario
- Loyalist Township, 263 Main Street, Odessa, Ontario
- Odessa Branch Library, 102 Main Street, Odessa, Ontario
- County of Lennox-Addington, 97 Thomas Street East, Napanee, Ontario

The revised Draft Noise Study Report includes additional details on predicted sound levels at adjacent vacant lots and cumulative sound levels with other nearby renewable energy projects. The report concludes that predicted sound levels at adjacent vacant lots or resulting from the combination of sound levels from nearby projects do not exceed Ontario Ministry of Environment guidelines.

If you have any questions or concerns please contact the following:

A. José De Armas  
Manager, Project Development  
Kingston Solar LP  
55 Standish Court, 9th Floor  
Mississauga, ON L5R 4B2  
Tel: 905-501-5658  
Email: [Jose.DeArmas@samsung.com](mailto:Jose.DeArmas@samsung.com)

Rob Young, P.Geo., MCIP, RPP  
Associate Environmental Scientist  
AMEC Environment & Infrastructure  
160 Traders Blvd. East, Unit 110  
Mississauga, Ontario L4Z 3K7  
Tel: 905-568-2929  
Email: [rob.young@amec.com](mailto:rob.young@amec.com)



July 13, 2012

Grand Chief Konrad Sioui  
Conseil de la Nation huronne-wendat  
255 Place Chef Michel Laveau  
Wendake, Quebec G0A 4V0

Dear Chief, Council and Members of Community;

**Re: Sol-luce Kingston Solar PV Energy Project (Project)  
Draft Renewable Energy Approval (REA)**

We would advise your community that Kingston Solar LP has issued a revised Draft Noise Study Report for the Sol-luce Kingston Solar PV Energy Project, located to the north and south of Unity Road and south of Mud Lake Road in the City of Kingston and Loyalist Township in Eastern Ontario.

The revised Draft Noise Study Report was made available for a 30-day review period on July 15, 2012. Hard copies of this report are available at the following locations:

- ✓ City of Kingston, City Hall, Clerk's Office, 216 Ontario Street, Ontario
- ✓ Kingston Frontenac Public Library – Isabel Turner Branch, 935 Gardiners Road, Kingston, Ontario
- ✓ Loyalist Township, 263 Main Street, Odessa, Ontario
- ✓ Odessa Branch Library, 102 Main Street, Odessa, Ontario
- ✓ County of Lennox-Addington, 97 Thomas Street East, Napanee, Ontario

An electronic copy of the revised Draft Noise Study Report is also available on Project website via the following link: [www.samsungrenewableenergy.ca/kingston](http://www.samsungrenewableenergy.ca/kingston)

A Noise Study Report was prepared to demonstrate that the facility is in compliance with regulatory requirements pertaining to the types of operations that may occur at the facility. The report was prepared in accordance with the MOE requirements as set out in NPC-232, NPC-233, and NPC-205. Revisions to this report conclude that sound levels from the proposed solar facility:

- I. will not impact adjacent vacant lots and that,
- II. will not combine with sound levels from other solar projects within 2 km.

Kingston Solar LP is pleased to continue its communications with Aboriginal communities with respect to this Project and would like to better understand your interest in this Project. We would be pleased to meet with you and representatives from your community to discuss the proposed Project and to learn about your community's interests and potential concerns. We will follow-up with a telephone call to you.

**KINGSTON SOLAR LP**

9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

Should you have any questions, please do not hesitate to contact me at: 905-501-5658.

Yours truly,

**KINGSTON SOLAR LP**

By:  \_\_\_\_\_

Name: Daniel Choi  
Title: Manager

## NOTICE OF DRAFT REA DOCUMENT RELEASE

### Sol-Luce Kingston Solar PV Energy Project City of Kingston and Loyalist Township

#### Revised Draft Noise Study Report Available July 15, 2012 For 30 Day Public Review

Kingston Solar LP is planning to engage in a renewable energy project, which will require the issuance of a Renewable Energy Approval (REA). The proposed facility is to be known as the "Sol-luce Kingston Solar PV Energy Project". If approved, the Class 3 Solar Facility would have a total maximum name plate capacity of 100 MW. It is proposed that this facility will convert solar energy into electricity to be fed into the Hydro One electricity grid. The output from each of the solar sites will be collected and routed to an electrical substation, in the vicinity of Unity Road, which will interconnect to the Hydro One transmission lines. The Project lands will be a series of leased sites located to the north and south of Unity Road as well as south of Mud Lake Road in the City of Kingston and Loyalist Township. The Project lands will consist of approximately 261 hectares of land.

As part of the application for a Renewable Energy Approval, the environmental studies and draft reports have been completed for regulatory approval and made available for public inspection on June 15, 2012

Kingston Solar LP would like to inform your community that a revised version of the Draft Noise Study Report for the Sol-luce Kingston Solar PV Energy Project will be available for public inspection as of July 15, 2012 at the following locations:

#### Documents for Public Inspection:


- Proponent's website ([www.samsungrenewableenergy.ca/kingston](http://www.samsungrenewableenergy.ca/kingston))
- City of Kingston, City Hall, Clerk's Office, 216 Ontario Street, Ontario
- Kingston Frontenac Public Library- Isabel Turner Branch, 935 Gardiners Road, Kingston, Ontario
- Loyalist Township, 263 Main Street, Odessa, Ontario
- Odessa Branch Library, 102 Main Street, Odessa, Ontario
- County of Lennox-Addington, 97 Thomas Street East, Napanee, Ontario

The revised Draft Noise Study Report includes additional details on predicted sound levels at adjacent vacant lots and cumulative sound levels with other nearby renewable energy projects. The report concludes that predicted sound levels at adjacent vacant lots or resulting from the combination of sound levels from nearby projects do not exceed Ontario Ministry of Environment guidelines.

If you have any questions or concerns please contact the following:

A. José De Armas  
Manager, Project Development  
Kingston Solar LP  
55 Standish Court, 9th Floor  
Mississauga, ON L5R 4B2  
Tel: 905-501-5658  
Email: [Jose.DeArmas@samsung.com](mailto:Jose.DeArmas@samsung.com)

Rob Young, P.Geo., MCIP, RPP  
Associate Environmental Scientist  
AMEC Environment & Infrastructure  
160 Traders Blvd. East, Unit 110  
Mississauga, Ontario L4Z 3K7  
Tel: 905-568-2929  
Email: [rob.young@amec.com](mailto:rob.young@amec.com)



## KINGSTON SOLAR LP

9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5558 Fax: 905-285-1852

July 13, 2012

Chief Kris Nahrgang  
Kawartha Nishnawbe First Nation  
P.O. Box 1432  
Lakefield, Ontario K0L 2H0

Dear Chief, Council and Members of Community;

**Re: Sol-luce Kingston Solar PV Energy Project (Project)  
Draft Renewable Energy Approval (REA)**

We would advise your community that Kingston Solar LP has issued a revised Draft Noise Study Report for the Sol-luce Kingston Solar PV Energy Project, located to the north and south of Unity Road and south of Mud Lake Road in the City of Kingston and Loyalist Township in Eastern Ontario.

The revised Draft Noise Study Report was made available for a 30-day review period on July 15, 2012. Hard copies of this report are available at the following locations:

- ✓ City of Kingston, City Hall, Clerk's Office, 216 Ontario Street, Ontario
- ✓ Kingston Frontenac Public Library – Isabel Turner Branch, 935 Gardiners Road, Kingston, Ontario
- ✓ Loyalist Township, 263 Main Street, Odessa, Ontario
- ✓ Odessa Branch Library, 102 Main Street, Odessa, Ontario
- ✓ County of Lennox-Addington, 97 Thomas Street East, Napanee, Ontario

An electronic copy of the revised Draft Noise Study Report is also available on Project website via the following link: [www.samsungrenewableenergy.ca/kingston](http://www.samsungrenewableenergy.ca/kingston)

A Noise Study Report was prepared to demonstrate that the facility is in compliance with regulatory requirements pertaining to the types of operations that may occur at the facility. The report was prepared in accordance with the MOE requirements as set out in NPC-232, NPC-233, and NPC-205. Revisions to this report conclude that sound levels from the proposed solar facility:

- I. will not impact adjacent vacant lots and that,
- II. will not combine with sound levels from other solar projects within 2 km.

Kingston Solar LP is pleased to continue its communications with Aboriginal communities with respect to this Project and would like to better understand your interest in this Project. We would be pleased to meet with you and representatives from your community to discuss the proposed Project and to learn about your community's interests and potential concerns. We will follow-up with a telephone call to you.

**KINGSTON SOLAR LP**

9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

Should you have any questions, please do not hesitate to contact me at: 905-501-5658.

Yours truly,

**KINGSTON SOLAR LP**

By: 

Name: Daniel Choi  
Title: Manager

## NOTICE OF DRAFT REA DOCUMENT RELEASE

### Sol-Luce Kingston Solar PV Energy Project City of Kingston and Loyalist Township

#### Revised Draft Noise Study Report Available July 15, 2012 For 30 Day Public Review

Kingston Solar LP is planning to engage in a renewable energy project, which will require the issuance of a Renewable Energy Approval (REA). The proposed facility is to be known as the "Sol-luce Kingston Solar PV Energy Project". If approved, the Class 3 Solar Facility would have a total maximum name plate capacity of 100 MW. It is proposed that this facility will convert solar energy into electricity to be fed into the Hydro One electricity grid. The output from each of the solar sites will be collected and routed to an electrical substation, in the vicinity of Unity Road, which will interconnect to the Hydro One transmission lines. The Project lands will be a series of leased sites located to the north and south of Unity Road as well as south of Mud Lake Road in the City of Kingston and Loyalist Township. The Project lands will consist of approximately 261 hectares of land.

As part of the application for a Renewable Energy Approval, the environmental studies and draft reports have been completed for regulatory approval and made available for public inspection on June 15, 2012

Kingston Solar LP would like to inform your community that a revised version of the Draft Noise Study Report for the Sol-luce Kingston Solar PV Energy Project will be available for public inspection as of July 15, 2012 at the following locations:

#### Documents for Public Inspection:


- Proponent's website ([www.samsungrenewableenergy.ca/kingston](http://www.samsungrenewableenergy.ca/kingston))
- City of Kingston, City Hall, Clerk's Office, 216 Ontario Street, Ontario
- Kingston Frontenac Public Library- Isabel Turner Branch, 935 Gardiners Road, Kingston, Ontario
- Loyalist Township, 263 Main Street, Odessa, Ontario
- Odessa Branch Library, 102 Main Street, Odessa, Ontario
- County of Lennox-Addington, 97 Thomas Street East, Napanee, Ontario

The revised Draft Noise Study Report includes additional details on predicted sound levels at adjacent vacant lots and cumulative sound levels with other nearby renewable energy projects. The report concludes that predicted sound levels at adjacent vacant lots or resulting from the combination of sound levels from nearby projects do not exceed Ontario Ministry of Environment guidelines.

If you have any questions or concerns please contact the following:

A. José De Armas  
Manager, Project Development  
Kingston Solar LP  
55 Standish Court, 9th Floor  
Mississauga, ON L5R 4B2  
Tel: 905-501-5658  
Email: [Jose.DeArmas@samsung.com](mailto:Jose.DeArmas@samsung.com)

Rob Young, P.Geo., MCIP, RPP  
Associate Environmental Scientist  
AMEC Environment & Infrastructure  
160 Traders Blvd. East, Unit 110  
Mississauga, Ontario L4Z 3K7  
Tel: 905-568-2929  
Email: [rob.young@amec.com](mailto:rob.young@amec.com)



## KINGSTON SOLAR LP

9<sup>th</sup> Fl, 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5656 Fax: 905-285-1852

July 13, 2012

Chief Tracy Gauthier  
Mississaugas of Scugog Island First Nation  
22521 Island Road  
Port Perry, Ontario L9L 1B6

Dear Chief, Council and Members of Community;

**Re: Sol-luce Kingston Solar PV Energy Project (Project)  
Draft Renewable Energy Approval (REA)**

We would advise your community that Kingston Solar LP has issued a revised Draft Noise Study Report for the Sol-luce Kingston Solar PV Energy Project, located to the north and south of Unity Road and south of Mud Lake Road in the City of Kingston and Loyalist Township in Eastern Ontario.

The revised Draft Noise Study Report was made available for a 30-day review period on July 15, 2012. Hard copies of this report are available at the following locations:

- ✓ City of Kingston, City Hall, Clerk's Office, 216 Ontario Street, Ontario
- ✓ Kingston Frontenac Public Library – Isabel Turner Branch, 935 Gardiners Road, Kingston, Ontario
- ✓ Loyalist Township, 263 Main Street, Odessa, Ontario
- ✓ Odessa Branch Library, 102 Main Street, Odessa, Ontario
- ✓ County of Lennox-Addington, 97 Thomas Street East, Napanee, Ontario

An electronic copy of the revised Draft Noise Study Report is also available on Project website via the following link: [www.samsungrenewableenergy.ca/kingston](http://www.samsungrenewableenergy.ca/kingston)

A Noise Study Report was prepared to demonstrate that the facility is in compliance with regulatory requirements pertaining to the types of operations that may occur at the facility. The report was prepared in accordance with the MOE requirements as set out in NPC-232, NPC-233, and NPC-205. Revisions to this report conclude that sound levels from the proposed solar facility:

- I. will not impact adjacent vacant lots and that,
- II. will not combine with sound levels from other solar projects within 2 km.

Kingston Solar LP is pleased to continue its communications with Aboriginal communities with respect to this Project and would like to better understand your interest in this Project. We would be pleased to meet with you and representatives from your community to discuss the proposed Project and to learn about your community's interests and potential concerns. We will follow-up with a telephone call to you.



**KINGSTON SOLAR LP**

9<sup>th</sup> Fl, 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

Should you have any questions, please do not hesitate to contact me at: 905-501-5658.

Yours truly,

**KINGSTON SOLAR LP**

By: 

Name: Daniel Choi  
Title: Manager

## NOTICE OF DRAFT REA DOCUMENT RELEASE

### Sol-Luce Kingston Solar PV Energy Project City of Kingston and Loyalist Township

#### Revised Draft Noise Study Report Available July 15, 2012 For 30 Day Public Review

Kingston Solar LP is planning to engage in a renewable energy project, which will require the issuance of a Renewable Energy Approval (REA). The proposed facility is to be known as the "Sol-luce Kingston Solar PV Energy Project". If approved, the Class 3 Solar Facility would have a total maximum name plate capacity of 100 MW. It is proposed that this facility will convert solar energy into electricity to be fed into the Hydro One electricity grid. The output from each of the solar sites will be collected and routed to an electrical substation, in the vicinity of Unity Road, which will interconnect to the Hydro One transmission lines. The Project lands will be a series of leased sites located to the north and south of Unity Road as well as south of Mud Lake Road in the City of Kingston and Loyalist Township. The Project lands will consist of approximately 261 hectares of land.

As part of the application for a Renewable Energy Approval, the environmental studies and draft reports have been completed for regulatory approval and made available for public inspection on June 15, 2012

Kingston Solar LP would like to inform your community that a revised version of the Draft Noise Study Report for the Sol-luce Kingston Solar PV Energy Project will be available for public inspection as of July 15, 2012 at the following locations:

#### Documents for Public Inspection:


- Proponent's website ([www.samsungrenewableenergy.ca/kingston](http://www.samsungrenewableenergy.ca/kingston))
- City of Kingston, City Hall, Clerk's Office, 216 Ontario Street, Ontario
- Kingston Frontenac Public Library- Isabel Turner Branch, 935 Gardiners Road, Kingston, Ontario
- Loyalist Township, 263 Main Street, Odessa, Ontario
- Odessa Branch Library, 102 Main Street, Odessa, Ontario
- County of Lennox-Addington, 97 Thomas Street East, Napanee, Ontario

The revised Draft Noise Study Report includes additional details on predicted sound levels at adjacent vacant lots and cumulative sound levels with other nearby renewable energy projects. The report concludes that predicted sound levels at adjacent vacant lots or resulting from the combination of sound levels from nearby projects do not exceed Ontario Ministry of Environment guidelines.

If you have any questions or concerns please contact the following:

A. José De Armas  
Manager, Project Development  
Kingston Solar LP  
55 Standish Court, 9th Floor  
Mississauga, ON L5R 4B2  
Tel: 905-501-5658  
Email: [Jose.DeArmas@samsung.com](mailto:Jose.DeArmas@samsung.com)

Rob Young, P.Geo., MCIP, RPP  
Associate Environmental Scientist  
AMEC Environment & Infrastructure  
160 Traders Blvd. East, Unit 110  
Mississauga, Ontario L4Z 3K7  
Tel: 905-568-2929  
Email: [rob.young@amec.com](mailto:rob.young@amec.com)



July 13, 2012

Métis Nation of Ontario  
500 Old St. Patrick Street, Unit 3  
Ottawa, Ontario K1N 9G4

Dear Métis Nation of Ontario;

**Re: Sol-luce Kingston Solar PV Energy Project (Project)  
Draft Renewable Energy Approval (REA)**

We would advise your community that Kingston Solar LP has issued a revised Draft Noise Study Report for the Sol-luce Kingston Solar PV Energy Project, located to the north and south of Unity Road and south of Mud Lake Road in the City of Kingston and Loyalist Township in Eastern Ontario.

The revised Draft Noise Study Report was made available for a 30-day review period on July 15, 2012. Hard copies of this report are available at the following locations:

- ✓ City of Kingston, City Hall, Clerk's Office, 216 Ontario Street, Ontario
- ✓ Kingston Frontenac Public Library – Isabel Turner Branch, 935 Gardiners Road, Kingston, Ontario
- ✓ Loyalist Township, 263 Main Street, Odessa, Ontario
- ✓ Odessa Branch Library, 102 Main Street, Odessa, Ontario
- ✓ County of Lennox-Addington, 97 Thomas Street East, Napanee, Ontario

An electronic copy of the revised Draft Noise Study Report is also available on Project website via the following link: [www.samsungrenewableenergy.ca/kingston](http://www.samsungrenewableenergy.ca/kingston)

A Noise Study Report was prepared to demonstrate that the facility is in compliance with regulatory requirements pertaining to the types of operations that may occur at the facility. The report was prepared in accordance with the MOE requirements as set out in NPC-232, NPC-233, and NPC-205. Revisions to this report conclude that sound levels from the proposed solar facility:

- I. will not impact adjacent vacant lots and that,
- II. will not combine with sound levels from other solar projects within 2 km.

Kingston Solar LP is pleased to continue its communications with Aboriginal communities with respect to this Project and would like to better understand your interest in this Project. We would be pleased to meet with you and representatives from your community to discuss the proposed Project and to learn about your community's interests and potential concerns. We will follow-up with a telephone call to you.

**KINGSTON SOLAR LP**

9<sup>th</sup> Fl, 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

Should you have any questions, please do not hesitate to contact me at: 905-501-5658.

Yours truly,

**KINGSTON SOLAR LP**

By: 

Name: Daniel Choi  
Title: Manager

## NOTICE OF DRAFT REA DOCUMENT RELEASE

### Sol-Luce Kingston Solar PV Energy Project City of Kingston and Loyalist Township

#### Revised Draft Noise Study Report Available July 15, 2012 For 30 Day Public Review

Kingston Solar LP is planning to engage in a renewable energy project, which will require the issuance of a Renewable Energy Approval (REA). The proposed facility is to be known as the "Sol-luce Kingston Solar PV Energy Project". If approved, the Class 3 Solar Facility would have a total maximum name plate capacity of 100 MW. It is proposed that this facility will convert solar energy into electricity to be fed into the Hydro One electricity grid. The output from each of the solar sites will be collected and routed to an electrical substation, in the vicinity of Unity Road, which will interconnect to the Hydro One transmission lines. The Project lands will be a series of leased sites located to the north and south of Unity Road as well as south of Mud Lake Road in the City of Kingston and Loyalist Township. The Project lands will consist of approximately 261 hectares of land.

As part of the application for a Renewable Energy Approval, the environmental studies and draft reports have been completed for regulatory approval and made available for public inspection on June 15, 2012

Kingston Solar LP would like to inform your community that a revised version of the Draft Noise Study Report for the Sol-luce Kingston Solar PV Energy Project will be available for public inspection as of July 15, 2012 at the following locations:

#### Documents for Public Inspection:


- Proponent's website ([www.samsungrenewableenergy.ca/kingston](http://www.samsungrenewableenergy.ca/kingston))
- City of Kingston, City Hall, Clerk's Office, 216 Ontario Street, Ontario
- Kingston Frontenac Public Library- Isabel Turner Branch, 935 Gardiners Road, Kingston, Ontario
- Loyalist Township, 263 Main Street, Odessa, Ontario
- Odessa Branch Library, 102 Main Street, Odessa, Ontario
- County of Lennox-Addington, 97 Thomas Street East, Napanee, Ontario

The revised Draft Noise Study Report includes additional details on predicted sound levels at adjacent vacant lots and cumulative sound levels with other nearby renewable energy projects. The report concludes that predicted sound levels at adjacent vacant lots or resulting from the combination of sound levels from nearby projects do not exceed Ontario Ministry of Environment guidelines.

If you have any questions or concerns please contact the following:

A. José De Armas  
Manager, Project Development  
Kingston Solar LP  
55 Standish Court, 9th Floor  
Mississauga, ON L5R 4B2  
Tel: 905-501-5658  
Email: [Jose.DeArmas@samsung.com](mailto:Jose.DeArmas@samsung.com)

Rob Young, P.Geo., MCIP, RPP  
Associate Environmental Scientist  
AMEC Environment & Infrastructure  
160 Traders Blvd. East, Unit 110  
Mississauga, Ontario L4Z 3K7  
Tel: 905-568-2929  
Email: [rob.young@amec.com](mailto:rob.young@amec.com)



July 13, 2012

Grand Chief Michael Mitchell  
Mohawk Council of Akwesasne  
P.O. Box 579  
Cornwall, Ontario K6H 5T3

Dear Chief, Council and Members of Community;

**Re: Sol-luce Kingston Solar PV Energy Project (Project)  
Draft Renewable Energy Approval (REA)**

We would advise your community that Kingston Solar LP has issued a revised Draft Noise Study Report for the Sol-luce Kingston Solar PV Energy Project, located to the north and south of Unity Road and south of Mud Lake Road in the City of Kingston and Loyalist Township in Eastern Ontario.

The revised Draft Noise Study Report was made available for a 30-day review period on July 15, 2012. Hard copies of this report are available at the following locations:

- ✓ City of Kingston, City Hall, Clerk's Office, 216 Ontario Street, Ontario
- ✓ Kingston Frontenac Public Library – Isabel Turner Branch, 935 Gardiners Road, Kingston, Ontario
- ✓ Loyalist Township, 263 Main Street, Odessa, Ontario
- ✓ Odessa Branch Library, 102 Main Street, Odessa, Ontario
- ✓ County of Lennox-Addington, 97 Thomas Street East, Napanee, Ontario

An electronic copy of the revised Draft Noise Study Report is also available on Project website via the following link: [www.samsungrenewableenergy.ca/kingston](http://www.samsungrenewableenergy.ca/kingston)

A Noise Study Report was prepared to demonstrate that the facility is in compliance with regulatory requirements pertaining to the types of operations that may occur at the facility. The report was prepared in accordance with the MOE requirements as set out in NPC-232, NPC-233, and NPC-205. Revisions to this report conclude that sound levels from the proposed solar facility:

- I. will not impact adjacent vacant lots and that,
- II. will not combine with sound levels from other solar projects within 2 km.

Kingston Solar LP is pleased to continue its communications with Aboriginal communities with respect to this Project and would like to better understand your interest in this Project. We would be pleased to meet with you and representatives from your community to discuss the proposed Project and to learn about your community's interests and potential concerns. We will follow-up with a telephone call to you.

**KINGSTON SOLAR LP**

9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

Should you have any questions, please do not hesitate to contact me at: 905-501-5658.

Yours truly,

**KINGSTON SOLAR LP**

By: 

Name: Daniel Choi  
Title: Manager

## NOTICE OF DRAFT REA DOCUMENT RELEASE

### Sol-Luce Kingston Solar PV Energy Project City of Kingston and Loyalist Township

#### Revised Draft Noise Study Report Available July 15, 2012 For 30 Day Public Review

Kingston Solar LP is planning to engage in a renewable energy project, which will require the issuance of a Renewable Energy Approval (REA). The proposed facility is to be known as the "Sol-luce Kingston Solar PV Energy Project". If approved, the Class 3 Solar Facility would have a total maximum name plate capacity of 100 MW. It is proposed that this facility will convert solar energy into electricity to be fed into the Hydro One electricity grid. The output from each of the solar sites will be collected and routed to an electrical substation, in the vicinity of Unity Road, which will interconnect to the Hydro One transmission lines. The Project lands will be a series of leased sites located to the north and south of Unity Road as well as south of Mud Lake Road in the City of Kingston and Loyalist Township. The Project lands will consist of approximately 261 hectares of land.

As part of the application for a Renewable Energy Approval, the environmental studies and draft reports have been completed for regulatory approval and made available for public inspection on June 15, 2012

Kingston Solar LP would like to inform your community that a revised version of the Draft Noise Study Report for the Sol-luce Kingston Solar PV Energy Project will be available for public inspection as of July 15, 2012 at the following locations:

#### Documents for Public Inspection:


- Proponent's website ([www.samsungrenewableenergy.ca/kingston](http://www.samsungrenewableenergy.ca/kingston))
- City of Kingston, City Hall, Clerk's Office, 216 Ontario Street, Ontario
- Kingston Frontenac Public Library- Isabel Turner Branch, 935 Gardiners Road, Kingston, Ontario
- Loyalist Township, 263 Main Street, Odessa, Ontario
- Odessa Branch Library, 102 Main Street, Odessa, Ontario
- County of Lennox-Addington, 97 Thomas Street East, Napanee, Ontario

The revised Draft Noise Study Report includes additional details on predicted sound levels at adjacent vacant lots and cumulative sound levels with other nearby renewable energy projects. The report concludes that predicted sound levels at adjacent vacant lots or resulting from the combination of sound levels from nearby projects do not exceed Ontario Ministry of Environment guidelines.

If you have any questions or concerns please contact the following:

A. José De Armas  
Manager, Project Development  
Kingston Solar LP  
55 Standish Court, 9th Floor  
Mississauga, ON L5R 4B2  
Tel: 905-501-5658  
Email: [Jose.DeArmas@samsung.com](mailto:Jose.DeArmas@samsung.com)

Rob Young, P.Geo., MCIP, RPP  
Associate Environmental Scientist  
AMEC Environment & Infrastructure  
160 Traders Blvd. East, Unit 110  
Mississauga, Ontario L4Z 3K7  
Tel: 905-568-2929  
Email: [rob.young@amec.com](mailto:rob.young@amec.com)





## KINGSTON SOLAR LP

9<sup>th</sup> Fl. 55, Standish Court, Mississauga, ON L5R 4B2, Canada Tel: 905-601-5658 Fax: 905-286-1662

July 13, 2012

Chief Doreen Davis  
Shabot Obaadjiwan First Nation  
29649 Hwy 7  
Arden, Ontario K0H 1B0

Dear Chief, Council and Members of Community;

**Re: Sol-luce Kingston Solar PV Energy Project (Project)  
Draft Renewable Energy Approval (REA)**

We would advise your community that Kingston Solar LP has issued a revised Draft Noise Study Report for the Sol-luce Kingston Solar PV Energy Project, located to the north and south of Unity Road and south of Mud Lake Road in the City of Kingston and Loyalist Township in Eastern Ontario.

The revised Draft Noise Study Report was made available for a 30-day review period on July 15, 2012. Hard copies of this report are available at the following locations:

- ✓ City of Kingston, City Hall, Clerk's Office, 216 Ontario Street, Ontario
- ✓ Kingston Frontenac Public Library – Isabel Turner Branch, 935 Gardiners Road, Kingston, Ontario
- ✓ Loyalist Township, 263 Main Street, Odessa, Ontario
- ✓ Odessa Branch Library, 102 Main Street, Odessa, Ontario
- ✓ County of Lennox-Addington, 97 Thomas Street East, Napanee, Ontario

An electronic copy of the revised Draft Noise Study Report is also available on Project website via the following link: [www.samsungrenewableenergy.ca/kingston](http://www.samsungrenewableenergy.ca/kingston)

A Noise Study Report was prepared to demonstrate that the facility is in compliance with regulatory requirements pertaining to the types of operations that may occur at the facility. The report was prepared in accordance with the MOE requirements as set out in NPC-232, NPC-233, and NPC-205. Revisions to this report conclude that sound levels from the proposed solar facility:

- I. will not impact adjacent vacant lots and that,
- II. will not combine with sound levels from other solar projects within 2 km.

Kingston Solar LP is pleased to continue its communications with Aboriginal communities with respect to this Project and would like to better understand your interest in this Project. We would be pleased to meet with you and representatives from your community to discuss the proposed Project and to learn about your community's interests and potential concerns. We will follow-up with a telephone call to you.

**KINGSTON SOLAR LP**

9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

Should you have any questions, please do not hesitate to contact me at: 905-501-5658.

Yours truly,

**KINGSTON SOLAR LP**

By: 

Name: Daniel Choi

Title: Manager

## NOTICE OF DRAFT REA DOCUMENT RELEASE

### Sol-Luce Kingston Solar PV Energy Project City of Kingston and Loyalist Township

#### Revised Draft Noise Study Report Available July 15, 2012 For 30 Day Public Review

Kingston Solar LP is planning to engage in a renewable energy project, which will require the issuance of a Renewable Energy Approval (REA). The proposed facility is to be known as the "Sol-luce Kingston Solar PV Energy Project". If approved, the Class 3 Solar Facility would have a total maximum name plate capacity of 100 MW. It is proposed that this facility will convert solar energy into electricity to be fed into the Hydro One electricity grid. The output from each of the solar sites will be collected and routed to an electrical substation, in the vicinity of Unity Road, which will interconnect to the Hydro One transmission lines. The Project lands will be a series of leased sites located to the north and south of Unity Road as well as south of Mud Lake Road in the City of Kingston and Loyalist Township. The Project lands will consist of approximately 261 hectares of land.

As part of the application for a Renewable Energy Approval, the environmental studies and draft reports have been completed for regulatory approval and made available for public inspection on June 15, 2012

Kingston Solar LP would like to inform your community that a revised version of the Draft Noise Study Report for the Sol-luce Kingston Solar PV Energy Project will be available for public inspection as of July 15, 2012 at the following locations:

#### Documents for Public Inspection:


- Proponent's website ([www.samsungrenewableenergy.ca/kingston](http://www.samsungrenewableenergy.ca/kingston))
- City of Kingston, City Hall, Clerk's Office, 216 Ontario Street, Ontario
- Kingston Frontenac Public Library- Isabel Turner Branch, 935 Gardiners Road, Kingston, Ontario
- Loyalist Township, 263 Main Street, Odessa, Ontario
- Odessa Branch Library, 102 Main Street, Odessa, Ontario
- County of Lennox-Addington, 97 Thomas Street East, Napanee, Ontario

The revised Draft Noise Study Report includes additional details on predicted sound levels at adjacent vacant lots and cumulative sound levels with other nearby renewable energy projects. The report concludes that predicted sound levels at adjacent vacant lots or resulting from the combination of sound levels from nearby projects do not exceed Ontario Ministry of Environment guidelines.

If you have any questions or concerns please contact the following:

A. José De Armas  
Manager, Project Development  
Kingston Solar LP  
55 Standish Court, 9th Floor  
Mississauga, ON L5R 4B2  
Tel: 905-501-5658  
Email: [Jose.DeArmas@samsung.com](mailto:Jose.DeArmas@samsung.com)

Rob Young, P.Geo., MCIP, RPP  
Associate Environmental Scientist  
AMEC Environment & Infrastructure  
160 Traders Blvd. East, Unit 110  
Mississauga, Ontario L4Z 3K7  
Tel: 905-568-2929  
Email: [rob.young@amec.com](mailto:rob.young@amec.com)



July 13, 2012

Chief R. Donald Maracle  
Mohawks of the Bay of Quinte  
Tyendinaga Mohawk Council  
13 Old York Rd  
Tyendinaga Mohawk Territory, Ontario KOJ 1X0

Dear Chief, Council and Members of Community;

**Re: Sol-luce Kingston Solar PV Energy Project (Project)  
Draft Renewable Energy Approval (REA)**

We would advise your community that Kingston Solar LP has issued a revised Draft Noise Study Report for the Sol-luce Kingston Solar PV Energy Project, located to the north and south of Unity Road and south of Mud Lake Road in the City of Kingston and Loyalist Township in Eastern Ontario.

The revised Draft Noise Study Report was made available for a 30-day review period on July 15, 2012. Hard copies of this report are available at the following locations:

- ✓ City of Kingston, City Hall, Clerk's Office, 216 Ontario Street, Ontario
- ✓ Kingston Frontenac Public Library – Isabel Turner Branch, 935 Gardiners Road, Kingston, Ontario
- ✓ Loyalist Township, 263 Main Street, Odessa, Ontario
- ✓ Odessa Branch Library, 102 Main Street, Odessa, Ontario
- ✓ County of Lennox-Addington, 97 Thomas Street East, Napanee, Ontario

An electronic copy of the revised Draft Noise Study Report is also available on Project website via the following link: [www.samsungrenewableenergy.ca/kingston](http://www.samsungrenewableenergy.ca/kingston)

A Noise Study Report was prepared to demonstrate that the facility is in compliance with regulatory requirements pertaining to the types of operations that may occur at the facility. The report was prepared in accordance with the MOE requirements as set out in NPC-232, NPC-233, and NPC-205. Revisions to this report conclude that sound levels from the proposed solar facility:

- I. will not impact adjacent vacant lots and that,
- II. will not combine with sound levels from other solar projects within 2 km.

Kingston Solar LP is pleased to continue its communications with Aboriginal communities with respect to this Project and would like to better understand your interest in this Project. We would be pleased to meet with you and representatives from your community to discuss the proposed Project and to learn about your community's interests and potential concerns. We will follow-up with a telephone call to you.

**KINGSTON SOLAR LP**

9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada Tel: 905-501-5658 Fax: 905-285-1852

Should you have any questions, please do not hesitate to contact me at: 905-501-5658.

Yours truly,

**KINGSTON SOLAR LP**

By: 

Name: Daniel Choi  
Title: Manager

## NOTICE OF DRAFT REA DOCUMENT RELEASE

### Sol-Luce Kingston Solar PV Energy Project City of Kingston and Loyalist Township

#### Revised Draft Noise Study Report Available July 15, 2012 For 30 Day Public Review

Kingston Solar LP is planning to engage in a renewable energy project, which will require the issuance of a Renewable Energy Approval (REA). The proposed facility is to be known as the "Sol-luce Kingston Solar PV Energy Project". If approved, the Class 3 Solar Facility would have a total maximum name plate capacity of 100 MW. It is proposed that this facility will convert solar energy into electricity to be fed into the Hydro One electricity grid. The output from each of the solar sites will be collected and routed to an electrical substation, in the vicinity of Unity Road, which will interconnect to the Hydro One transmission lines. The Project lands will be a series of leased sites located to the north and south of Unity Road as well as south of Mud Lake Road in the City of Kingston and Loyalist Township. The Project lands will consist of approximately 261 hectares of land.

As part of the application for a Renewable Energy Approval, the environmental studies and draft reports have been completed for regulatory approval and made available for public inspection on June 15, 2012

Kingston Solar LP would like to inform your community that a revised version of the Draft Noise Study Report for the Sol-luce Kingston Solar PV Energy Project will be available for public inspection as of July 15, 2012 at the following locations:

#### Documents for Public Inspection:


- Proponent's website ([www.samsungrenewableenergy.ca/kingston](http://www.samsungrenewableenergy.ca/kingston))
- City of Kingston, City Hall, Clerk's Office, 216 Ontario Street, Ontario
- Kingston Frontenac Public Library- Isabel Turner Branch, 935 Gardiners Road, Kingston, Ontario
- Loyalist Township, 263 Main Street, Odessa, Ontario
- Odessa Branch Library, 102 Main Street, Odessa, Ontario
- County of Lennox-Addington, 97 Thomas Street East, Napanee, Ontario

The revised Draft Noise Study Report includes additional details on predicted sound levels at adjacent vacant lots and cumulative sound levels with other nearby renewable energy projects. The report concludes that predicted sound levels at adjacent vacant lots or resulting from the combination of sound levels from nearby projects do not exceed Ontario Ministry of Environment guidelines.

If you have any questions or concerns please contact the following:

A. José De Armas  
Manager, Project Development  
Kingston Solar LP  
55 Standish Court, 9th Floor  
Mississauga, ON L5R 4B2  
Tel: 905-501-5658  
Email: [Jose.DeArmas@samsung.com](mailto:Jose.DeArmas@samsung.com)

Rob Young, P.Geo., MCIP, RPP  
Associate Environmental Scientist  
AMEC Environment & Infrastructure  
160 Traders Blvd. East, Unit 110  
Mississauga, Ontario L4Z 3K7  
Tel: 905-568-2929  
Email: [rob.young@amec.com](mailto:rob.young@amec.com)





ALDERVILLE FIRST NATION  
P.O. Box 46  
11696 Second Line  
Roseneath, Ontario K0K 2X0

Chief:	James R. Marsden
Councillor:	Dave Mowat
Councillor:	Pam Crowe
Councillor:	Wes Marsden Jr.
Councillor:	Randall Smoke

August 2<sup>nd</sup>, 2012

Att: A. Jose' De Armas

**Re: Second Notice of Final Open House for the Sol-Luce Kingston Solar PV Energy Project**

Dear Jose',

Thank you for your consultation request to Alderville First Nation regarding the **Sole-Luce Kingston Solar PV Energy Project**, which is being proposed within our Traditional and Treaty Territory. We appreciate the fact that the **City of Kingston**, recognizes the importance of First Nations Consultation and that your office is conforming to the requirements within the Duty to Consult Process.

As per the Alderville First Nation Consultation Protocol, your proposed project is deemed a level 3, having minimal potential to impact our First Nations' rights, therefore, please keep Alderville apprised of any archaeological findings, burial sites or any environmental impacts, should any occur.

Although we may not always have representation at all stakeholders meetings, it is our wish to be kept apprised throughout all phases of this project. I can be contacted at the mailing address above or electronically via email, at the email address below.

In good faith and respect,

Dave Simpson  
Lands and Resources  
Communications Officer  
Alderville First Nation

[dsimpson@aldervillefirstnation.ca](mailto:dsimpson@aldervillefirstnation.ca)

Tele: (905) 352-2662  
Fax: (905) 352-3242

**KINGSTON SOLAR LP**

3<sup>rd</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada TEL: 905-601-5658 FAX: 905-285-1852

July 27, 2012

Chief James Marsden  
Alderville First Nation  
Roseneath  
11696 2nd Line, P.O. Box 46  
Alderville, Ontario, K0K 2X0

Dear Chief, Council and Members of Community;

**Re: Second Notice of Final Open House for the Sol-Luce Kingston Solar PV Energy Project**

Kingston Solar LP is planning to engage in a renewable energy project. The proposed facility is to be known as the "Sol-Luce Kingston Solar PV Energy Project" (Project). The proposed Project is subject to the provisions of the *Environmental Protection Act* (the "Act") Part V.0.1 and Ontario Regulation 359/09 ("**Regulation**"). If approved, the proposed Class 3 Solar Facility (Project) would have a total maximum name plate capacity of 100 MW. It is proposed that this facility will convert solar energy into electricity to be fed into the Hydro One electricity grid. The output from each of the solar sites will be collected and routed to an electrical substation, in the vicinity of Unity Road, which will interconnect to the Hydro One transmission lines. The Project lands will be a series of leased sites located to the north and south of Unity Road as well as south of Mud Lake Road in the City of Kingston and Loyalist Township. The Project will cover an area of approximately 261 hectares.

As part of the application for a Renewable Energy Approval, the environmental studies and draft reports have been completed for regulatory approval and Kingston Solar LP is consulting with the public, Aboriginal communities and interested agencies for comments and feedback on these reports. The invitation and details of the final open house and where to review the Draft REA documents detailing the various studies conducted are provided in the attached Second Notice of Final Open House (Notice).

If you have an interest in this Project, please contact us as per information provided in the Notice.

Sincerely,

**KINGSTON SOLAR LP**

By: 

Name: Lee Jeong Tack  
Title: President



**KINGSTON SOLAR LP**

9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada TEL: 905-501-5650 FAX: 905-285-1852

July 27, 2012

Chief Kirby Whiteduck  
Algonquins of Pikwàkanagàn  
1657A Mishomis Inamo, Pikwàkanagàn  
Golden Lake, Ontario, K0J 1X0

Dear Chief, Council and Members of Community;

**Re: Second Notice of Final Open House for the Sol-Luce Kingston Solar PV Energy Project**

Kingston Solar LP is planning to engage in a renewable energy project. The proposed facility is to be known as the "Sol-luce Kingston Solar PV Energy Project" (Project). The proposed Project is subject to the provisions of the *Environmental Protection Act* (the "Act") Part V.0.1 and Ontario Regulation 359/09 ("Regulation"). If approved, the proposed Class 3 Solar Facility (Project) would have a total maximum name plate capacity of 100 MW. It is proposed that this facility will convert solar energy into electricity to be fed into the Hydro One electricity grid. The output from each of the solar sites will be collected and routed to an electrical substation, in the vicinity of Unity Road, which will interconnect to the Hydro One transmission lines. The Project lands will be a series of leased sites located to the north and south of Unity Road as well as south of Mud Lake Road in the City of Kingston and Loyalist Township. The Project will cover an area of approximately 261 hectares.

As part of the application for a Renewable Energy Approval, the environmental studies and draft reports have been completed for regulatory approval and Kingston Solar LP is consulting with the public, Aboriginal communities and interested agencies for comments and feedback on these reports. The invitation and details of the final open house and where to review the Draft REA documents detailing the various studies conducted are provided in the attached Second Notice of Final Open House (Notice).

If you have an interest in this Project, please contact us as per information provided in the Notice.

Sincerely,

**KINGSTON SOLAR LP**

By: 

Name: Lee Jeong Tack  
Title: President

**KINGSTON SOLAR LP**

9<sup>th</sup> Fl. 65 Standish Court, Mississauga, ON L5R 4B2 Canada TEL: 905-601-5666 FAX: 905-285-1852

July 27, 2012

Chief Paula Sherman  
Ardoch Algonquin First Nation  
1045 Canoe Path  
Ardoch, Ontario, K0H 1C0

Dear Chief, Council and Members of Community;

**Re: Second Notice of Final Open House for the Sol-Luce Kingston Solar PV Energy Project**

Kingston Solar LP is planning to engage in a renewable energy project. The proposed facility is to be known as the "Sol-duce Kingston Solar PV Energy Project" (Project). The proposed Project is subject to the provisions of the *Environmental Protection Act* (the "Act") Part V.0.1 and Ontario Regulation 359/09 ("Regulation"). If approved, the proposed Class 3 Solar Facility (Project) would have a total maximum name plate capacity of 100 MW. It is proposed that this facility will convert solar energy into electricity to be fed into the Hydro One electricity grid. The output from each of the solar sites will be collected and routed to an electrical substation, in the vicinity of Unity Road, which will interconnect to the Hydro One transmission lines. The Project lands will be a series of leased sites located to the north and south of Unity Road as well as south of Mud Lake Road in the City of Kingston and Loyalist Township. The Project will cover an area of approximately 261 hectares.

As part of the application for a Renewable Energy Approval, the environmental studies and draft reports have been completed for regulatory approval and Kingston Solar LP is consulting with the public, Aboriginal communities and interested agencies for comments and feedback on these reports. The invitation and details of the final open house and where to review the Draft REA documents detailing the various studies conducted are provided in the attached Second Notice of Final Open House (Notice).

If you have an interest in this Project, please contact us as per information provided in the Notice.

Sincerely,

**KINGSTON SOLAR LP**

By: \_\_\_\_\_

Name: Lee Jeong Tack  
Title: President

**KINGSTON SOLAR LP**

8<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada TEL: 905-501-5658 FAX: 905-285-1852

July 27, 2012

Chief Keith Knott  
Curve Lake First Nation  
General Delivery  
Curve Lake, Ontario, K0L 1R0

Dear Chief, Council and Members of Community;

**Re: Second Notice of Final Open House for the Sol-Luce Kingston Solar PV Energy Project**

Kingston Solar LP is planning to engage in a renewable energy project. The proposed facility is to be known as the "Sol-duce Kingston Solar PV Energy Project" (Project). The proposed Project is subject to the provisions of the *Environmental Protection Act* (the "Act") Part V.0.1 and Ontario Regulation 359/09 ("Regulation"). If approved, the proposed Class 3 Solar Facility (Project) would have a total maximum name plate capacity of 100 MW. It is proposed that this facility will convert solar energy into electricity to be fed into the Hydro One electricity grid. The output from each of the solar sites will be collected and routed to an electrical substation, in the vicinity of Unity Road, which will interconnect to the Hydro One transmission lines. The Project lands will be a series of leased sites located to the north and south of Unity Road as well as south of Mud Lake Road in the City of Kingston and Loyalist Township. The Project will cover an area of approximately 261 hectares.

As part of the application for a Renewable Energy Approval, the environmental studies and draft reports have been completed for regulatory approval and Kingston Solar LP is consulting with the public, Aboriginal communities and interested agencies for comments and feedback on these reports. The invitation and details of the final open house and where to review the Draft REA documents detailing the various studies conducted are provided in the attached Second Notice of Final Open House (Notice).

If you have an interest in this Project, please contact us as per information provided in the Notice.

Sincerely,

**KINGSTON SOLAR LP**

By: \_\_\_\_\_



Name: Lee Jeong Tack  
Title: President

**KINGSTON SOLAR LP**

9<sup>th</sup> Fl. 55 Slandish Court, Mississauga, ON L5R 4B2 Canada TEL: 905-501-5658 FAX: 905-265-1652

July 27, 2012

Hiawatha First Nation  
123 Paudash Street  
Hiawatha, Ontario, K0L 2G0

Dear Chief, Council and Members of Community;

**Re: Second Notice of Final Open House for the Sol-Luce Kingston Solar PV Energy Project**


Kingston Solar LP is planning to engage in a renewable energy project. The proposed facility is to be known as the "Sol-Luce Kingston Solar PV Energy Project" (Project). The proposed Project is subject to the provisions of the *Environmental Protection Act* (the "Act") Part V.0.1 and Ontario Regulation 359/09 ("**Regulation**"). If approved, the proposed Class 3 Solar Facility (Project) would have a total maximum name plate capacity of 100 MW. It is proposed that this facility will convert solar energy into electricity to be fed into the Hydro One electricity grid. The output from each of the solar sites will be collected and routed to an electrical substation, in the vicinity of Unity Road, which will interconnect to the Hydro One transmission lines. The Project lands will be a series of leased sites located to the north and south of Unity Road as well as south of Mud Lake Road in the City of Kingston and Loyalist Township. The Project will cover an area of approximately 261 hectares.

As part of the application for a Renewable Energy Approval, the environmental studies and draft reports have been completed for regulatory approval and Kingston Solar LP is consulting with the public, Aboriginal communities and interested agencies for comments and feedback on these reports. The invitation and details of the final open house and where to review the Draft REA documents detailing the various studies conducted are provided in the attached Second Notice of Final Open House (Notice).

If you have an interest in this Project, please contact us as per information provided in the Notice.

Sincerely,

**KINGSTON SOLAR LP**

By: 

Name: Lee Jeong Tack  
Title: President

**KINGSTON SOLAR LP**

9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada TEL: 905-501-5658 FAX: 905-285-1852

July 27, 2012

Land Resource Worker Diane Sheridan  
Hiawatha First Nation  
123 Paudash Street  
Hiawatha, Ontario, K0L 2G0

Dear Chief, Council and Members of Community;

**Re: Second Notice of Final Open House for the Sol-Luce Kingston Solar PV Energy Project**

Kingston Solar LP is planning to engage in a renewable energy project. The proposed facility is to be known as the "Sol-duce Kingston Solar PV Energy Project" (Project). The proposed Project is subject to the provisions of the *Environmental Protection Act* (the "Act") Part V.0.1 and Ontario Regulation 359/09 ("Regulation"). If approved, the proposed Class 3 Solar Facility (Project) would have a total maximum name plate capacity of 100 MW. It is proposed that this facility will convert solar energy into electricity to be fed into the Hydro One electricity grid. The output from each of the solar sites will be collected and routed to an electrical substation, in the vicinity of Unity Road, which will interconnect to the Hydro One transmission lines. The Project lands will be a series of leased sites located to the north and south of Unity Road as well as south of Mud Lake Road in the City of Kingston and Loyalist Township. The Project will cover an area of approximately 261 hectares.

As part of the application for a Renewable Energy Approval, the environmental studies and draft reports have been completed for regulatory approval and Kingston Solar LP is consulting with the public, Aboriginal communities and interested agencies for comments and feedback on these reports. The invitation and details of the final open house and where to review the Draft REA documents detailing the various studies conducted are provided in the attached Second Notice of Final Open House (Notice).

If you have an interest in this Project, please contact us as per information provided in the Notice.

Sincerely,

**KINGSTON SOLAR LP**

By: \_\_\_\_\_

Name: Lee Jeong Tack  
Title: President

**KINGSTON SOLAR LP**

9<sup>th</sup> Fl. 55 Standish Court Mississauga, ON L5R 4B2 Canada TEL: 905-501-5658 FAX: 905-285-1852

July 27, 2012

Chief Sandra Moore  
Hiawatha First Nation (Mississaugas of Rice Lake)  
123 Paudash Street  
Hiawatha, Ontario, K0L 2G0

Dear Chief, Council and Members of Community;

**Re: Second Notice of Final Open House for the Sol-Luce Kingston Solar PV Energy Project**


Kingston Solar LP is planning to engage in a renewable energy project. The proposed facility is to be known as the "Sol-duce Kingston Solar PV Energy Project" (Project). The proposed Project is subject to the provisions of the *Environmental Protection Act* (the "Act") Part V.0.1 and Ontario Regulation 359/09 ("Regulation"). If approved, the proposed Class 3 Solar Facility (Project) would have a total maximum name plate capacity of 100 MW. It is proposed that this facility will convert solar energy into electricity to be fed into the Hydro One electricity grid. The output from each of the solar sites will be collected and routed to an electrical substation, in the vicinity of Unity Road, which will interconnect to the Hydro One transmission lines. The Project lands will be a series of leased sites located to the north and south of Unity Road as well as south of Mud Lake Road in the City of Kingston and Loyalist Township. The Project will cover an area of approximately 261 hectares.

As part of the application for a Renewable Energy Approval, the environmental studies and draft reports have been completed for regulatory approval and Kingston Solar LP is consulting with the public, Aboriginal communities and interested agencies for comments and feedback on these reports. The invitation and details of the final open house and where to review the Draft REA documents detailing the various studies conducted are provided in the attached Second Notice of Final Open House (Notice).

If you have an interest in this Project, please contact us as per information provided in the Notice.

Sincerely,

**KINGSTON SOLAR LP**

By:   
Name: Lee Jeong Tack  
Title: President

**KINGSTON SOLAR LP**

9th Fl, 85 Standish Court, Mississauga, ON L5R 4B2 Canada TEL: 905-601-6658 FAX: 905-285-1852

July 27, 2012

Lori Ritter  
Hiawatha First Nation  
123 Paudash Street  
Hiawatha, Ontario, K0L 2G0

Dear Chief, Council and Members of Community;

**Re: Second Notice of Final Open House for the Sol-Luce Kingston Solar PV Energy Project**


Kingston Solar LP is planning to engage in a renewable energy project. The proposed facility is to be known as the "Sol-duce Kingston Solar PV Energy Project" (Project). The proposed Project is subject to the provisions of the *Environmental Protection Act* (the "Act") Part V.0.1 and Ontario Regulation 359/09 ("Regulation"). If approved, the proposed Class 3 Solar Facility (Project) would have a total maximum name plate capacity of 100 MW. It is proposed that this facility will convert solar energy into electricity to be fed into the Hydro One electricity grid. The output from each of the solar sites will be collected and routed to an electrical substation, in the vicinity of Unity Road, which will interconnect to the Hydro One transmission lines. The Project lands will be a series of leased sites located to the north and south of Unity Road as well as south of Mud Lake Road in the City of Kingston and Loyalist Township. The Project will cover an area of approximately 261 hectares.

As part of the application for a Renewable Energy Approval, the environmental studies and draft reports have been completed for regulatory approval and Kingston Solar LP is consulting with the public, Aboriginal communities and interested agencies for comments and feedback on these reports. The invitation and details of the final open house and where to review the Draft REA documents detailing the various studies conducted are provided in the attached Second Notice of Final Open House (Notice).

If you have an interest in this Project, please contact us as per information provided in the Notice.

Sincerely,

**KINGSTON SOLAR LP**

By: 

Name: Lee Jeong Tack  
Title: President

**KINGSTON SOLAR LP**

9<sup>th</sup> Fl, 55 Standish Court, Mississauga, ON L5R 4B2, Canada TEL: 905-501-5658 FAX: 905-285-1852

July 27, 2012

Grand Chief Konrad Sioui  
Conseil de la Nation huronne-wendat  
255 Place Chef Michel Laveau  
Wendake, Quebec, G0A 4V0

Dear Chief, Council and Members of Community;

**Re: Second Notice of Final Open House for the Sol-Luce Kingston Solar PV Energy Project**

Kingston Solar LP is planning to engage in a renewable energy project. The proposed facility is to be known as the "Sol-Luce Kingston Solar PV Energy Project" (Project). The proposed Project is subject to the provisions of the *Environmental Protection Act* (the "Act") Part V.0.1 and Ontario Regulation 359/09 ("Regulation"). If approved, the proposed Class 3 Solar Facility (Project) would have a total maximum name plate capacity of 100 MW. It is proposed that this facility will convert solar energy into electricity to be fed into the Hydro One electricity grid. The output from each of the solar sites will be collected and routed to an electrical substation, in the vicinity of Unity Road, which will interconnect to the Hydro One transmission lines. The Project lands will be a series of leased sites located to the north and south of Unity Road as well as south of Mud Lake Road in the City of Kingston and Loyalist Township. The Project will cover an area of approximately 261 hectares.

As part of the application for a Renewable Energy Approval, the environmental studies and draft reports have been completed for regulatory approval and Kingston Solar LP is consulting with the public, Aboriginal communities and interested agencies for comments and feedback on these reports. The invitation and details of the final open house and where to review the Draft REA documents detailing the various studies conducted are provided in the attached Second Notice of Final Open House (Notice).

If you have an interest in this Project, please contact us as per information provided in the Notice.

Sincerely,

**KINGSTON SOLAR LP**

By: \_\_\_\_\_

Name: Lee Jeong Tack  
Title: President



**KINGSTON SOLAR LP**

9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada TEL: 905-601-5656 FAX: 905-285-1862

July 27, 2012

Chief Kris Nahrgang  
Kawartha Nishnawbe First Nation  
P.O. Box 1432  
Lakefield, Ontario, K0L 2H0

Dear Chief, Council and Members of Community;

**Re: Second Notice of Final Open House for the Sol-Luce Kingston Solar PV Energy Project**


Kingston Solar LP is planning to engage in a renewable energy project. The proposed facility is to be known as the "Sol-duce Kingston Solar PV Energy Project" (Project). The proposed Project is subject to the provisions of the *Environmental Protection Act* (the "Act") Part V.0.1 and Ontario Regulation 359/09 ("Regulation"). If approved, the proposed Class 3 Solar Facility (Project) would have a total maximum name plate capacity of 100 MW. It is proposed that this facility will convert solar energy into electricity to be fed into the Hydro One electricity grid. The output from each of the solar sites will be collected and routed to an electrical substation, in the vicinity of Unity Road, which will interconnect to the Hydro One transmission lines. The Project lands will be a series of leased sites located to the north and south of Unity Road as well as south of Mud Lake Road in the City of Kingston and Loyalist Township. The Project will cover an area of approximately 261 hectares.

As part of the application for a Renewable Energy Approval, the environmental studies and draft reports have been completed for regulatory approval and Kingston Solar LP is consulting with the public, Aboriginal communities and interested agencies for comments and feedback on these reports. The invitation and details of the final open house and where to review the Draft REA documents detailing the various studies conducted are provided in the attached Second Notice of Final Open House (Notice).

If you have an interest in this Project, please contact us as per information provided in the Notice.

Sincerely,

**KINGSTON SOLAR LP**

By: 

Name: Lee Jeong Tack  
Title: President

**KINGSTON SOLAR LP**

9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2, Canada TEL: 905-501-5658 FAX: 905-285-1852

July 27, 2012

Chief Tracy Gauthier  
Mississaugas of Scugog Island First Nation  
22521 Island Road  
Port Perry, Ontario, L9L 1B6

Dear Chief, Council and Members of Community;

**Re: Second Notice of Final Open House for the Sol-Luce Kingston Solar PV Energy Project**


Kingston Solar LP is planning to engage in a renewable energy project. The proposed facility is to be known as the "Sol-duce Kingston Solar PV Energy Project" (Project). The proposed Project is subject to the provisions of the *Environmental Protection Act* (the "Act") Part V.0.1 and Ontario Regulation 359/09 ("Regulation"). If approved, the proposed Class 3 Solar Facility (Project) would have a total maximum name plate capacity of 100 MW. It is proposed that this facility will convert solar energy into electricity to be fed into the Hydro One electricity grid. The output from each of the solar sites will be collected and routed to an electrical substation, in the vicinity of Unity Road, which will interconnect to the Hydro One transmission lines. The Project lands will be a series of leased sites located to the north and south of Unity Road as well as south of Mud Lake Road in the City of Kingston and Loyalist Township. The Project will cover an area of approximately 261 hectares.

As part of the application for a Renewable Energy Approval, the environmental studies and draft reports have been completed for regulatory approval and Kingston Solar LP is consulting with the public, Aboriginal communities and interested agencies for comments and feedback on these reports. The invitation and details of the final open house and where to review the Draft REA documents detailing the various studies conducted are provided in the attached Second Notice of Final Open House (Notice).

If you have an interest in this Project, please contact us as per information provided in the Notice.

Sincerely,

**KINGSTON SOLAR LP**

By: 

Name: Lee Jeong Tack  
Title: President

**KINGSTON SOLAR LP**

90 FJ, 55 Standish Court, Mississauga, ON L5R 4B2 Canada TEL: 905-501-5653 FAX: 905-285-1852

July 27, 2012

Consultation Unit  
Métis Nation of Ontario  
500 Old St. Patrick Street, Unit 3  
Ottawa, Ontario, K1N 9G4

Dear Métis Nation of Ontario,

**Re: Second Notice of Final Open House for the Sol-Luce Kingston Solar PV Energy Project**

Kingston Solar LP is planning to engage in a renewable energy project. The proposed facility is to be known as the "Sol-luce Kingston Solar PV Energy Project" (Project). The proposed Project is subject to the provisions of the *Environmental Protection Act* (the "Act") Part V.0.1 and Ontario Regulation 359/09 ("Regulation"). If approved, the proposed Class 3 Solar Facility (Project) would have a total maximum name plate capacity of 100 MW. It is proposed that this facility will convert solar energy into electricity to be fed into the Hydro One electricity grid. The output from each of the solar sites will be collected and routed to an electrical substation, in the vicinity of Unity Road, which will interconnect to the Hydro One transmission lines. The Project lands will be a series of leased sites located to the north and south of Unity Road as well as south of Mud Lake Road in the City of Kingston and Loyalist Township. The Project will cover an area of approximately 261 hectares.


As part of the application for a Renewable Energy Approval, the environmental studies and draft reports have been completed for regulatory approval and Kingston Solar LP is consulting with the public, Aboriginal communities and interested agencies for comments and feedback on these reports. The invitation and details of the final open house and where to review the Draft REA documents detailing the various studies conducted are provided in the attached Second Notice of Final Open House (Notice).

If you have an interest in this Project, please contact us as per information provided in the Notice.

Sincerely,

**KINGSTON SOLAR LP**

By: \_\_\_\_\_



Name: Lee Jeong Tack  
Title: President

**KINGSTON SOLAR LP**

9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada TEL: 905-601-8656 FAX: 905-285-1852

July 27, 2012

Grand Chief Micheal Mitchell  
Mohawk Council of Akwesasne  
P.O. Box 579  
Cornwall, Ontario, K6H 5T3

Dear Chief, Council and Members of Community;

**Re: Second Notice of Final Open House for the Sol-Luce Kingston Solar PV Energy Project**

Kingston Solar LP is planning to engage in a renewable energy project. The proposed facility is to be known as the "Sol-Luce Kingston Solar PV Energy Project" (Project). The proposed Project is subject to the provisions of the *Environmental Protection Act* (the "Act") Part V.0.1 and Ontario Regulation 359/09 ("Regulation"). If approved, the proposed Class 3 Solar Facility (Project) would have a total maximum name plate capacity of 100 MW. It is proposed that this facility will convert solar energy into electricity to be fed into the Hydro One electricity grid. The output from each of the solar sites will be collected and routed to an electrical substation, in the vicinity of Unity Road, which will interconnect to the Hydro One transmission lines. The Project lands will be a series of leased sites located to the north and south of Unity Road as well as south of Mud Lake Road in the City of Kingston and Loyalist Township. The Project will cover an area of approximately 261 hectares.

As part of the application for a Renewable Energy Approval, the environmental studies and draft reports have been completed for regulatory approval and Kingston Solar LP is consulting with the public, Aboriginal communities and interested agencies for comments and feedback on these reports. The invitation and details of the final open house and where to review the Draft REA documents detailing the various studies conducted are provided in the attached Second Notice of Final Open House (Notice).

If you have an interest in this Project, please contact us as per information provided in the Notice.

Sincerely,

**KINGSTON SOLAR LP**

By: 

Name: Lee Jeong Tack  
Title: President

**KINGSTON SOLAR LP**

9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2 Canada TEL: 905-501-5658 FAX: 905-285-1852

July 27, 2012

Chief R. Donald Maracle  
Tyendinaga Mohawk Council  
13 Old York Rd.  
Tyendinaga Mohawk Territory, Ontario, K0K 1X0

Dear Chief, Council and Members of Community;

**Re: Second Notice of Final Open House for the Sol-Luce Kingston Solar PV Energy Project**

Kingston Solar LP is planning to engage in a renewable energy project. The proposed facility is to be known as the "Sol-duce Kingston Solar PV Energy Project" (Project). The proposed Project is subject to the provisions of the *Environmental Protection Act* (the "Act") Part V.0.1 and Ontario Regulation 359/09 ("Regulation"). If approved, the proposed Class 3 Solar Facility (Project) would have a total maximum name plate capacity of 100 MW. It is proposed that this facility will convert solar energy into electricity to be fed into the Hydro One electricity grid. The output from each of the solar sites will be collected and routed to an electrical substation, in the vicinity of Unity Road, which will interconnect to the Hydro One transmission lines. The Project lands will be a series of leased sites located to the north and south of Unity Road as well as south of Mud Lake Road in the City of Kingston and Loyalist Township. The Project will cover an area of approximately 261 hectares.

As part of the application for a Renewable Energy Approval, the environmental studies and draft reports have been completed for regulatory approval and Kingston Solar LP is consulting with the public, Aboriginal communities and interested agencies for comments and feedback on these reports. The invitation and details of the final open house and where to review the Draft REA documents detailing the various studies conducted are provided in the attached Second Notice of Final Open House (Notice).

If you have an interest in this Project, please contact us as per information provided in the Notice.

Sincerely,

**KINGSTON SOLAR LP**

By: \_\_\_\_\_

Name: Lee Jeong Tack  
Title: President

**KINGSTON SOLAR LP**

9<sup>th</sup> Fl. 55 Standish Court, Mississauga, ON L5R 4B2, Canada TEL: 905-601-5658 FAX: 905-285-1852

July 27, 2012

Chief Doreen Davis  
Shabot Obaadjiwan First Nation  
29649 Hwy 7  
Arden, Ontario, K0H 1B0

Dear Chief, Council and Members of Community;

**Re: Second Notice of Final Open House for the Sol-Luce Kingston Solar PV Energy Project**

Kingston Solar LP is planning to engage in a renewable energy project. The proposed facility is to be known as the "Sol-Luce Kingston Solar PV Energy Project" (Project). The proposed Project is subject to the provisions of the *Environmental Protection Act* (the "Act") Part V.0.1 and Ontario Regulation 359/09 ("**Regulation**"). If approved, the proposed Class 3 Solar Facility (Project) would have a total maximum name plate capacity of 100 MW. It is proposed that this facility will convert solar energy into electricity to be fed into the Hydro One electricity grid. The output from each of the solar sites will be collected and routed to an electrical substation, in the vicinity of Unity Road, which will interconnect to the Hydro One transmission lines. The Project lands will be a series of leased sites located to the north and south of Unity Road as well as south of Mud Lake Road in the City of Kingston and Loyalist Township. The Project will cover an area of approximately 261 hectares.

As part of the application for a Renewable Energy Approval, the environmental studies and draft reports have been completed for regulatory approval and Kingston Solar LP is consulting with the public, Aboriginal communities and interested agencies for comments and feedback on these reports. The invitation and details of the final open house and where to review the Draft REA documents detailing the various studies conducted are provided in the attached Second Notice of Final Open House (Notice).

If you have an interest in this Project, please contact us as per information provided in the Notice.

Sincerely,

**KINGSTON SOLAR LP**

By: 

Name: Lee Jeong Tack  
Title: President